
AFGL-TR-78-0051
AIR FORCE SURVEYS IN GEOPHYSICS, NO. 382



LEVEL

Air Force Reference Atmospheres

ALLEN E. COLE ARTHUR J. KANTOR

ODC FILE COPY

28 February 1978



Approved for public release; distribution unlimited.

METEOROLOGY DIVISION PROJECT 6670

AIR FORCE GEOPHYSICS LABORATORY

HANSCOM AFB, MASSACHUSETTS 01731

AIR FORCE SYSTEMS COMMAND, USAF



78 14 08 267

This report has been reviewed by the ESD Information Office (OI) and is releasable to the National Technical Information Service (NTIS).

This technical report has been reviewed and is approved for publication.

FOR THE COMMANDER

Chief Scientist

Qualified requestors may obtain additional copies from the Defense Documentation Center. All others should apply to the National Technical Information Service.


Unclassified SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered) READ INSTRUCTIONS
BEFORE COMPLETING FORM REPORT DOCUMENTATION PAGE OF REPORT & PERIOD COVERED AIR FORCE REFERENCE ATMOSPHERES Scientific. Interim. 6. PERFORMING ORG. REPORT NUMBER CONTRACT OR GRANT NUMBER(8) Allen E. Cole Arthur J. Kantor PERFORMING ORGANIZATION NAME AND ADDRESS 10 FROGRAM FLEMENT, PROJECT, TASK Air Force Geophysics Laboratory (LYD) Hanscom AFB, 667**9**0902 Massachusetts 01731 REPORT DATE 1. CONTROLLING OFFICE NAME AND ADDRESS Air Force Geophysics Laboratory (LYD) February 1978 Hanscom AFB, Massachusetts 01731 78 14. MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office) SECURITY CLASS. (of this report) Unclassified 15. DECLASSIFICATION/DOWNGRADING 16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20. If differen Air Force surveys in geophysics, 18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Reference atmospheres Stratospheric and mesospheric temperatures Stratospheric and mesospheric densities STRACT (Continue on reverse side if necessary and identify by block number) Sets of mean monthly reference atmospheres that describe seasonal changes in the vertical distributions of temperature, density, and pressure up to 90 km are presented for 15 intervals of latitude between the equator and pole. Specialized atmospheres are included that portray longitudinal variations in monthly median values of temperature, density, and pressure during the winter months. Other models illustrate the magnitude of the changes in the vertical distributions of these atmospheric properties during winter warmings

and coolings of the stratosphere and mesosphere in arctic and subarctic

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

409 578 14 08 267

Unclassified
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)



Unclassified
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Contents

1.	INTE	RODUC	CTION	7
2.	BAS	IC ASS	SUMPTIONS AND FORMULAS	8
	2.1 2.2 2.3		Static Atmosphere and Perfect Gas Law otential sure	9 9 10
3.	DAT	A		10
4.	ANA	LYSIS		12
5.	-		TION OF OBSERVED TEMPERATURES NSITIES	16
6.	LON	GITUI	DINAL VARIATIONS	28
7.	COL	D ANI	WARM WINTER STRATOSPHERE/MESOSPHERE	31
RE	FERE	NCES		37
AP	PEND	IX A:	Tables of Monthly Thermodynamic Properties of the Atmosphere	41
AP	PEND	IX B:	Tables of Thermodynamic Properties Representative of Cold and Warm Stratospheric Regimes Between 60°N and 75°N	63
AP	PEND	IX C:	Break-Point Tables in Geopotential Kilometers	69

Illustrations

1.	Mean January and July Pressure Height Maps for 0.4 mb	13
2.	Mean January and July Temperature Maps (°K) for 0.4 mb	14
3.	Latitudinal Distribution of Median 30-km Temperature for January and July	15
4.	Latitudinal Temperature-Height Cross-Sections of Monthly Temperatures for January and July	17
5.	Latitudinal Density-Height Cross-Sections for January and July	18
6.	Mean Monthly Temperature-Height Profiles for the 60°N Models at Longitudes 10°, 100°, and 140°W	29
7.	Mean Monthly Temperature-Height Profiles for the 75°N Models at 10° and 140°W	29
8.	Density-Height Profiles for the 60°N Models at 10°, 100° and 140°W	30
9.	Density-Height Profiles for the 75°N Models at 10° and 140°W	31
10.	Temperature-Height Profiles Associated With Extreme Warm and Cold Regimes in the Winter Stratosphere and Mesosphere Near 60°N	32
11a.	Density Profiles (Warm) Associated With Extreme Temperatures in the Upper Stratosphere and Mean January Conditions at 60°N	34
11b.	Density Profiles Associated With Extreme Temperatures in the Upper Stratosphere and Mean January Conditions at 60°N	35
		Tables
1.	Sea-Level Acceleration of Gravity and the Effective Radius, r	10
2.	Observational Sites	11
3.	Median, High, and Low Percentile Values of Temperatures for January and July at 30°, 45°, 60°, and 75°N	19
4.	Median, High, and Low Percentile Values of Densities for January and July, at 30°, 45°, 60°, and 75°N	23
5.	Standard Deviations of Observed Day-to-Day Variations in Temperatures (°K) and Densities (%) at Ascension (8°S) at Altitudes up to 50 km During the Mid-Season Months	27
6.	Standard Deviations of Observed Densities and Temperatures Around the Mean Annual Values at Ascension/Natal	28
A 1.	Monthly Temperature at the Equator and for 15° Intervals of Latitude	42
A2.	Monthly Density at the Equator and for 15° Intervals of Latitude	49
A3.	Monthly Pressure at the Equator and for 15° Intervals of Latitude	56

		Tables
В1.	Temperature in January for 60°N and 75°N at Specific Longitudes	64
B2.	Density in January for 60°N and 75°N at Specified Longitudes	65
вз.	Pressure in January for 60°N and 75°N at Specified Longitudes	66
B4.	High-Latitude Thermodynamic Properties for Cold and Warm Winter Stratosphere/Mesosphere	67
C1.	Temperature-Height Profiles at the Equator and for 15° Intervals of Latitude	70
C2.	January Temperature-Height Profiles for Specified Longitudes at 60°N and 75°N	77
C3.	High-Latitude Temperature-Height Profiles for Cold and Warm Winter Stratosphere/Mesosphere	78

Air Force Reference Atmospheres

1. INTRODUCTION

The Reference Atmospheres presented in this report were developed to provide AF engineers and designers of aerospace systems with up-to-date information on the seasonal, latitudinal, longitudinal, and day-to-day variability of the thermodynamic properties of the atmosphere for altitudes between the surface and 90 km. They expand upon and update information contained in the U.S. Standard Atmosphere Supplements, 1966.

There has been a substantial increase in the number of meteorological rocket observations taken on a routine basis during the past ten years. These data enable relatively detailed analyses to be made of seasonal, day-to-day, latitudinal, and longitudinal (10°W to 140°W) variations of the thermodynamic properties of the atmosphere for altitudes up to 55 km. The increase in the number of available measurements derived from grenade, pressure gauge, and falling sphere experiments for altitudes between 55 and 90 km has been much smaller. Consequently, the periodic and day-to-day variations that are given for these altitudes are more speculative than those provided for altitudes below 55 km.

The seasonal and latitudinal variability of the atmosphere is shown by a series of mean monthly atmospheric models, presented in tabular form in Appendix A for 15° intervals of latitude, including the Equator and North Pole. All these

(Received for publication on 28 February 1978)



atmospheric models with the exception of those for 90°N extend from the surface to 90 km. The lack of observations at the higher altitudes in polar regions made it impractical to extend the 90°N models above 55 km. Special models are included (Appendix B) that portray longitudinal variations in the monthly median values of temperature, pressure, and density up to 55 km during the winter months near 60° and 75°N. Additional models which illustrate the magnitude of the changes in the vertical distributions of these atmospheric properties during extreme winter warmings and coolings of the stratosphere and mesosphere in arctic and subarctic regions are also included (Appendix B).

Additional information on the construction of the models, the extremes that occur in the arctic winter stratospheres, and the periodic variations of the thermodynamic properties of the atmosphere is contained in References 1 through 4.

2. BASIC ASSUMPTIONS AND FORMULAS

The monthly atmospheres are defined by temperature-altitude profiles in which vertical gradients of temperature are linear with respect to geopotential altitude. It is assumed that the air is dry, is in hydrostatic equilibrium, and behaves as a perfect gas. The molecular weight of air at sea level, 28.9644 kg(k-mol)⁻¹, is assumed to be constant to 90 km. Actually, dissociation of molecular oxygen begins to take place near 80 km and molecular weight starts decreasing slowly with height. Consequently, the molecular-scale temperatures (T_M) given in Appendix A for altitudes above 80 km are slightly but not significantly larger than the ambient kinetic temperature (T_M), as $T_M^{=}(M_O/M)T$, where M_O is sea-level molecular weight and M is the molecular weight of air at a specific altitude. Molecular weight is assumed constant below 80 km; therefore, molecular-scale and ambient temperatures are identical at those altitudes.

Numerical values for the various thermodynamic and physical constants used in computing the tables of atmospheric properties for these atmospheres are identical to those used in the preparation of the <u>U.S. Standard Atmosphere</u>, 1976, with two exceptions. Surface conditions for the atmospheres are based on mean monthly

Cole, A. E., and Kantor, A. J. (1975) <u>Tropical Atmospheres</u>, 0 to 90 km, AFCRL-TR-75-0527.

Kantor, A. J., and Cole, A. E. (1976) Monthly Midlatitude Atmospheres, Surface to 90 km, AFGL-TR-76-0140.

^{3.} Cole, A.E., and Kantor, A.J. (1977) Arctic and Subarctic Atmospheres, 0 to 90 km, AFGL-TR-77-0046.

Kantor, A.J., and Cole, A.E. (1977) Monthly 90°N Atmospheres and High-Latitude Warm and Cold Winter Stratosphere/Mesosphere, AFCRL-TR-77-0289.

sea-level values of pressure and temperature for the appropriate latitude rather than on standard conditions. The acceleration due to gravity at sea level for the latitudes were obtained from the following expression by Lambert⁵ in which gravity, g, varies with latitude ϕ :

$$g_{\phi} = 9.780356 (1 + 0.0052885 \sin^2 \phi - 0.0000059 \sin^2 2\phi)$$
 (1)

2.1 The Static Atmosphere and Perfect Gas Law

The air is assumed to be in hydrostatic equilibrium and to satisfy the differential equation

$$dP = -\rho g dZ \tag{2}$$

which relates air pressure (P) to density (ρ) , acceleration of free fall (g), and height (Z). The perfect gas law relates air pressure to density and temperature as follows:

$$P = \frac{\rho R * T_{M}}{M_{O}}$$
 (3)

where R* is the universal gas constant, $8.31432 \times 10^3 \ \mathrm{JK}^{-1} \ (\mathrm{k-mol})^{-1}$.

2.2 Geopotential

The relationship between geopotential altitude and geometric altitude is the same as that used for the U.S. Standard Atmosphere Supplements, 1966:

$$H = \left(\frac{r_{\phi}Z}{r_{\phi}+Z}\right)\left(\frac{g_{\phi}}{G}\right) \tag{4}$$

where H is the geopotential altitude in geopotential meters (m'), Z is the geometric altitude, r_{ϕ} is the effective earth radius, g_{ϕ} is the sea-level value for acceleration of gravity at a specific latitude ϕ , as given by Lambert's equation, ⁵ and G is the unit geopotential set equal to 9.80665 m² sec⁻² (m')⁻¹. Values of r_{ϕ} and g_{ϕ} are given in Table 1.

List, R.J. (Ed.) (1968) Smithsonian Meteorological Tables, Smithsonian Inst. Press, Washington, D.C.

Table 1. Sea-Level Acceleration of Gravity and the Effective Radius, r_d, of the Earth for Each Latitude

Latitude ø	Sea Level Gravity g_{ϕ} (m sec ⁻²)	Effective Earth's Radius r_{ϕ} , (km)
0	9.78036	6334.984
15	9.78381	6337.838
30	9.79324	6345.653
45	9.80665	6356.766
60	9.81911	6367.103
75	9.82860	6374.972
90	9,82308	6377.862

2.3 Pressure

Vertical distributions of pressure were computed from appropriate temperatureheight profiles and associated mean monthly surface pressures, according to the following barometric equations:

$$\frac{P}{P_b} = \left(\frac{T_{Mb}}{T_{Mb} + Lh}\right) \frac{g_{\phi}^{M}_{O}}{R*L} \qquad (L \neq 0)$$
 (5)

$$\frac{P}{P_b} = \exp\left(\frac{-g_{\phi} M_o h}{R*T_{Mb}}\right) (L=0)$$
 (6)

where h = H - H_b ; H_b is the geopotential altitude at the base of a particular layer characterized by a specific value of L, which is the vertical gradient of molecular-scale temperature with geopotential height (dT_M/dh); and T_{Mb} and P_b are the respective values of temperature and pressure at altitude H_b .

3. DATA

Initial sea-level pressures for each atmosphere were taken from mean monthly sea-level charts for the Northern Hemisphere. ^{6,7,8} Mean monthly temperature-height profiles for altitudes up to 30 km were obtained for specific latitudes by giving equal weight to radiosonde temperatures ⁸⁻¹¹ interpolated for each 10° of longitude.

Temperature distributions between 30 and 55 km are based on Meteorological Rocket Network (MRN) observations ¹² taken at the locations given in the upper (Because of the large number of references cited above, they will not be listed here. See Reference Page 37, for References 6 through 12.

section of Table 2, and sets of 5-, 2-, and 0.4-mb constant-pressure maps prepared by the Upper Air Branch of the National Weather Service on a weekly basis for the years 1964 through 1968 and from January 1972 through June 1974. 13-19 Prior to 1972 these maps were based on meteorological rocketsonde observations and extrapolated radiosonde data and covered the area between 0° and 160°W in the Northern Hemisphere. Since 1972 efforts have been made to expand the coverage by using data from satellite radiance measurements. However, there are still questions concerning the accuracy of temperature data derived from satellite measurements; consequently, the data used from these maps are confined to areas where rocket data can be applied to confirm the analyses.

The MRN temperature observations were corrected as suggested by Krumins and Lyons ²⁰ for altitudes between 30 and 55 km. They were not used for altitudes above 55 km, since thermistor measurements are subject to large uncertainties above 55 km. The temperature distributions between 55 and 90 km are based on values derived from grenade, falling sphere, and pressure gauge experiments conducted at locations indicated in the lower portion of Table 2. ²¹⁻³⁵

Table 2. Observational Sites

Meteorological Rockets										
Stations	Latitude	Longitude	Period of Record							
Ascension	8°S	14°W	Jan 1964 - Dec 1976							
Ft. Sherman	9°N	80°W	Dec 1966 - Dec 1976							
Antigua	17°N	62°W	Jan 1965 - Dec 1976							
Barking Sands	22°N	160°W	Dec 1966 - Dec 1976							
Cape Kennedy	28°N	80°W	Jan 1964 - Dec 1976							
White Sands	32°N	106°W	Jan 1965 - Dec 1976							
Point Mugu	34°N	119°W	Jan 1965 - Dec 1976							
Wallops Island	38°N	75°W	Jan 1965 - Dec 1976							
Volgograd	49°N	44°E	Jan 1968 - Feb 1976							
Shemya	53°N	174°E	Jan 1975 - Mar 1976							
Primrose Lake	55°N	110°W	Apr 1967 - Dec 1976							
West Geirinish	57°N	7°W	Jan 1965 - Jan 1972							
Churchill	59°N	94°W	Jan 1965 - Dec 1976							
Ft. Greely	64°N	146°W	Jan 1965 - Dec 1976							
Thule	77°N	69°W	Jan 1965 - Dec 1976							
Heiss Island	81°N	58°E	Jan 1968 - Feb 1976							

⁽Because of the large number of references cited above, they will not be listed here. See Reference Page 37, for References 13 through 35.)

Table 2. Observational Sites (Cont)

Experimental Rockets											
Stations	Latitude	Longitude	Period of Record								
Woomera	31°S	137 °E	1957 - 1973								
Ascension Island	8°S	14°W	1964 - 1965								
Natal	6°S	35°W	1966 - 1968								
Kourou	5°N	52°W	1971								
Guam	13°N	145°E	1958								
White Sands	32°N	106°W	1965 - 1971								
Wallops Island	38°N	75°W	1961 - 1971								
Churchill	59°N	94°W	1957 - 1971								
Barrow	71°N	157 °W	1965 - 1972								

4. ANALYSIS

Mean monthly pressure-height and temperature maps were developed for 5.0, 2.0, and 0.4 mb from grid point data taken from the weekly pressure-height maps prepared at these levels by the National Weather Service for the Northern Hemisphere. Mean January and July pressure-height and temperature maps for the 0.4 mb level are shown in Figures 1 and 2, respectively.

Medians of monthly temperatures and densities were derived at 5-km intervals of altitude between 30 and 90 km from meteorological and experimental rocket observations taken at the locations given in Table 2. Bimonthly running medians were obtained for altitudes and locations where data for one or more months were missing.

The median monthly temperatures and densities for each location and level were subjected to harmonic analysis for annual and semiannual cycles. The analyses smoothed the data and gave regression equations of the form

$$Y = \overline{Y} + A_1 \sin(x + \phi_1) + A_2 (\sin 2x + \phi_2)$$
 (7)

where A is amplitude, Y is either density or temperature, \overline{Y} is the mean annual value, x=iz, z=360°/period, i=0, 2---11, where 0 represents 15 January, 1 represents 15 February, etc.

Due to the sparsity of observations above 50 km, it was necessary to combine the temperatures derived from experimental observations taken at Ascension, Natal, Kourou, and Guam to obtain an adequate data sample on which to base the median monthly values between 55 and 90 km in tropical regions.




Figure 1. Mean January and July Pressure Height Maps for 0.4 mb




Figure 2. Mean January and July Temperature Maps (*K) for 0.4 mb

Monthly temperatures from the individual harmonic curves and those derived from the mean monthly maps for 5, 2, and 0.4 mb were plotted vs latitude for 5-km height increments between 30 and 80 km. Third degree polynomial curves were fitted to the data. The curves appeared to provide reasonable estimates of the temperature gradients from the North Pole to the Equator at altitudes below 55 km where data are relatively plentiful, as well as at altitudes above 55 km during the summer months when longitudinal and latitudinal temperature variations are relatively small. The latitudinal distributions of 30-km temperatures during January and July are shown in Figure 3. During the Northern Hemisphere winter when longitudinal and latitudinal temperature variations are large, especially above 50 km, the polynomials do not provide realistic estimates of the latitudinal temperature gradients for altitudes between 50 and 90 km. Fourth and fifth degree polynomial fits provided even poorer estimates. Consequently, linear interpolations and subjectively drawn curves were used to obtain estimates of the monthly median temperature at 15° intervals of latitude at altitudes above 50 km for the winter months.




Figure 3. Latitudinal Distribution of Median 30-km Temperatures for January and July


Median monthly temperatures obtained from MRN soundings for 1-km intervals of altitude from 45 to 55 and 75 to 85 km were analyzed to determine the monthly variations in the height and thickness of isothermal layers associated with the stratopause and mesopause. Latitudinal temperature-height cross-sections of the adopted monthly temperatures for January and July are shown in Figure 4 for altitudes between 10 and 90 km.

The temperature-height profiles adopted for each of the monthly atmospheres are defined in Appendix C. The vertical temperature gradients between breakpoints are linear with geopotential altitude.

The latitudinal distribution of atmospheric density based on values from the January and July atmospheres is shown in Figure 5. Densities at the various latitudes and altitudes are expressed as percentages of the densities of the U.S. Standard Atmosphere, 1976. The largest January and July departures of density from standard occur near 75° latitude between 65 and 75 km. At these altitudes the January densities, 50 percent of standard, are roughly one third of the July densities which are 165 percent of standard. Mean monthly densities between 30 and 90 km generally increase toward the equator in January and toward the pole in July. The highest and lowest values occur during the months of June-July and December-January, respectively, north of 30° latitude.

5. DISTRIBUTION OF OBSERVED TEMPERATURES AND DENSITIES

The distributions of observed temperatures and densities around median values in January and July for 30°, 45°, 60°, and 75°N are shown in Tables 3 and 4 for altitudes up to 80 km. Median and high and low values which are equalled or exceeded 1, 10, and 20 percent of the time are given for 5-km altitude increments. Densities are shown as percent departures from the Standard Atmosphere densities. Distributions below 30 km are based on radiosonde observations taken in the Northern Hemisphere, and those above 30 km are based on meteorological and experimental rocket observations. The one-percent values are considered to be rough estimates as they are based on the tails of the distributions of observed values plotted on probability paper. Also, estimates for altitudes above 50 km are less reliable than those below 50 km because of the paucity of data and larger observational errors at the higher altitudes. Only median temperatures and densities are given above 55 km at 75°N for July due to the small number of observations that are available for the higher altitudes in polar regions in summer.






Figure 5. Latitudinal Density-Height Cross-Sections for January and July

Table 3a. Median, High, and Low Percentile Values of Temperatures for January and July at $30\,^{\circ}N$

Altitude	Median	10	%	10	10%		20%	
(km)	(°K)	High (°K)	Low (°K)	High (°K)	Low (°K)	High (°K)	Low (°K)	
		J A	NUA	RY				
5	262	272	251	267	256	265	258	
10	229	239	219	235	223	233	225	
15	208	221	198	216	203	214	205	
20	208	222	200	216	203	214	204	
25	220	231	210	226	216	224	217	
30	229	239	218	236	224	234	226	
35	240	254	222	248	232	245	235	
40	252	270	240	262	249	258	250	
45	264	283	253	277	258	272	260	
50	266	281	256	276	260	273	262	
55	254	272	231	267	243	263	248	
60	243	254	223	248	232	246	235	
65	231	254	218	242	226	238	228	
70	220	235	198	227	204	225	210	
75	218	253	197	237	203	227	208	
80	209	243	187	230	194	217	197	
		J	ULY					
5	272	278	262	274	266	275	268	
10	238	249	227	246	232	242	234	
15	204	216	196	211	200	210	200	
20	212	223	203	218	206	216	206	
25	223	230	216	227	218	226	219	
30	234	241	226	238	229	236	231	
35	244	254	237	250	240	247	242	
40	256	267	247	263	251	261	253	
45	266	275	259	272	264	269	265	
50	269	282	258	278	262	275	264	
55	264	273	247	269	253	267	256	
60	247	262	231	255	240	252	243	
65	228	240	215	236	219	234	222	
70	209	222	186	219	194	214	200	
75	200	218	178	214	192	209	196	
80	193	207	182	200	189	198	191	

Table 3b. Median, High, and Low Percentile Values of Temperatures for January and July at $45\,^{\circ}\text{N}$ (Cont)

Altitude	Median	1'	%	10	1%	20	1%
(km)	(*K)	High (°K)	Low (°K)	High (°K)	Low (°K)	High (°K)	Low (°K)
		J A	N U A	RY			
5	250	263	233	257	239	254	242
10	220	233	206	227	212	225	214
15	217	231	202	225	208	222	21
20	215	227	203	222	208	220	210
25	215	233	197	226	205	224	209
30	221	240	209	230	214	226	219
35	233	258	215	251	223	243	226
40	247	272	226	264	236	257	240
45	262	288	240	283	250	271	254
50	265	282	249	274	256	270	258
55	253	275	229	267	239	263	245
60	244	266	220	263	230	257	241
65	235	255	214	246	223	243	228
70	226	246	206	238	211	234	217
75	225	261	197	245	205	235	210
80	216	248	185	237	197	228	202
		J U	L Y				
5	267	277	255	274	259	272	262
10	235	247	222	2/40	227	239	230
15	216	227	205	222	206	220	212
20	219	233	207	227	213	225	215
25	225	233	216	229	217	228	22
30	234	242	228	239	231	237	232
35	245	254	238	250	241	248	243
40	256	268	250	265	254	263	255
45	268	280	260	276	263	272	265
50	273	283	264	279	268	277	270
55	264	273	249	269	255	267	260
60	247	270	230	264	235	260	238
65	230	245	216	241	223	238	220
70	213	226	188	219	196	216	202
75	195	210	175	205	186	201	190
. 80	183	203	154	195	163	191	170

Table 3c. Median, High, and Low Percentile Values of Temperatures for January and July at $60\,^{\circ}\text{N}$ (Cont)

Altitude	Median	1	%	10	%	20%	
(km)	(°K)	High (°K)	Low (°K)	High (°K)	Low (°K)	High (°K)	Low (°K)
		J	ANUA	RY			
5	240	255	225	249	23]	246	234
10	217	231	203	224	209	222	211
15	217	231	203	225	209	222	212
20	215	236	194	226	204	222	208
25	212	241	185	229	197	223	203
30	216	253	203	235	204	225	210
35	221	277	204	259	209	238	214
40	227	300	206	278	211	246	219
45	243	303	219	282	225	255	231
50	251	289	226	280	233	271	245
55	251	283	225 210	275		256	238 234
60	243	27 1		261		253	
65	238	262	208	258	218	249	222
70	239	264	212	253	219	249	225
75	232	255	180	249	203	246	213
80	223	248	173	243	195	239	204
			JUL	Y			
5	260	27 1	250	266	254	264	256
10	225	238	214	233	219	231	221
15	225	235	217	231	221	229	223
20	225	233	219	230	222	229	223
25	229	236	222	233	225	232	226
30	239	245	232	243	234	241	235
35	252	258	243	256	247	253	248
40	265	272	259	269	263	268	262
45	277	287	27 1	283	274	280	275
50	279	290	273	286	277	284	279
55	27 1	278	257	275	264	273	266
60	259	273	212	265	250	263	253
65	238	259	225	253	230	248	233
70	214	239	202	226	208	222	211
75	190	202	178	196	182	194	186
80	166	180	142	176	153	174	155

Table 3d. Median, High, and Low Percentile Values of Temperatures for January and July at $75\,^{\circ}N$ (Cont)

Altitude	Median	1	%	10%		20%	
(km)	(*K)	High (°K)	Low (°K)	High (°K)	Low (°K)	High (°K)	Low (°K)
		J A	N U A	RY			
5	235	246	222	241	229	238	230
10	214	224	202	219	207	217	209
15	209	219	195	213	201	211	203
20	204	225	179	215	189	210	194
25	205	233	181	221	193	216	198
30	209	255	194	231	198	224	202
35	219	256	199	249	210	236	213
40	229	284	207	256	219	248	224
45	239	281	203	264	224	260	233
50	249	282	201	265	225	259	229
55	255	291	208	262	221	253	220
60	247	303	206	263	213	255	219
65	238	310	186	277	202	263	209
70	242	297	166	277	201	261	207
75	234	289	183	259	201	261	207
80	224	277	165	254	194	240	20
		J U	LY				
5	254	264	244	259	248	257	250
10	229	238	219	234	223	232	225
15	230	237	225	235	228	233	229
20	230	237	227	235	228	234	229
25	230	240	226	238	227	237	229
30	243	262	233	247	235	246	240
35	256	262	238	260	246	258	250
40	268	275	252	271	260	270	26
45	281	292	268	287	275	284	27
50	284	296	270	291	279	288	280
55	281	288	254	284	270	283	27
60	268						
65	246	(in	sufficien	t data abo	ve 55 km	in summ	er)
70	218	(11)	- different	. dava doc	, s co am	. III Guilli	101 /
75	189						
80	161						

Table 4a. Median, High, and Low Percentile Values of Densities Given as Percentage Departures From U.S. Standard Atmosphere $\,$ 1976 for January and July at 30 $^{\circ}N$

A 14 14 J	Median		1%	10	10%)%	U.S. Std Density	
Altitude (km)	(% of Std)	High	Low	High	Low	High	Low	(kg m-3)	
		J A	NU	ARY					
5	-1	+1	-3	0	-2	0	-2	7.3643-1	
10	+1	+4	-3	+3	-1	+2	0	4.1351	
15	+7	+15	-1	+12	+4	+10	+5	1.9476	
20	+3	+7	-2	+5	+1	+4	+2	8.8910-2	
25	-2	+4	-6	+3	-4	+1	-2	4.0084	
30	-4	+2	-10	-2	-8	-3	-6	1.8410	
35	-3	+3	-12	0	-8	-1	-6	8.4634-3	
40	-1	+2	-10	+1	-7	0	-5	3.9957	
45	0	+8	-10	+3	-7	+2	-5	1.9663	
50	+1	+12	-8	+7	-4	+5	-2	1.0269	
55	0	+9	-10	+5	-6	+3	-4	5.6810-4	
60	-2	+12	-15	+5	-9	+2	-6	3.0968	
65	-4	+21	-25	+13	-13	+7	-6	1.6321	
70	-5	+16	-26	+9	-17	+6	-12	8. 2828 -5	
75	-7	+21	-25	+13	-15	+8	-10	3.9921	
80	-4	+21	-22	+15	-13	+8	-7	1.8458	
		J	UL	Y					
5	-3	0	-5	-1	-4	-2	-4	7.3643-1	
10	+1	+3	-1	+2	. 0	+2	0	4.1351	
15	+16	+20	+11	+17	+13	+17	+14	1.9476	
20	+8	+11	+14	+10	+5	+9	+6	8.8910-2	
25	+4	+9	0	+7	+2	+6	+3	4.0084	
30	+3	+7	-1	+5	+1	+4	+2	1,8410	
35	+6	+10	+2	+8	+3	+7	+4	8.4634-3	
40	+9	+15	+2	+11	+5	+10	+7	3.9957	
45	+12	+19	+4	+14	+7	+13	+9	1.9663	
50	+13	+23	+6	+17	+8	+15	+10	1.0269	
55	+11	+20	+2	+15	+5	+13	+7	5.6810-4	
60	+13	+24	-1	+21	+3	+19	+7	3.0968	
65	+15	+43	-6	+38	0	+30	+6	1.6321	
70	+15	+32	-9	+23	+1	+20	+8	8.2828-5	
75	+10	+24	-11	+20	-6	+15	+1	3.9921	
80	+6	+22	-15	+17	-6	+14	+1	1.8458	

Table 4b. Median, High, and Low Percentile Values of Densities Given as Percentage Departures From U.S. Standard Atmosphere 1976 for January and July at 45°N (Cont)

			1%	1	0%	20	0%	U.S. Std Density (kg m ⁻³)
Altitude (km)	Median (% of Std)	High	Low	High	Low	High	Low	
		J	A N U	A R	Y			
5	0	+4	-3	+3	-2	+2	-1	7.3643-
10	-2	+6	-10	+3	-6	+1	-4	4.1351
15	-3	+4	-12	+1	-8	-1	-6	1.9476
20	-2	+2	-8	0	-6	-1	-5	8.8910-
25	-2	+2	-8	0	-6	-1	-5	4.0084
30	-5	. +1	-17	-2	-13	-4	-9	1.8410
35	-6	+2	-20	-2	-16	-4	-12	8.4634-
40	-8	+5	-23	0	-17	-4	-13	3.9957
45	-9	+8	-22	+2	-16	-3	-14	1.9663
50	-8	+11	-20	+4	-16	-3	-14	1.0269
55	-9	+9	-25	+2	-18	-4	-16	5.6810-
60	-12	+7	-28	0	-23	-7	-20	3.0968
65	-14	0	-38	-5	-34	-10	-28	1.6321
70	-15	+2	-38	-9	-30	-12	-26	8.2828-
75	-16	-3	-38	-9	-30	-12	-26	3,9921
80	-23	-2	-42	-8	-36	-10	-30	1.8458
			J U	LY				
5	-2	+1	-5	-1	-4	-1	-3	7.3643-
10	0	+3	-4	+2	-2	+1	-1	4.1351
15	+8	+17	+2	+15	+4	+13	+5	1.9476
20	+6	+11	0	+8	+2	+7	+3	8.8910-
25	+7	+10	+4	+9	+5	+8	+6	4.0084
30	+7	+12	0	+9	+2	+8	+4	1.8410
35	+9	+16	0	+12	+3	+10	+6	8.4634-
40	+13	+21	+4	+16	+8	+14	+10	3.9957
45	+15	+26	+6	+20	+10	+18	+12	1.9663
50	+17	+31	+9	+25	+12	+21	+14	1.0269
55	+17	+32	+8	+25	+11	+22	+14	5.6810-
60	+19	+30	+4	+26	+10	+24	+13	3.0968
65	+20	+40	+4	+35	+10	+30	+13	1.6321
70	+20	+37	0	+32	+9	+27	+12	8.2828-
75	+19	+40	-2	+30	+7	+26	+11	3.9921
80	+14	+32	-4	+30	+4	+25	+9	1.8458

Table 4c. Median, High, and Low Percentile Values of Densities Given as Percentage Departures From U.S. Standard Atmosphere 1976 for January and July at $60\,^{\circ}\text{N}$ (Cont)

Altitude (km) (Median	1%		10%		20%		U.S. Std	
	(% of Std)	High	Low	High	Low	High	Low	Density (kg m ⁻³)	
JANUARY									
5	+1	+6	-3	+4	-1	+2	0	7.3643-1	
10	-6	+3	-15	+2	-15	-3	-10	4.1351	
15	-9	-2	-15	-5	-12	-6	-11	1.9476	
20	-8	-1	-15	-5	-11	-6	-10	8.8910-2	
25	-7	+3	-16	-2	-12	-4	-10	4.0084	
30	-10	+7	-32	+2	-18	-2	-15	1.8410	
35	-12	+8	-35	+3	-27	-3	-19	8.4634-3	
40	-15	+10	-36	+5	-30	-4	-20	3.9957	
45	-21	+12	-39	+5	-34	-10	-24	1.9663	
50	-26	+14	-43	+3	-36	-15	-29	1.0269	
55	-32	+9	-48	-10	-39	-20	-35	5.6810-4	
60	-36	+4	-54	-12	-40	-25	-39	3.0968	
65	-36	-5	-50	-16	-46	-27	-42	1.6321	
70	-37	-12	-54	-25	-49	-32	-43	8.2828-5	
75	-35	-10	-53	-24	-47	-30	-42	3.9921	
80	-28	-11	-53	-17	-47	-21	-40	1.8458	
				JULY					
5	-2	+2	-5	+1	-4	0	-3	7.3643-1	
10	0	+7	-8	+4	-5	+2	-3	4. 1351	
15	0	+6	-7	+3	-4	+2	-2	1.9476	
20	+3	+7	-2	+6	0	+5	+1	8.8910-2	
25	+5	+8	+1	+7	+2	+6	+3	4.0084	
30	+7	+12	-1	+9	+2	+8	+4	1.8410	
35	+10	+18	0	+14	+3	+12	+7	8.4634-3	
40	+15	+23	+5	+19	+10	+17	+12	3.9957	
45	+20	+28	+7	+25	+13	+23	+16	1.9663	
50	+25	+35	+10	+30	+16	+28	+22	1.0269	
55	+27	+35	+11	+30	+16	+29	+22	5.6810-4	
60	+28	+42	+11	+39	+16	+33	+22	3.0968	
65	+35	+50	+11	+44	+18	+39	+28	1.6321	
70	+42	+52	+12	+46	+20	+44	+30	8. 2828-5	
75	+44	+58	+12	+52	+20	+48	+35	3.9921	
80	+40	+56	+10-	+50	+18	+44	+30	1.8458	

Table 4d. Median, High, and Low Percentile Values of Densities Given as Percentage Departures From U.S. Standard Atmosphere 1976 for January and July at 75°N (Cont)

A 1474 1		1%		10%		20%		U.S. Std	
Altitude (km)	Median (% of Std)	High	Low	High	Low	High	Low	Density (kg m ⁻³)	
		J	A N	U A R	Y				
5	+2	+6	-1	+5	0	+4	+1	7.3643-	
10	-8	+2	-18	-3	-13	-5	-10	4.1351	
15	-10	-1	-18	-6	-14	-8	-13	1.9476	
20	-12	-1	-22	-6	-17	-8	-15	8.8910-	
25	-15	-2	-28	-8	-20	-10	-18	4.0084	
30	-21	-4	-36	-9	-26	-16	-24	1.8410	
35	-25	0	-43	-10	-32	-16	-30	8.4634-	
40	-29	+4	-48	-9	-38	-16	-38	3.9957	
45	-33	+8	-52	-6	-45	-16	-39	1.9663	
50	-38	+4	-56	-8	-48	-20	-42	1.0269	
55	-44	+5	-65	-10	-56	-23	-50	5.6810-	
60	-46	0	-70	-16	-60	-32	-55	3.0968	
65	-47	+1	-66	-27	-62	-35	-58	1.6321	
70	-48	-1	-69	-21	-62	-35	-60	8.2828-	
75	-45	-10	-65	-25	-57	-35	-53	3.9921	
80	-40	-8	-55	-24	-50	-34	-45	1.8458	
			J U	LY					
5	1	+4	-2	+3	-1	+2	0	7.3643-	
10	-4	+5	-12	+3	-10	0	-7	4.1351	
15	-4	+2	-9	0	-7	-2	-6	1.9476	
20	+1	+6	-4	+4	-2	+3	-1	8.8910-	
25	+1	+10	-8	+6	-3	+5	-2	4.0084	
30	+7	+13	+2	+10	+5	+8	+6	1.8410	
35	+12	+25	+3	+18	+8	+16	+10	8.4634-	
40	+19	+27	+6	+23	+13	+21	+16	3.9957	
45	+25	+35	+10	+30	+18	+28	+21	1.9663	
50	+27	+40	+10	+35	+20	+32	+24	1.0269	
55	+32	+42	+10	+39	+20	+35	+25	5.6810-	
60	+37							3.0968	
65	+48		(Insuffi	cient dat		e 55 km		1.6321	
70	+60			in sum	mer)			8.2828-	
75	+67							3.9921	
80	+64							1.8458	

In tropical regions, 0° to 15° latitude, the monthly temperature and density distributions are nearly normal at altitudes up to 50 km. Consequently, a reasonably accurate estimate of the distributions of temperature and density in the tropics can be obtained from the standard deviations. The standard deviations of observed temperatures (°K) and density (%) around the mean monthly values at Ascension, Table 5, are typical of the day-to-day variations found in the tropics. There is little change in the magnitude of the variations with longitude.

Table 5. Standard Deviations of Observed Day-to-Day Variations in Temperatures (°K) and Densities (%) at Ascension (8°S) at Altitudes up to 50 km During the Midseason Months

Altitude (km)	Jan	April	L to	July	Oct
5	0.8	0.6	S.D. of Temperature (°K)	0.7	0.6
10	0.8	1.0		0.8	1. 1
15	1.6	2.0		1.9	1.5
20	2.2	2.2		2.4	2. 1
25	2.2	2.2		2.7	2.1
30	3.1	2.8		3.8	3.6
35	3.7	3.2		3.7	3.8
40	5.2	3.9		3.3	3.5
45	3.6	2.8		3.2	3.3
50	5.8	2.9		3.9	3.0
5	0.4	0.3	S. D. of Density (% of Monthly Mean)	0.3	0.4
10	0.4	0.4		0.4	0.4
15	0.8	0.7		0.8	0.7
20	1.5	1.3		1.8	1.3
25	1.3	1.3		1. 2	1.3
30	1, 2	1.2		1.4	1.2
35	1.8	1.8		1.4	1.2
40	2.3	2.1		1.8	1.8
45	2.3	2.3		2.6	2.3
50	2.7	2.5		2.6	2.7

There are too few observations above 50 km in the tropics on which to determine monthly temperature and density distributions. Instead, the standard deviations of the observed values around mean annual temperatures and densities are

given in Table 6 for altitudes between 50 and 90 km. They are based on temperatures and densities derived from experimental observations taken at Ascension and Natal.

Table 6. Standard Deviations of Observed Densities and Temperatures Around the Mean Annual Values at Ascension/Natal

Altitude (km)	Density S. D. (% of mean)	Temperature S. D. (°K)	No. of Observations
50	4. 1	6	33
55	4.3	3	33
60	4.8	6	33
65	4.7	7	33
70	6.4	9	32
75	8.6	10	31
80	7.8	10	30
85	10, 2	13	29
90	12.3	21	28

6. LONGITUDINAL VARIATIONS

In summer longitudinal variations in the structure of the atmosphere are relatively small at all latitudes and at all altitudes above 20 km. Isotherms and contour lines on constant pressure charts in the stratosphere and mesosphere parallel the latitude circles, and the associated circulation pattern is symmetrical about the poles (Figure 2). During the winter season, changes with longitude remain relatively small at low latitudes but become as important as changes with latitude and season in arctic and subarctic regions. The magnitude of the longitudinal variations in arctic and subarctic regions during winter is illustrated in a set of atmospheric models depicting January conditions between the surface and 55 km at 10°, 100°, and 140°W for 60°N and at 10° and 140°W for 75°N. The models are based on radiosonde observations, constant-pressure maps at 5, 2, and 0.4 mb, rocket-sonde observations, hydrostatic build-up techniques from the 5- and 10-mb levels, and the thermal wind equation. Tables of the atmospheric properties for these January models at 60° and 75°N are given in Appendix B. Temperature-height profiles are shown in Figures 6 and 7 and are defined in Appendix C.




Figure 6. Mean Monthly Temperature-Height Profiles for the 60°N Models at Longitudes 10°, 100°, and 140°W




Figure 7. Mean Monthly Temperature-Height Profiles for the 75°N Models at 10° and $140^\circ W$

The density-height profiles for the 60°N January models developed for 10°, 100°, and 140°W (Figure 8), indicate that the longitudinal variation in mean monthly densities at 40 km in winter ranges from 5 percent less than standard at 140°W to 20 percent less at 10°W. Density profiles for longitudes 10° and 140°W at 75°N (Figure 9) indicate that the longitudinal variability is slightly smaller at 75°N than at 60°N. The lowest mean monthly densities between 35 and 55 km occur at 10°W at both 60° and 75°N. This region is normally under the influence of the polar cyclone that is usually displaced toward the Eurasian continent in winter. The highest densities between 35 and 55 km occur at 140°W, reflecting the presence of the Aleutian anticyclone that normally extends well into the mesosphere in winter. At 60°N significant longitudinal variations in density are evident at all altitudes (Figure 8) except at 8 km, the isopycnic level, whereas at 75°N (Figure 9) longitudinal variations only become significant above 25 km.




Figure 8. Density-Height Profiles for the 60°N Models at 10°, 100°, and 140°W




Figure 9. Density-Height Profiles for the 75°N Models at 10° and 140°W

7. COLD AND WARM WINTER STRATOSPHERE/MESOSPHERE

In arctic and subarctic regions sudden warmings and coolings of the winter stratosphere and mesosphere produce large changes in the vertical and horizontal structure of the atmosphere. Both the magnitude and altitude of maximum temperature and density fluctuations during major warmings and coolings vary considerably. Some of the largest changes in the vertical temperature profiles have been observed in the upper stratosphere between 35 and 45 km. The observed 35- to 45-km temperatures have a range of roughly 85K in winter compared with 20K in summer. As a result, mean monthly atmospheric models for the winter months are of limited value for specifying temperatures at these altitudes since the day-to-day variations in temperature are in some cases as great or greater than the seasonal or latitudinal changes. Although these warmings and coolings occur throughout the arctic and subarctic region, the largest changes generally occur between latitude 60° and 75°N; they have been observed much more frequently at some longitudes than at others.

A family of warm and cold atmospheric models, typical of the region between 60° and 75°N, has been prepared to provide an indication of the magnitude of the variations that may occur in the vertical distributions of temperature, density, and

pressure in winter for altitudes up to 90 km. Tables of the atmospheric properties representative of one cold and three warm stratospheric regimes that occur at these latitudes are given in Appendix B. The temperature-height profiles are shown in Figure 10 and are defined in Appendix C. These profiles are based on radiosonde, meteorological rocket, and experimental observations (grenades, falling spheres, and pressure gauges) taken at Ft. Greely, Ft. Churchill, Pt. Barrow, and West Geirinish during the past 15 years. Mean January conditions at 60°N are assumed below 9 km since the temperature-height profiles for this region during the various warmings and coolings are not significantly different from the mean January 60°N atmosphere.




Figure 10. Temperature-Height Profiles Associated With Extreme Warm and Cold Regimes in the Winter Stratosphere and Mesosphere Near 60°N

The warm models are defined by the altitude and temperature of the stratopause. The temperature-height profile between 9 and 55 km for Model A (Figure 10), the model with the warmest stratopause, is based on an average of three MRN soundings (in different years) in which the maximum observed stratospheric temperature occurred between 44 and 46 km and was within 2° of 300K. Model B is based on an average of five MRN observations in which the maximum stratospheric temperature also occurred between 44 and 46 km and was within 2° of 280K. Model C is based on two MRN soundings in which a maximum stratospheric temperature of 280K, plus or minus 2°, occurred between 34 and 38 km. The three warm models could all occur during various stages of one large-scale warming. However, available observations indicate that a temperature of 300K at 45 km is equalled or exceeded 2 percent of the time at West Geirinish and 0, 4 percent of the time at Ft. Churchill during January, whereas a temperature of 280K at 45 km is equalled or exceeded 10 percent of the time at West Geirinish and 4 percent of the time at Ft. Churchill. A temperature of 280K near 36 km is equalled or exceeded 0.6 percent of the time at West Geirinish and 0.1 percent of the time at Ft. Churchill. Frequencies of occurrence were obtained by plotting the observed temperature distributions on probability paper.

The cold profile, Model D, is based on an average of five observations in which the temperature at 45 km was within 2° of 223K. Observed data indicate that a temperature of 223K or colder occurs at Ft. Churchill 6 percent of the time, at West Gerinish 4 percent of the time, and at Ft. Greely 9 percent of the time in January.

The portions of the temperature-height profiles between 55 and 85 km are based on estimates obtained by using interlevel temperature correlations with the temperatures adopted at 40, 45, and 50 km. The correlation coefficients were developed from data derived from 27 independent grenade and pressure gauge experiments conducted at Ft. Churchill in the years 1957-1972 between 20 December and 10 February.

The density profiles associated with both the warm and cold models are provided along with the mean January 60°N profile in Figures 11a and 11b. The densities are protrayed as percent departures from the 1976 Standard Atmosphere. Envelopes of the high and low values of density which are equalled or surpassed 5 percent of the time at 60°N in January are also shown. They are envelopes rather than realistic profiles, since 5-percent values do not occur simultaneously at all altitudes. The density profiles for the warm and cold models illustrate the negative correlations that exist between the densities at various levels in the atmosphere. 36,37,38

Quiroz, R.S. (1971) The Determination of the Amplitude and Altitude of Stratospheric Warmings from Satellite-Measured Radiance Changes, JAM, Vol. 10, No. 3.

^{37.} Labitzke, K. (1971) Synoptic-Scale Motions Above the Stratopause, NCAR Ms. No. 71-39.

^{38.} Cole, A.E. (1972) Models of extreme arctic and subarctic atmospheres between 20 and 90 km, Space Research XII, Academie-Verlag, Berlin, p. 629.

For example, when the density is much less than the mean monthly value at altitudes between 25 and 40 km (Figure 11b), it is greater than the mean value between 45 and 75 km. In most cases the departures of density from the monthly mean fall within the 5-percent envelope. However, as shown in Figure 11, density profiles associated with an extreme winter warming or cooling will approach both the 5-percent maximum and 5-percent minimum values at different altitudes.




Figure 11a. Density Profiles (Warm) Associated With Extreme Temperatures in the Upper Stratosphere and Mean January Conditions at 60°N. Circled points form an envelope of high and low densities equalled or surpassed 5 percent of time




Figure 11b. Density Profiles Associated With Extreme Temperatures in the Upper Stratosphere and Mean January Conditions at 60°N. Circled points form an envelope of high and low densities equalled or surpassed 5 percent of time

The altitudes of the maximum density departures from the monthly mean are related to the altitudes of maximum temperature deviations in that the maximum density departures are roughly 10 to 20 km above the maximum temperature deviations. For example, the largest positive density departure for profile C (Figure 11b) occurs near 49 km, whereas the maximum stratospheric temperature, 280K for profile C (Figure 10), is at 36 km. The largest negative density departure for the same profile (Figure 11b) occurs near 33 km and its minimum stratospheric temperature, 196K (Figure 10), is at 18-20 km.

References

- Cole, A.E., and Kantor, A.J. (1975) <u>Tropical Atmospheres</u>, 0 to 90 km, AFCRL-TR-75-0527.
- Kantor, A.J., and Cole, A.E. (1976) Monthly Midlatitude Atmospheres, Surface to 90 km, AFGL-TR-76-0140.
- Cole, A.E., and Kantor, A.J. (1977) <u>Arctic and Subarctic Atmospheres</u>, 0 to 90 km, AFGL-TR-77-0046.
- 4. Kantor, A.J., and Cole, A.E. (1977) Monthly 90°N Atmospheres and High-Latitude Warm and Cold Winter Stratosphere/Mesosphere, AFCRL-TR-77-0289.
- List, R. J. (Ed.) (1968) Smithsonian Meteorological Tables, Smithsonian Inst. Press, Washington, D.C.
- 6. U.S. Weather Bureau (1952) Normal Weather Charts for the Northern Hemisphere, USWB Tech Paper No. 21.
- 7. Lahey, J. F., Bryson, R. A., and Wahl, E.W. (1958) Atlas of Five-day Normal Sea Level Pressure Charts for Northern Hemisphere, Scientific Report No. 7, Contract AF 19)604)-992, Univ. Wisconsin Press.
- Crutcher, H., and Meserve, J.M. (1970) Selected Level Heights, Temperatures and Dew Points for the Northern Hemisphere, NAVAIR 50-1 C-52, Commander, Naval Weather Service.
- 9. Goldie, N., Moore, J.G., and Austin, A.A. (1960) Upper Air Temperature over the World, Geophys, Memoirs, No. 101, Meteorological Office, London.
- 10. Egdon, R.A. (1970) Average Temperature, Contour Height and Winds at 50 Millibars over the Northern Hemisphere, Geophys. Memoirs No. 112, Meteorological Office, London.
- Berry, F.A., Bollay, F., and Beers, N.R. (1945) Handbook of Meteorology, McGraw-Hill Book Co., Inc.
- World Data Center A (1965-1976) <u>Data Report Meteorological Rocket Network Firings</u>, Ashville, N.C.

- 13. Staff, Upper Air Branch, NMC (1967) Weekly Synoptic Analyses, 5-, 2-, and 0.4-mb Surface for 1964, ESSA TW WB-2.
- 14. Staff, Upper Air Branch, NMC (1967) Weekly Synoptic Analyses, 5-, 2-, and 0.4-mb Surfaces for 1965, ESSA TR WB-3.
- 15. Staff, Upper Air Branch, NMC (1969) Weekly Synoptic Analyses, 5-, 2-, and 0.4-mb Surfaces for 1966, ESSA TR WB-9.
- 16. Staff, Upper Air Branch, NMC (1970) Weekly Synoptic Analyses, 5-, 2-, and 0.4-mb Surfaces for 1967, ESSA TR WB-12.
- 17. Staff, Upper Air Branch, NMC (1971) Weekly Synoptic Analyses, 5-, 2-, and 0.4-mb Surfaces for 1968, NOAA TR NWS-14.
- Staff, Upper Air Branch, NMC (1975) Synoptic Analyses, 5-, 2-, and 0.4-mb Surfaces for Jan 1972 through Jun 1973, NASA SP-3091
- 19. Staff, Upper Air Branch, NMC (1976) Synoptic Analyses, 5-, 2-, and 0.4-mb Surfaces for Jul 1973 through Jun 1974, NASA SP-3102.
- 20. Krumins, M., and Lyons, W. (1972) Corrections for the Upper Atmosphere Temperatures using a Thin Film Loop Mount, NOLTR 72-152.
- Smith, W., Katchen, L., Sacher, P., Swartz, P., and Theon, J. (1964) NASA TR R-211, Washington, D.C.
- Smith, W., Theon, J., Katchen, L., and Swartz, P. (1966) NASA TR R-245, Washington, D.C.
- Smith, W., Theon, J., Swartz, P., and Katchen, L. (1967) NASA TR R-263, Washington, D.C.
- Smith, W., Theon, J., Swartz, P., and Katchen, L. (1968) NASA TR R-288, Washington, D.C.
- 25. Smith, W., Theon, J., and Swartz, P. (1968) NASA TR R-306, Washington, D.C.
- Smith, W., Theon, J., Casey, J., and Horvath, J. (1970) NASA TR R-340, Washington, D.C.
- Smith, W., Theon, J., Casey, J., and Horvath, J. (1971) NASA TR R-360, Washington, D.C.
- 28. Smith, W., Theon, J., Wright, D., Casey, J., and Horvath, J. (1972) NASA TR R-391, Washington, D.C.
- Smith, W., Theon, J., Wright, D., Ramsdale, D., and Horvath, J. (1973)
 NASA TR G-7409, Washington, D.C.
- Faire, A.C., and Champion, K.S.W. (1965) Space Research V, North-Holland Publishing Co., Amsterdam, p. 1039.
- 31. Faire, A.C., and Champion, K.S.W. (1966) Space Research VI, North-Holland Publishing Co., Amsterdam, p. 1048.
- 32. Faire, A.C., and Champion, K.S.W. (1967) Space Research VII, North-Holland Publishing Co., Amsterdam, p. 1046.
- Faire, A.C., and Champion, K.S.W. (1968) Space Research VIII, North-Holland Publishing Co., Amsterdam, p. 895.
- 34. Faire, A.C., and Champion, K.S.W. (1969) Space Research IX, North-Holland Publishing Co., Amsterdam, p. 343.

References

- 35. Faire, A.C., Champion, K.S.W., and Murphy, E.A. (1972) ABRES Density Variations, AFCRL 72-0042.
- 36. Quiroz, R.S. (1971) The Determination of the Amplitude and Altitude of Stratospheric Warmings from Satellite-Measured Radiance Changes, JAM, Vol. 10, No. 3.
- 37. Labitzke, K. (1971) Synoptic-Scale Motions Above the Stratopause, NCAR Ms. No. 71-39.
- 38. Cole, A.E. (1972) Models of extreme arctic and subarctic atmospheres between 20 and 90 km, Space Research XII, Academie-Verlag, Berlin, p. 629.

Appendix A

Tables of Monthly Thermodynamic Properties of the Atmosphere

Table A1. Monthly Temperature (°K) at the Equator

_									
D		239.49 223.58 207.69 197.19		233.20 237.15 241.19 245.93 250.66	255.39 260.11 264.84 269.56 270.65	270.65 267.77 263.85 259.74 254.85	249. 67 242. 82 235. 98 229. 14 222. 30	215.44 207.25 199.06 195.54 197.49	199. 44 199. 65 199. 65 198. 28 194. 01
Z.	299. 15 288. 58 278. 02 266. 19 253. 05	239.93 224.08 208.19 197.69	204.68 212.61 219.97 224.72 229.47	234, 21 238, 95 243, 65 247, 99 252, 32	256.66 260.99 265.32 269.65 270.65	270.65 267.34 262.83 258.14 252.65	247. 17 241. 69 235. 18 226. 77 218. 38	209.98 201.60 195.42 196.58	198.92 199.65 199.85 198.84 196.32
0	299.15 288.38 277.62 265.69 252.55	239.43 223.58 207.69 196.77	206.33 213.09 218.24 223.39 228.53	233.67 238.78 243.72 248.65 253.58	258.50 263.32 266.47 269.62 271.15	271.15 267.84 263.33 258.60 252.92	247.24 240.21 232.39 224.57 216.76	208.95 201.15 195.15 195.15	195. 15 195. 15 195. 15 195. 15
0	299, 15 288, 58 278, 02 266, 29 253, 35	240, 42 224, 58 208, 69 197, 77	206.65 213.06 218.01 222.96 227.90	232,84 237,78 242,72 247,61 252,14	256, 67 261, 20 265, 73 270, 15 270, 15	270, 15 266, 54 261, 65 256, 74 251, 85	246.95 239.96 231.75 223.54 215.34	207. 14 201. 15 197. 25 196. 15	196.15 196.15 196.15 196.15
A	298.65 288.48 278.31 266.49 252.96	239.43 223.58 207.69 198.33	207.49 214.42 220.84 224.79 228.75	232.70 236.65 240.60 244.55 249.16		269.15 266.27 262.35 258.42 252.13	244.69 237.25 229.82 222.40 214.10	205.12 196.15 196.15 196.15	196.15 196.15 196.15 195.03 191.53
2	298. 65 287. 68 276. 72 265. 77 254. 82	238.99 223.08 207.19 198.59 201.05	207.99 214.92 219.97 224.13	232.43 236.58 240.72 244.87 249.01	253, 14 257, 28 261, 84 266, 76 269, 15	269.15 266.56 263.03 258.78 251.33	243.89 236.45 229.02 221.57 213.76	205.95 198.15 192.59 194.54	198. 44 199. 65 199. 65 197. 85 192. 22 186. 59
ſ	299, 15 288, 18 277, 22 266, 27 255, 32	239, 49 223, 58 207, 69 197, 94	205.97 212.31 218.65 224.98 229.88	234.03 238.18 242.32 246.47 250.61	254.74 258.88 263.01 267.14	269, 15 266, 82 264, 47 259, 88 252, 43	244.99 237.55 230.12 222.57 214.76	206,95 200,65 196,37 197,34	199.29 200.26 201.23 201.88 197.61
M	299. 65 288. 68 277. 72 266. 77 255. 82	239.99 224.08 208.19 196.53	204.31 210.85 217.39 223.92 229.40	234.34 239.28 244.22 249.15 253.49	257.43 261.37 265.30 269.24 271.15	271.15 270.21 268.25 261.26 254.01	246.77 239.53 232.29 224.57 216.76	208.95 201.15 193.35 193.24	199.08 202.00 204.91 205.59 204.61
A	300. 15 288. 98 277. 82 266. 67 254. 63	239.71 224.81 209.91 198.56	202. 66 209. 20 215. 74 222. 27 228. 39	233.93 239.46 244.98 250.51 256.03	261.54 267.06 269.72 271.69 272.15	272, 15 269, 27 265, 35 261, 42 256, 93	249, 49 242, 05 234, 62 227, 20 219, 76	211, 95 204, 15 196, 35 188, 55 190, 73	193.45 196.40 199.70 203.00 206.30
M	300. 15 289. 18 278. 22 267. 27 256. 32	240.49 224.58 208.69 197.34	201.95 208.69 215.42 222.15 228,15	233.09 238.03 242.97 248.67 255.77	262.86 266.56 269.51 272.46 273.15	273.15 269.98 265.67 261.35 257.04	250.60 243.95 237.30 230.65 224.01	216.14 207.95 199.76 191.58	191.15 192.32 195.43 198.54 201.64
H	299. 65 288. 88 278. 12 267. 36 255. 40	239.49 223.58 207.69 196.91	201.37 207.71 214.05 220.38	232.84 237.78 242.72 247.65 252.34	256.87 261.40 265.93 270.45 272.65	272, 65 269, 62 265, 51 261, 14 255, 65	250, 17 244, 69 239, 21 233, 74 228, 27	222, 81 215, 15 205, 40 195, 66 190, 57	
ſ	299. 15 288. 78 278. 41 268. 06 256. 40		201.37 207.71 214.05 220.38 226.71	232.70 236.65 240.60 244.55 249.66	254.98 260.30 265.61 270.92 272.15	272. 15 269. 12 265. 01 260. 71 255. 61	250.52 245.44 240.35 235.27 230.19	225, 12 217, 25 206, 72 196, 20 195, 65	195. 65 195. 65 195. 65 194. 59 191. 29
Alt (km)	0.000 2.000 4.000 6.000 8.000	10.000 12.000 14.000 16.000	20.000 22.000 24.000 26.000	30.000 32.000 34.000 36.000	40.000 42.000 44.000 46.000	50.000 52.000 54.000 56.000	60.000 62.000 64.000 66.000	70.000 72.000 74.000 76.000	80.000 82.000 84.000 86.000 88.000

Table A1. (Continued) Monthly Temperature (°K) at 15°N

0.00 19.6. 6. 2.0. 6.					IAI	,	,		0	0	Z	D
27 28.6 28.7 77.7 29.0 28.7 28.7 28.7 28.7 28.6 28.6 28.6 28.6 28.6 28.6 28.6 28.7 2						299.65	299.65	298.65				1
266 267 <td></td> <td></td> <td></td> <td></td> <td></td> <td>290.47</td> <td>288.87</td> <td>289.88</td> <td></td> <td></td> <td></td> <td>-</td>						290.47	288.87	289.88				-
251, 35 252, 36 256, 36 254, 86 255, 36 255, 36 255, 36 255, 36 255, 36 255, 36 255, 36 255, 36 255, 36 255, 36 255, 36 256, 36 256, 36 256, 36 256, 36 256, 36 256, 36 256, 36 257, 37 257, 36 257, 37 257, 36 257, 37 257, 36 258, 36 257, 37 <t< td=""><td></td><td>11.5</td><td></td><td></td><td></td><td>267.61</td><td>267 35</td><td>267.56</td><td></td><td></td><td></td><td></td></t<>		11.5				267.61	267 35	267.56				
42 238, 59 238, 99 238, 94 238, 94 239, 93 237, 42 238, 69 238, 94 238, 94 238, 94 238, 94 238, 94 238, 94 238, 94 238, 94 238, 94 238, 58 243, 32 223, 72 223, 72 233, 20 232, 77 233, 30 238, 74 238, 36 238, 74 238, 36 238, 74 238, 32 238, 32 238, 32 238, 32 238, 32 238, 32 238, 32 238, 32 238, 32 238, 32 238, 32 238, 32 238, 32 238, 32 238, 32 238, 32 238, 32 238, 33 238		3197				255.06	255,38	253.76				253, 46
225 25 225 25 225 25 225 25 225 25 225 25 225 25 225 25 225 20 22 200 20 207 15 200 20 207 15 200 20 207 15 200 20 200 20 207 20 <td></td> <td></td> <td></td> <td></td> <td></td> <td>239.94</td> <td>239.46</td> <td>239.03</td> <td></td> <td></td> <td></td> <td></td>						239.94	239.46	239.03				
66 19.5 20.0. \$6 20.0. \$6 10.0. \$6 20.0.						224.83	223,55	224.32		2		
46 198, 32 199, 34 200, 30 200, 49 199, 34 200, 30 200, 49 199, 34 200, 30 200, 49 199, 34 200, 30 200, 49 199, 40 199, 34 200, 30 200, 49 199, 40 199, 20 202, 32 202, 32 200, 76 200, 70 200						209.73	207.65	209, 61				209, 31
15 195 65 196 15 196 27 202 37 203 32 202 87 203 32 202 87 203 32 202 88 202 71 203 76 203 88 220 77 20 214 45 214 70 214 45 214 70 218 77 20 214 45 218 20 77 220 77 20 214 45 20 20 20 20 20 77 214 45 20 20 77 220 77 220 77 220 77 220 77 220 77 220 77 220 77 220 77 220 77 220 77 220 77 220 77 220 77 220 77 220 77 220 77 220 77 220 77 220	700					199, 34	200.30	200.49			150	
65 202.71 20.6 10.2 20.6 <th< td=""><td></td><td>195, 15</td><td></td><td></td><td></td><td>202.32</td><td>202.87</td><td>203, 32</td><td></td><td>-</td><td></td><td></td></th<>		195, 15				202.32	202.87	203, 32		-		
97 210.064 212.08 215.14 216.21 214.75 214.95 215.14 216.21 214.75 217.76 217.78 217.78 217.78 217.79 217.79 217.78 217.79 217.79 217.79 217.79 217.79 217.79 217.79 217.79 217.79 217.79 217.79 217.79 222.74 222.74 222.74 222.77 222.77 222.77 222.77 222.77 222.77 223.23 223.23 223.23 223.23 223.23 223.23 223.23 223.23 223.23 223.23 223.23 223.23 <td></td> <td>202,71</td> <td>205, 10</td> <td></td> <td></td> <td>209.26</td> <td>208.82</td> <td>210,26</td> <td></td> <td></td> <td></td> <td>205, 28</td>		202,71	205, 10			209.26	208.82	210,26				205, 28
22 217.99 217.78 221.62 221.63 222.73 229.77 228.43 229.77 228.73 229.77 228.73 229.77 228.73 229.77 228.73 229.77 228.73 229.77 228.73 229.77 228.73 229.77 228.73 229.77 249.78		210.64	212,83			216.20	214.76	217.20				213,80
56 222,75 225,88 225,81 224,81 225,27 227,48 227,49 227,89 227,49 227,89 227,49 227,89 227,49 227,89 227,49 227,89 227,49 227,89 223,72 222,60 223,84 223,37 222,60 222,16 223,84 232,77 232,27 223,26 223,84 223,37 223,27 223,26 223,84 223,37 223,27 223,26 223,84 223,37 223,26 223,28 223,37 223,27 223,26 223,28 223,37 223,27 223,26 223,27 223,27 223,26 223,37 224,27 224,27 224,27 224,27 224,27 224,27 224,27 224,27 224,18 224,57 224,18 224,50 224,50 224,18 224,24 224,47 224,18 224,50 224,18 224,18 224,50 224,18 224,18 224,18 224,18 224,18 224,18 228,11 224,28 224,18 224,18 224,18 224,18		217.99	217.78			221.85	220.71	221, 35				220,35
327. 49 227. 68 229. 73 229. 77 229. 77 229. 27 229. 27 229. 27 229. 27 229. 27 229. 27 229. 27 229. 27 229. 27 229. 27 229. 28 239. 27 239. 27 239. 27 239. 27 239. 27 239. 27 239. 27 239. 27 239. 27 239. 27 239. 27 239. 27 249. 50 240. 62 240. 62 240. 62 241. 63 240. 63 241. 13 241. 75 248. 30 248. 30 249. 52 241. 63 240. 63 240. 63 240. 63 241. 75 246. 30 248. 30 249. 52 241. 63 241. 63 241. 63 241. 63 241. 63 241. 63 241. 63 241. 63 241. 63 241. 63 241. 63 241. 63 241. 63 241. 63 241. 64 240. 63 241. 64 240. 63 241. 64 240. 63 241. 75 248. 43 246. 65 256. 59 241. 64 240. 63 241. 75 243. 34 241. 18 244. 75 244. 34 246. 66 256. 29 242. 45 <t< td=""><td></td><td>222,75</td><td>222.73</td><td></td><td></td><td>225.81</td><td>224.81</td><td>225, 31</td><td></td><td></td><td></td><td>224, 31</td></t<>		222,75	222.73			225.81	224.81	225, 31				224, 31
28 232, 24 234, 68 234, 68 233, 72 233, 24 233, 24 234, 68 234, 68 234, 68 237, 21 238, 38 238, 31 238, 38 238, 31 237, 21 242, 50 242, 50 242, 50 242, 50 242, 50 242, 50 242, 50 242, 50 242, 50 242, 50 242, 50 242, 50 242, 50 242, 50 244, 47 244, 57 244, 57 244, 57 243, 32 248, 33 248, 33 248, 33 248, 33 248, 33 248, 33 248, 33 248, 33 248, 33 248, 34 244, 34 246, 34 246, 34 246, 34 246, 34 246, 34 246, 34 246, 34 246, 34 246, 34 246, 34 246, 34 246, 34 246, 34 246, 34 246, 34 246, 34 246		227.49	227.68	229.73		229.77	228.77	229. 27				228, 27
63 236, 98 237, 56 237, 18 237, 18 237, 18 237, 28 238, 38 238, 31 237, 56 237, 18 237, 21 238, 58 238, 31 237, 18 241, 75 242, 50 242, 77 244, 25 241, 57 241, 75 241, 75 243, 25 248, 18 247, 64 247, 64 247, 64 247, 64 247, 64 244, 57 244, 57 244, 57 244, 75 244, 75 244, 75 244, 75 244, 75 248, 30 248, 30 248, 30 248, 30 248, 30 248, 31 248		232, 24	232, 62	234,08		233.72	232,72	233, 22				232, 22
9.7 241, 72 242, 50 242, 77 244, 25 241, 72 242, 50 242, 77 244, 23 241, 13 241, 72 246, 43 243, 32 243, 32 243, 32 243, 32 243, 32 243, 32 243, 32 243, 32 243, 32 243, 32 243, 32 243, 32 243, 32 244, 33 244, 18 246, 43 246, 43 246, 43 248, 18 246, 43 246, 43 253, 43 258, 43 258, 54 253, 43 258, 64 256, 40 256, 29 256, 40 256, 29 258, 94 266, 40 26		236,98	237.56	238, 43		237.68	236,68	237.18				236. 18
29 246, 46 247, 64 247, 24 249, 18 246, 45 244, 57 245, 07 246, 43 244, 57 245, 07 246, 43 249, 52 251, 36 251, 36 248, 59 256, 52 251, 36 256, 19 256, 52 256, 40 256, 31 256, 31 256, 40 256, 39 258, 31 256, 31 256, 34 256, 39 258, 31 256, 39 258, 31 256, 39 258, 31 256, 39 258, 31 256, 39 258, 31 256, 39 258, 31 256, 39 258, 31 256, 39 258, 31 256, 39 258, 31 256, 39 258, 31 256, 39 258, 31 256, 39 258, 31 256, 31 256, 32 256, 32 256, 36 256, 36 256, 31 256, 31 256, 31 256, 31 256, 31 256, 31 256, 31 256, 31 256, 31 256, 32 256, 32 257, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271		241.72	242.50	242.77		241.63	240.63	241.13				240, 13
20 251.53 253.17 252.77 254.11 251.36 249.52 251.36 253.43 253.11 256.65 258.65 258.68 258.29 252.72 252.72 256.70 256.29 255.30 256.29 252.72 256.86 256.29 256.30 266.79 268.79 268.71 268.29 263.11 264.34 266.79 266.79 268.71 266.79 266.79 268.71 266.79 266.79 266.79 266.79 266.79 266.79 266.79 266.79 266.79 266.79 266.79 266.79 266.79 266.79 266.79 266.79 266.79 266.71 266.70 267.71 266.71 266.71 266.71 266.71 266.71 266.71 266.71 267.71		246,46	247.64	247.24		246.43	244.57	245.07				244.79
12 256.65 258.66 258.26 256.72 254.06 256.29 258.55 258.59 258.59 269.40 268.39 263.39 263.39 263.39 263.39 263.39 263.39 263.39 263.39 263.39 263.39 263.39 263.39 263.39 263.39 263.39 263.39 263.39 266.39 266.39 266.39 269.21 267.13 266.99 267.44 267.34 266.39 269.69 269.50 269.15 268.15 268.15 267.64 268.87 269.71 267.15 267.11 269.71 267.16 267.34 267.34 267.34 267.34 267.34 267.35 269.74 269.71 267.15 270.15 270.15 270.15 270.15 270.15 270.15 270.15 270.15 270.15 270.15 270.15 269.26 269.15 268.15 268.15 269.16 269.26 269.74 269.16 269.26 269.74 269.16 269.27 269.76 269.76 269.76		251,53	253, 17	252.77		251.36	248.59	249.52				250,70
261.77 264.20 263.86 258.89 258.59 260,40 263.67 266,79 263.11 264,34 266,72 266,79 263.11 264,34 266,72 266,79 263.11 264,34 266,72 266,79 263.11 264,34 266,71 266,71 266,71 266,71 266,71 266,71 266,71 266,71 266,71 266,71 266,71 266,16 267,70 271,15 271,15 271,15 271,15 271,15 271,15 271,15 271,15 271,15 271,15 271,15 271,15 271,15 271,15 271,15 271,15 272,15 269,15 268,15 266,16 266,36 267,70 261,76 267,70 261,76 267,70 271,15<	256, 12	256, 65	258,68	258, 28	259.04	256.29	252,72			258, 55		256, 62
70 266,79 268,07 268,07 268,24 266,79 268,11 264,34 266,79 266,79 84 269,74 270,63 270,21 267,13 264,34 266,79 266,79 267,13 264,34 266,79 286,79 267,13 267,13 269,14 270,63 267,17 269,85 270,15 271,15	262.02	261.77	264.20	263,80	263.96	261.21	256.86			263, 67		262, 52
84 269, 74 270, 63 270, 13 267, 13 267, 13 267, 13 267, 13 267, 13 269, 74 268, 74 268, 75 269, 75 269, 74 269, 75 269, 75 269, 75 269, 75 269, 15 271	265.70	266.79	268.07	268.24	267.24	264.38	260,99			266.72		266.04
15 272, 65 273, 15 272, 15 266, 16 266, 16 266, 16 266, 16 266, 16 266, 16 266, 16 267, 17 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 17 272, 17 272, 17 273, 27 273, 28 274, 37 273	268.84	269.74	270.63	270.21	269.21	267.13	265, 13			269. 28		268,99
15 272, 65 273, 15 270, 15 270, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 271, 15 282, 26 269, 36 266, 36 267, 07 267, 37 267, 17 267	CI .1 12	217.03	61.617	61 .212	610.03	203.13	200.13			271.15	271.15	27.1.15
95 269, 30 2269, 55 269, 52 268, 80 269, 71 200, 10 266, 36 261, 57 267, 36 267, 37 266, 36 264, 72 268, 80 259, 93 261, 78 264, 80 259, 93 261, 78 264, 80 259, 93 261, 78 264, 80 259, 93 261, 78 262, 16 259, 62 258, 71 255, 96 256, 00 259, 93 261, 78 264, 72 251, 78 251, 05 266, 00 259, 93 261, 78 264, 12 253, 66 254, 72 254, 52 251, 78 251, 07 248, 84 250, 12 249, 66 251, 36 241, 13 240, 62 239, 25 243, 39 241, 59 244, 25 244, 25 244, 25 249, 66 251, 36 236, 27 246, 28 236, 27 248, 38 241, 13 240, 62 239, 25 228, 30 228, 17 227, 11 229, 30 228, 94 232, 72 286, 236, 27 228, 30 228, 17 227, 11 229, 30 228, 94 232, 72 28, 30, 64 228, 61 226, 54 223, 99 220, 47 220, 54 219, 68 212, 69 224, 78 222, 36 210, 51 212, 88 20, 47 210, 62 212, 62 213, 66 212, 79 82 224, 78 222, 86 201, 56 201, 56 201, 56 201, 51 199, 62 201, 81 199, 62 201, 81 199, 62 201, 81 199, 62 201, 81 199, 62 201, 81 199, 62 201, 81 199, 62 201, 81 199, 62 201, 81 199, 62 201, 81 199, 62 201, 81 199, 62 201, 81 199, 62 201, 81 199, 62 201, 81 199, 62 201, 81 199, 81	271.15	272.65	273, 15	272, 15		269, 15	268, 15				271.15	27 1, 15
43 264, 78 265, 19 264, 17 265, 16 264, 17 262, 16 264, 14 265, 16 255, 16 256, 10 256, 10 256, 10 256, 10 256, 10 256, 10 256, 10 256, 10 256, 10 256, 10 256, 10 256, 10 256, 10 256, 10 256, 10 256, 10 256, 10 256, 10 256, 10 257, 10 267	268.95	269.30	269.65	269.52		266.80	200.11				267.36	267.07
248, 25, 21, 25, 25, 25, 25, 25, 25, 25, 25, 25, 25	254.43	260.00	250 03	265.99		250 62	258 71				262.26	261.57
53 242.38 247.39 247.67 246.88 243.95 243.43 241.59 244.25 243.39 246.66 239.25 236.12 235.80 234.35 237.12 236.37 239.37	254.49	254, 12	253, 66	254.72		251.78	251,07				251.36	250. 59
53 242, 38 241, 13 240, 62 239, 25 236, 12 235, 80 234, 35 237, 12 236, 37 236, 37 236, 37 236, 37 236, 37 236, 37 236, 37 237, 12 236, 37 237, 12 236, 37 237, 12 236, 37 237, 12 236, 37 237, 12 236, 37 237, 12 236, 37 237, 12 236, 37 237, 12 236, 37 237, 12 236, 37 237, 12 236, 37 237, 12 236, 37 237, 27 236, 37 237, 22 236, 37 237, 27 236, 37 237, 27 236, 37 237, 22 236, 37 236, 37 237, 22 236, 37 236	249 01	248.25	247.39	247.67	246.88	243.95	243, 43		244 25			245 11
05 236, 51 234, 87 233, 58 231, 62 228, 30 228, 17 227, 11 229, 30 228, 94 232, 72 58 230, 64 228, 51 220, 47 220, 54 219, 88 221, 47 221, 51 226, 68 57 224, 78 224, 78 220, 54 220, 54 219, 68 211, 68 219, 43 221, 61 221, 51 226, 68 57 218, 92 210, 11 212, 48 201, 56 204, 85 205, 31 205, 42 205, 85 201, 69 211, 68 212, 66 212, 79 206, 62 203, 56 205, 86 201, 61 199, 36 199, 36 199, 47 199, 36 197, 19 207, 18 206, 66 212, 79 206, 62 212, 79 207, 18 207, 18 207, 18 207, 18 207, 18 207, 18 208, 62 201, 61 207, 18 207, 18 207, 18 207, 18 207, 18 207, 18 207, 18 207, 18 207, 18 207, 18 208, 62 207, 62 208, 62 208, 62 <td></td> <td>242.38</td> <td>241, 13</td> <td>240,62</td> <td>239, 25</td> <td>236, 12</td> <td>235,80</td> <td></td> <td>237. 12</td> <td></td> <td></td> <td>239. 63</td>		242.38	241, 13	240,62	239, 25	236, 12	235,80		237. 12			239. 63
58 230, 64 226, 51 226, 54 223, 39 220, 47 220, 54 219, 88 221, 47 221, 51 226, 08 62 224, 78 2222, 36 219, 51 216, 37 212, 66 212, 92 212, 65 213, 66 214, 08 219, 43 57 218, 92 206, 03 207, 73 199, 62 194, 73 195, 38 199, 47 196, 43 197, 19 206, 03 200, 73 199, 62 194, 73 195, 88 199, 47 196, 43 194, 71 197, 19 207, 18 20 206, 03 202, 73 199, 62 194, 73 195, 88 197, 65 194, 71 197, 19 207, 19 53 199, 40 195, 51 193, 35 196, 88 197, 65 194, 15 197, 59 197, 65 15 192, 15 193, 15 197, 55 198, 89 197, 65 194, 15 197, 65 197, 65 15 194, 99 195, 15 197, 65 194, 15 197, 93 195, 15 197, 65 <		236, 51	234.87	233, 58	231,62	228.30	228, 17		229,30			234, 15
62 224, 78 222.36 219, 51 216, 37 212, 66 212, 92 212, 65 213, 66 214, 08 219, 43 57 218, 92 216, 11 212, 48 208, 76 206, 31 205, 42 205, 85 206, 66 212, 79 20 206, 03 202, 73 199, 62 199, 33 195, 88 199, 47 199, 36 199, 58 201, 99 207, 18 20 206, 03 202, 73 199, 62 194, 73 195, 88 199, 47 196, 43 194, 71 197, 19 202, 50 53 199, 40 195, 51 196, 58 197, 65 194, 15 193, 25 195, 15 197, 83 15 192, 78 192, 78 197, 65 194, 15 195, 59 195, 15 197, 65 15 194, 09 195, 44 198, 53 199, 15 197, 65 194, 15 196, 15 197, 65 16 519, 65 199, 15 197, 65 194, 15 198, 15 195, 15 197, 65		230,64	228.61	226.54	223.99	220.47	220, 54		221, 47			228, 68
57 218.92 216.11 212.48 208.76 204.85 205.31 205.42 205.85 206.66 212.79 88 212.6 209.56 200.58 201.56 199.33 201.81 199.56 201.09 207.18 50 206.03 202.73 199.66 196.81 199.47 199.58 190.40 197.19 202.50 53 199.40 195.91 193.15 196.81 197.65 194.15 197.81 197.18 197.83 85 192.78 192.15 193.15 196.58 197.65 194.15 195.59 197.83 197.65 15 191.96 192.15 197.55 198.80 197.65 194.15 196.15 197.65 15 193.91 194.09 195.44 198.53 199.15 197.65 194.15 198.15 197.65 15 195.85 196.65 199.15 197.65 194.15 198.15 197.65 15 195.85		224.78	222.36	219.51	216.37	212.66	212, 92		213, 66			223, 21
88 212. 66 200, 56 200, 56 201, 56 199, 33 201, 81 199, 36 199, 58 201, 09 207, 18 206, 03 202, 73 199, 62 194, 73 195, 88 199, 47 196, 43 194, 71 197, 19 202, 50 23 199, 40 195, 91 193, 39 195, 61 196, 86 197, 65 194, 15 193, 25 195, 15 197, 83 197, 65 194, 15 193, 25 195, 15 197, 83 197, 85 197, 85 194, 15 195, 59 195, 15 197, 83 197, 85 197, 87 193, 91 194, 09 195, 44 198, 53 199, 15 197, 65 194, 15 198, 15 197, 65 197, 97 196, 65 196, 15 197, 16 197, 19 194, 15 197, 19		218.92	216, 11	212,48	208.76	204.85	205, 31	205, 42		206, 66		217.74
26 206, 03 202,73 199,62 194,73 195,84 197,65 196,47 197,19 202,50 53 190,40 195,91 193,39 195,61 196,86 197,65 194,15 193,25 195,15 197,16 15 192,78 192,18 193,15 196,86 197,65 194,15 195,59 195,15 197,65 15 192,76 192,16 197,65 194,15 195,59 195,15 197,65 15 193,91 194,09 195,44 198,53 199,15 197,65 194,15 198,15 197,65 15 195,85 196,22 197,97 199,15 197,65 194,15 198,15 197,65 15 195,65 199,15 197,65 194,15 198,15 197,65 197,65 196,65 199,16 196,17 198,15 197,65 197,65 197,65 197,65 197,65 197,65 197,65 197,65 197,65 197,65 <		212.66	209.56	205.86	201.56	199, 33	201.81	199, 36		201.09		212, 58
53 199, 40 195, 51 193, 52 195, 15 197, 83 86 192, 78 192, 78 197, 65 197, 65 194, 15 195, 15 197, 65 15 192, 18 192, 18 197, 65 197, 65 194, 15 197, 65		206.03	202.73	199.62	194.73	195.88	199.47	196.43		197, 19		207.71
15 191, 96 192, 15 193, 15 197, 50 197, 65 198, 15 199, 59 195, 15 197, 65 194, 15 197, 15 197, 15 197, 65 198, 15 197		199.40	195.91	193.39	195.61	190.80	197.65	194. 15		195, 15		202.83
15 191.96 192.15 193.15 197.55 198.80 197.65 194.15 197.93 195.15 197.65 15 193.21 194.09 195.15 197.65 194.15 198.15 195.15 197.65 15 195.85 194.09 195.15 197.65 194.15 198.15 195.15 197.65 97 196.65 198.66 199.66 199.67 193.52 199.65 199.67 193.52 197.65 48 196.65 200.50 203.02 199.65 193.76 188.66 190.00 197.11 195.15 197.65 99 196.65 205.66 205.54 199.65 193.76 188.66 190.07 197.11 195.15 197.65		192.10	192. 15	193, 13	190.30	191.00	191.00	104. 10		195, 15		200, 15
15 193, 91 194, 09 195, 44 198, 53 199, 15 197, 65 194, 15 198, 15 195, 15 197, 65 195, 15 197, 65 196, 22 197, 97 199, 65 196, 65 198, 36 200, 49 199, 65 196, 67 193, 52 193, 10 197, 89 195, 15 197, 65 48 196, 65 200, 50 203, 02 199, 65 193, 76 188, 66 190, 00 197, 11 195, 15 197, 65 99 196, 65 202, 63 205, 54 199, 65 190, 85 183, 81 186, 89 106, 33 105, 15 197, 65	198, 15		192, 15			198.80	197.65	194, 15	197.93	195, 15		200, 15
19 195.00 197.22 197.31 199.35 196.67 193.52 193.10 197.89 195.15 197.65 197.19 196.65 200.50 203.02 199.65 193.76 198.66 190.00 197.11 195.15 197.65 99 196.65 202.63 205.54 199.65 199.85 183.81 186.89 106.33 105.55 197.65	198, 15		194.09			199, 15	107 65	194. 15	198, 15	195, 15	-	200, 15
48 196, 65 200, 50 203, 02 199, 65 190, 85 189, 89 197, 11 195, 15 197, 65 99 196, 65 202, 63 205, 54 199, 65 190, 85 186, 89 196, 65 202, 63 205, 54 199, 65 190, 85 183, 81 186, 89 196, 63 197, 105, 15 197, 65	106 07		190.22			106 67	102 60	103 10	198. 15	195, 15		200, 15
99 196 65 202 63 205 54 199 65 190 85 183 81 186 89 104 33 105 15 107 65	193, 48		200, 50	203.02		193.76	188.66	190.00	197. 11	195, 15		194.76
						190 85	183 81		106 33	106 15	107 65	101

Table A1. (Continued) Monthly Temperature (°K) at 30°N

15 286, 65 289, 15 292, 15 295, 15 298, 65 20 270, 68 279, 16 282, 16 285, 56 287, 68 24 277, 74 286, 24 263, 75 288, 65 287, 68 28 244, 78 243, 28 246, 29 248, 80 250, 30 34 231, 84 230, 34 232, 35 233, 87 235, 37 40 212, 99 212, 86 213, 47 211, 84 220, 44 91 207, 23 208, 48 208, 69 204, 48 206, 15 206, 15 206, 15 206, 15 206, 15 206, 15 206, 15 206, 15 206, 15 206, 15 206, 15 206, 15 207, 47 211, 34 212, 26 203, 65 203, 65 203, 65 203, 65 203, 65 203, 65 203, 65 206, 15 206, 15 206, 15 206, 15 206, 15 206, 15 206, 15 206, 15 206, 15 206, 15 206, 15 206, 17 207, 18 203, 65 203, 65	,		IVI	A	M	0	0	V	n		N	n
281,16 278,66 279,16 282,16 285,29 287,76 2000 281,16 278,16 278,16 282,16 285,29 287,76 2000 255,24 277,74 256,24 266,24 267,24 266,25 2000 212,34 231,34 232,35 233,75 266,25 200 216,00 218,90 217,40 218,42 218,94 220,45 200 211,08 212,29 217,80 217,80 200,45 200,45 200 207 21 207,77 208,97 210,92 201,13 201,18	15	286.65	745	292, 15	295, 15			298, 65	296.65	293.65	289, 15	286, 15
000 258,20 270,88 269,19 272,19 275,98 277,89 000 258,22 270,88 269,19 272,19 275,98 277,89 000 229,34 231,84 230,34 232,35 233,87 236,37 000 216,40 218,90 217,40 218,42 201,48 200,44 000 216,91 207,23 208,48 208,69 204,86 203,48 206,15 206,17 207,88 000 207,73 208,48 208,61 206,15 206,17 207,88 000 207,73 208,97 208,97 208,97 208,17 207,88 000 217,90 207 208,97 207,88 208,46 220,46 220,46 220,46 200 207 207,88 208,48 208,48 208,48 208,48 208,48 208,48 208,48 208,48 208,48 208,48 208,48 208,48 208,48 208,48 208,48 208,48 </th <th>16</th> <th>278.66</th> <th></th> <th>282, 16</th> <th>285.56</th> <th></th> <th></th> <th>287. 16</th> <th></th> <th>203.00</th> <th></th> <th>200.10</th>	16	278.66		282, 16	285.56			287. 16		203.00		200.10
242.28 247.78 250.28 246.29 250.29 250.30 242.29 242.78 247.74 246.29 248.70 250.30 259.34 231.84 230.34 232.35 248.80 250.45 2000 216.90 217.40 218.40 218.90 217.40 218.47 218.94 220.44 2000 201.91 207.23 201.48 200.45 200.45 200.45 2000 207.73 207.77 206.15 206.17 207.87 206.15 206.17 207.87 2000 217.26 215.90 217.90 220.46 <	20	270.68	100	272. 19	275.98		35/5	266. 19		261 74		255.03
000 229.34 231.84 230.34 232.35 233.87 235.37 000 216.40 218.90 217.40 218.42 218.94 220.44 000 216.40 218.90 217.40 218.42 218.94 220.44 000 205.91 207.29 208.45 208.65 209.45 000 207.73 207.41 208.97 210.92 201.34 210.25 000 221.74 207.73 207.74 209.97 210.92 221.34 212.50 000 221.79 219.86 222.61 220.46 220.46 220.95 000 221.79 219.86 222.61 225.36 222.61 220.57 000 221.79 229.58 222.41 227.36 229.57 229.57 000 221.70 222.41 227.36 224.43 224.77 266.37 266.37 000 221.41 225.41 226.44 226.44 226.44 226.44	28	244.78		246. 29	248.80		252, 29	253, 28		247.79		242, 48
000 228.34 231.34 232.35 233.36 233.36 233.36 233.36 233.36 233.36 233.36 233.36 233.36 233.36 233.36 233.36 233.36 233.36 233.36 233.36 233.37 233.38 233.47 233.38 233.47 233.38 233.47 233.38 233.47 233.38 233.47 233.38 <th></th> <th>001 04</th> <th></th> <th>20.000</th> <th>200 000</th> <th></th> <th></th> <th>240 14</th> <th></th> <th></th> <th></th> <th>200 000</th>		001 04		20.000	200 000			240 14				200 000
000 211.08 212.99 212.86 213.47 211.82 209.45 000 205.91 207.23 208.48 208.69 204.86 209.45 209.45 000 207.13 207.73 208.48 208.69 204.86 203.65 000 207.13 207.97 208.97 210.92 211.34 212.25 000 207.13 207.97 209.97 210.96 207.48 210.97 000 207.13 207.93 213.93 215.86 220.46 220.46 220.97 000 225.36 225.36 222.61 225.02 225.02 225.03 220.97 000 228.92 228.64 227.36 228.65 228.65 228.67 229.57 229.57 229.57 229.57 229.67 229.67 229.57 229.67 229.67 229.57 229.67 229.67 229.67 229.67 229.67 229.67 229.67 229.67 229.67 229.67 229.27				232.35	233.87		3.00	227 00	219.94			217 39
000 205. 91 207. 23 208.48 208.69 204.88 203.65 000 207. 7 204.15 206.15 206.15 206.77 203.65 000 207. 7 204.15 206.15 206.17 207.78 000 207. 7 207. 97 209.97 210.98 211.34 212.25 000 217. 26 217. 90 217. 90 220.69 220.67 220.97 000 221. 76 222. 69 222. 61 225.02 225.02 225.33 000 223. 31.3 234.64 222.61 225.02 225.02 225.33 000 224. 76 224.74 227.36 229.57 229.57 229.57 000 227. 67 266. 65 241.60 243.05 242.77 242.75 000 226. 45 224.45 226.07 256.07 256.28 286.55 000 226. 45 226. 46 226.05 227.32 229.40 241. 7 227.				210.42	211 82			213.87				211.88
000 203.15 204.15 206.15 206.77 206.77 206.77 206.15 206.77 207.77 204.15 206.15 206.77 207.77 207.77 209.97 210.92 211.34 212.25 200.07 217.29 211.34 212.25 200.07 217.29 217.39 220.46 220.46 220.46 220.46 220.46 220.47 220.04 220.04 220.07 209.77 209.77 209.77 220.04 220.04 220.04 220.04 220.07 200.07 220.04 220.04 220.04 220.07 200.07 220.04 220.04 220.04 220.04 220.04 220.04 220.07 200.07 220.04 <th></th> <th></th> <th></th> <th>208 69</th> <th>204.86</th> <th></th> <th></th> <th>203, 65</th> <th></th> <th></th> <th></th> <th>206.51</th>				208 69	204.86			203, 65				206.51
000 207, 73 207, 97 209, 97 210, 92 211, 34 212, 25 000 212, 49 211, 93 215, 88 215, 86 215, 90 210, 61 217, 75 218, 90 220, 46 220, 46 220, 64 220, 67 220, 67 220, 67 220, 67 220, 67 220, 67 220, 69				206, 15	206.77		207.38	206, 49		203,65	203, 15	203,65
000 212, 49 211, 93 213, 93 215, 88 215, 90 216, 61 000 221, 25 229, 69 220, 46 220, 46 220, 46 220, 67	73		209.97	210 92	211.34			210.47				209.38
000 217.25 215.90 217.90 220.46 220.46 220.46 220.46 220.46 220.46 220.46 220.46 220.46 220.46 220.46 220.46 220.46 220.46 220.46 220.46 220.46 220.60 220.70 220.60 220.70 220.60 220.70 220.60 220.70 220.60 220.70 220.60 220.70 220.60 220.70 220.60 220.70 220.60 220.70 220.60 220.70 220.60 220.70 220.60 220.70 220.60 220.70 220.60 220.70 220.60 220.70 220.60 220.70 220.60 220.70 220.60 220.70 220.70 220.70 220.70 <th>49</th> <th></th> <th>213 93</th> <th>215 88</th> <th>215 90</th> <th></th> <th></th> <th>214.43</th> <th></th> <th></th> <th></th> <th>215.33</th>	49		213 93	215 88	215 90			214.43				215.33
000 221,79 219,86 222,61 225,02 225,02 225,02 225,32 226,33 224,74 227,36 229,57 229,57 229,57 229,69 222,61 229,57 229,57 229,57 229,69 222,11 234,13 234,13 234,10 238,68 238,68 238,68 238,68 238,68 238,68 238,68 238,68 238,68 238,68 238,68 238,68 238,68 238,68 238,68 238,68 238,68 238,68 238,71 247,77 247,09 0000 246,345 244,45 25,61 256,07 256,57 256,58 8 251,73 257,23 251,95 260,07 256,57 247,09 260,00 256,79 266,25 <t< th=""><th>25</th><th></th><th>217 90</th><th>220 46</th><th>220.46</th><th></th><th></th><th>218.77</th><th></th><th></th><th></th><th>218.46</th></t<>	25		217 90	220 46	220.46			218.77				218.46
000 225, 36 224,74 227,36 229,57 229,57 229,57 229,57 229,69 232,11 234,13 234,13 234,05 233,68 238,68 247,77 247,70 247,70 247,70 247,77 247,77 247,77 247,77 247,77 247,77 256,57 256,57 256,73 266,65 256,75 256,79 256,66 256,79 256,66 256,79 256,66 256,79 256,66 256,79 256,66 256,79 256,66 256,79 256,66 256,79 256,79 256,66 256,79 256,79 256,79 256,79 256,79 256,79 256,79 256,79 256,79 256,79 256,79 <th>62</th> <th></th> <th>222. 61</th> <th>225.02</th> <th>225.02</th> <th></th> <th></th> <th>223, 13</th> <th></th> <th></th> <th></th> <th>221, 43</th>	62		222. 61	225.02	225.02			223, 13				221, 43
000 228, 92 229, 69 232.11 234.13 234.13 234.05 000 233.13 234, 64 236, 86 238, 68 238, 68 238, 68 238, 68 238, 68 238, 68 238, 68 238, 40 000 245, 24 245, 25 246, 34 247, 39 247, 72 247, 29 247, 70 247, 70 247, 70 247, 70 247, 70 247, 70 247, 70 247, 70 247, 70 247, 70 247, 70 247, 70 247, 70 247, 70 247, 70 247, 70 251, 73 252, 23 251, 95 251, 70 251, 70 251, 70 251, 70 251, 70 251, 70 251, 70 251, 70 251, 70 251, 70 251, 71 251, 70 25	36		227.36	229.57	229.57		229, 19	227.49	228, 16	223.09	225, 66	224, 40
233.13 234, 64 236, 86 238, 68 238, 77 247, 77 247, 77 247, 77 247, 77 247, 77 247, 77 247, 77 247, 77 247, 77 247, 77 247, 77 247, 79 247, 77 247, 73 256, 77 256, 25 250, 25 250, 25 250, 25 250, 25 250, 25 250, 25 250, 25 250, 25 250, 25 250, 25 250, 25 250, 25 <th< th=""><th></th><th>999 69</th><th>239 11</th><th>934 13</th><th>234 13</th><th></th><th>233 55</th><th>231 85</th><th></th><th></th><th></th><th>227.37</th></th<>		999 69	239 11	934 13	234 13		233 55	231 85				227.37
237.67 239.58 241.60 243.05 243.22 242.75 242.24 244.52 246.34 247.39 247.37 247.77 247.09 242.24 244.55 246.34 247.39 257.23 251.73 257.23 251.73 247.77 247.09 256.45 258.98 259.75 266.07 256.57 256.88 251.31 256.37 256.55 266.55 266.65 266.65 266.65 266.65 266.65 266.92 268.69 255.55 267.65 267.65 267.65 267.65 267.65 267.65 267.65 267.65 267.65 267.67 266.57 266.55 266.45 266.91 266.91 267.66 267.71 267.65 267.65 267.65 267.66 267.71 267.11 267.71 267.71 267.71 267.71 267.71 267.71 267.71 267.71 267.71 267.71 267.71 267.71 267.71 267.71 267.71 267.71 267.71 267.71 <t< th=""><th></th><th>234. 64</th><th>236.86</th><th>238 68</th><th>238. 68</th><th></th><th>237.90</th><th>236.20</th><th></th><th></th><th></th><th>232, 14</th></t<>		234. 64	236.86	238 68	238. 68		237.90	236.20				232, 14
000 242. 24 244, 52 246, 34 247, 39 247, 77 247, 09 000 254, 69 249, 45 251, 08 251, 73 252, 23 251, 95 000 256, 45 259, 75 260, 07 256, 57 256, 67 256, 67 000 256, 17 263, 51 263, 88 265, 25 266, 95 265, 65 000 265, 65 266, 65 266, 65 266, 65 266, 65 266, 65 000 265, 65 266, 65 266, 65 266, 65 269, 15 269, 15 000 266, 65 266, 65 26, 43 267, 65 269, 15 270, 65 271, 15 000 266, 65 266, 54 267, 65 269, 15 270, 65 271, 15 000 266, 65 266, 54 267, 43 267, 43 267, 79 266, 69 000 247, 13 246, 98 251, 44 255, 74 256, 71 266, 69 000 247, 13 246, 98 267, 74 257		239, 58	241.60	243.05	243.22		242, 25	240, 55			236.34	237.08
246.98 249.45 251.08 251.73 252.23 251.95 250. 251.71 254.38 255.61 256.07 256.57 256.88 260. 261.17 254.38 255.61 260.41 260.91 261.31 2000 261.17 264.55 266.55 266.65 266.65 266.65 266.65 266.65 266.65 266.65 266.65 266.65 266.65 266.65 266.65 271.15 270.65 271.		244.52	246.34	247.39	247.77		246.59	244.89				242.02
000 251,71 254,38 255,61 256,07 256,57 256,88 000 266,45 258,98 259,75 260,41 260,91 261,31 000 265,65 266,65 266,25 266,25 266,65 265,25 000 265,65 266,65 267,65 269,15 270,65 271,15 000 265,65 266,54 267,65 269,15 270,65 271,15 000 261,73 261,43 267,98 268,54 269,65 000 261,73 261,11 263,46 265,79 269,66 260,65 256,79 268,84 266,54 267,79 268,66 000 261,73 261,11 263,46 265,79 269,66 260,27 268,66 267,79 268,84 267,79 000 247,13 246,98 251,34 253,74 255,01 000 247,13 246,98 248,25 249,27 248,15 0		249,45	251,08	251.73	252, 23		251,45	249, 23	247.56	241.77		246.78
256,45 258,98 259,75 260,41 260,91 261,31 260,00 261,17 263,51 263,88 269,75 260,41 260,91 261,31 265,65 266,65 266,65 266,65 266,65 265,25 265,55 260 265,65 266,65 266,65 266,65 270,65 271,15 260 265,65 266,73 267,78 267,29 268,65 271,15 260 266,65 266,54 267,43 267,98 267,79 268,54 267,65 271,15 260 261,73 261,13 265,43 267,98 268,54 266,69 271,15 260 261,73 261,11 263,46 266,98 267,74 265,74 265,71 266,69 266,69 271,18 266,18 267,11 268,66 266,69 271,44 272,74 273,74 274,44 273,74 274,44 273,44 276,74 276,74 276,74 276,74 276,74 276,74 <th></th> <th>254.38</th> <th>255.61</th> <th>256 07</th> <th>256.57</th> <th></th> <th>256.38</th> <th>253.57</th> <th></th> <th></th> <th></th> <th>251.51</th>		254.38	255.61	256 07	256.57		256.38	253.57				251.51
000 261.17 263.51 263.88 263.77 265.25 265.65 000 265.65 266.65 266.25 266.91 268.69 268.69 268.69 000 265.65 266.54 267.65 269.15 270.65 271.15 000 261.73 261.43 265.43 267.98 268.54 269.64 000 256.62 256.79 267.98 268.57 269.64 000 256.62 256.79 267.98 268.57 266.69 000 247.13 246.98 251.11 263.46 265.71 266.69 000 242.62 242.48 248.25 249.27 246.18 000 228.12 237.47 257.41 256.71 000 229.11 228.46 229.40 241.24 220.23.46 229.40 231.89 220.74 246.62 226.20 220.20 242.80 241.24 250.11 228.48 237.28 <t< th=""><th></th><th>258.98</th><th>259.75</th><th>260.41</th><th>260,91</th><th></th><th>261,31</th><th>257, 91</th><th>256, 63</th><th>251, 63</th><th>257.71</th><th>256.25</th></t<>		258.98	259.75	260.41	260,91		261,31	257, 91	256, 63	251, 63	257.71	256.25
265. 65 266. 65 266. 65 266. 92 268. 92 268. 69 269. 15 000 265. 65 266. 54 267. 65 269. 15 270. 65 271. 15 000 261. 73 266. 44 269. 15 270. 65 271. 15 000 261. 73 261. 43 267. 98 268. 54 266. 59 000 256. 62 256. 32 261. 11 263. 46 265. 79 266. 69 000 251. 65 251. 10 256. 79 266. 69 265. 71 266. 69 000 242. 65 251. 13 258. 96 265. 79 266. 69 000 242. 62 242. 48 242. 76 249. 77 249. 26 000 229. 11 228. 96 229. 44 257. 74 257. 79 000 229. 11 220. 18 237. 28 236. 34 234. 44 000 220. 12 221. 47 223. 92 226. 20 223. 43 220. 75 000 221. 5 222. 24. 47 225.		263.51	263,88	263.77	265.25		264,44	261, 59				260.97
265.65 266.65 267.65 269.15 270.65 271.15 000 286.65 266.54 267.65 269.15 270.65 271.15 000 261.73 261.43 265.43 267.98 286.54 267.91 000 261.65 256.79 267.90 267.21 269.64 000 251.65 256.79 268.66 69 000 247.13 246.98 251.34 258.95 262.21 261.80 000 247.13 246.98 251.34 253.74 255.74 255.01 000 247.13 246.98 251.34 242.76 242.80 241.29 000 223.61 234.88 234.27 242.80 241.29 000 229.11 228.96 229.40 231.80 229.88 227.59 000 224.47 223.92 26.20 26.20 27.44 245.80 218.15 219.97 220.16 220.20 223.43 227		266,65	266.25	266.92	268,69		267.19	265, 14				265,70
000 265.65 266.54 267.65 269.15 270.65 271.15 000 261.73 261.43 267.98 268.54 269.64 000 251.65 256.79 267.98 268.54 269.64 000 251.65 251.50 256.79 256.79 266.69 000 247.13 246.98 251.34 253.74 255.74 255.01 000 242.62 242.48 245.85 248.25 242.76 242.80 000 233.61 233.48 247.6 242.76 241.29 000 229.11 228.96 229.40 231.80 229.88 227.59 000 229.11 228.96 229.40 231.80 229.88 227.59 000 224.62 224.47 223.92 226.20 223.43 220.74 000 224.62 224.47 223.92 226.20 223.43 227.59 000 221.21 219.15 210.51 200		266, 65	267.65	269, 15	270.65		269, 15	267, 65				266, 65
000 261.73 261.43 265.43 267.98 268.54 269.64 000 256.62 256.32 261.11 263.46 265.79 269.64 000 251.65 251.50 256.73 256.79 266.79 266.98 000 242.65 242.48 245.85 248.25 249.27 240.81 000 242.62 242.48 245.85 248.25 249.27 240.81 000 229.11 228.96 229.40 229.76 240.36 242.76 242.80 241.49 000 229.11 228.96 229.40 231.80 229.88 227.59 000 229.11 228.96 229.40 231.80 229.88 227.59 000 229.12 219.15 217.62 220.25 220.34 220.74 000 218.15 219.15 217.62 214.87 210.53 207.06 218.15 219.15 219.25 209.21 204.81 199.20		266.54	267.65	269, 15	270,65			267.65				266,65
000 256, 62 256, 53 261, 11 263, 46 265, 79 266, 69 000 247, 13 251, 50 251, 30 258, 95 262, 21 261, 88 000 247, 13 246, 98 251, 34 258, 95 262, 21 261, 88 000 242, 62 242, 48 242, 76 242, 80 241, 27 248, 15 000 229, 11 228, 96 234, 88 237, 28 242, 76 241, 29 000 229, 11 228, 96 229, 47 229, 13 234, 44 000 229, 11 228, 96 229, 20 229, 43 220, 74 000 229, 11 221, 97 220, 16 220, 20 223, 43 220, 74 000 220, 12 219, 15 217, 62 224, 87 220, 34 207, 75 000 218, 15 219, 15 217, 62 214, 87 210, 33 207, 06 000 218, 15 219, 15 210, 01 200, 17 195, 47 000		261.43	265.43	267.98	268.54			264.78				263.03
000 251,65 252,79 258,79 258,99 252,21 251,89 000 247,13 246,88 251,34 255,74 255,74 255,01 000 238,12 242,48 247,55 249,27 241,29 000 238,16 233,46 234,48 237,28 242,80 241,29 000 229,11 228,96 229,40 231,28 237,28 236,34 234,44 000 224,62 222,47 220,16 226,20 223,48 220,74 000 220,12 219,97 220,16 220,53 216,98 213,90 000 218,15 219,15 217,62 214,87 200,74 90,74 010 218,15 219,15 210,01 200,17 195,70 196,47 000 218,15 218,25 212,55 203,55 197,65 198,40 000 212,84 214,74 210,01 200,17 195,70 195,47		256.32	261.11	. 263, 46	265.79		264.98	261.05	259.70	263, 43	258.04	258,31
000 242, 15 242, 48 248, 25 249, 27 248, 15 000 248, 16 248, 48 248, 25 249, 27 248, 15 000 238, 12 233, 46 234, 88 237, 28 236, 34 234, 44 000 229, 11 228, 96 229, 40 231, 80 229, 88 227, 59 000 220, 12 228, 47 223, 92 226, 20 223, 43 220, 74 000 220, 12 219, 97 220, 16 220, 53 216, 98 213, 90 000 218, 15 219, 15 217, 62 214, 87 210, 33 207, 74 000 218, 15 219, 15 217, 62 214, 87 210, 33 207, 36 000 218, 15 219, 15 210, 15 209, 21 204, 09 201, 33 000 212, 84 214, 74 210, 01 200, 17 195, 70 195, 47 000 205, 83 207, 73 204, 95 198, 26 191, 89 186, 51		251.50	256.79	258.95	262.21			250.03				253.60
000 242, 62 245, 48 245, 85 248, 25 249, 27 248, 15 000 238, 61 237, 97 240, 36 242, 76 242, 76 242, 15 248, 15 000 229, 11 228, 96 229, 40 231, 80 229, 88 237, 54 234, 44 234, 48 237, 28 236, 34 227, 59 000 229, 11 228, 96 229, 40 231, 80 229, 88 237, 59 287, 59 000 224, 62 224, 47 223, 92 226, 53 216, 98 213, 90 217, 90 000 218, 15 219, 15 217, 68 209, 21 204, 09 201, 33 000 216, 15 218, 25 212, 55 203, 55 197, 65 198, 40 000 212, 84 214, 74 210, 01 200, 17 195, 70 195, 47 000 205, 83 207, 73 204, 95 198, 25 191, 75 186, 65 188, 65 188, 65 196, 88 100, 101, 52 102, 52<		00.01	10.10									
000 233.61 237.97 240.35 242.76 242.80 242.70 <th>62</th> <th></th> <th>245.85</th> <th>248. 25</th> <th>249.27</th> <th></th> <th></th> <th>242.90</th> <th></th> <th></th> <th></th> <th>244. 19</th>	62		245.85	248. 25	249.27			242.90				244. 19
000 229, 11 228, 96 229, 40 231, 80 229, 88 227, 59 000 224, 62 224, 47 223, 92 226, 20 229, 43 220, 74 000 220, 12 219, 97 220, 16 220, 53 216, 98 213, 90 000 218, 15 219, 15 216, 16 220, 21 204, 87 201, 53 207, 76 000 218, 15 219, 15 215, 58 208, 25 197, 65 198, 40 000 216, 35 218, 25 212, 55 203, 55 197, 65 198, 40 000 203, 33 211, 23 207, 48 199, 20 195, 47 000 205, 83 207, 73 204, 95 198, 25 193, 75 000 205, 83 207, 73 204, 25 197, 25 189, 86 186, 71 000 198, 82 200, 72 200, 41 196, 28 188, 65 180, 71 000 195, 33 197, 23 198, 47 195, 31 188, 65 18	71		240.35	242. 76	242.80			230.04				239.88
000 224, 62 224, 47 223, 92 226, 20 223, 43 220, 74 220, 12 218, 97 220, 16 220, 53 216, 98 213, 90 220, 12 219, 97 220, 16 220, 53 216, 98 213, 90 218, 15 219, 15 217, 62 214, 87 210, 53 207, 06 218, 15 219, 15 217, 62 214, 87 210, 53 207, 06 218, 15 219, 15 215, 08 209, 21 204, 09 201, 33 000 212, 84 22 214, 74 210, 01 200, 17 195, 70 195, 70 195, 70 000 205, 83 207, 73 204, 95 198, 22 191, 80 189, 63 000 205, 83 207, 73 204, 95 197, 25 189, 86 186, 71 000 205, 83 207, 73 204, 95 197, 25 189, 86 186, 71 000 195, 83 207, 73 108, 74 195, 31 188, 65 180, 88 183, 79 000 195, 33 107, 23 108, 74 195, 31 188, 65 180, 88 189, 74 195, 31 188, 65 180, 88 189, 74 195, 31 188, 65 180, 88 189, 74 195, 31 188, 65 180, 88 189, 74 195, 31 188, 65 180, 88 180, 74 195, 31 188, 65 180, 88 180, 75 180, 88 180, 75 180, 88 180, 75 180, 88 180, 75 180, 88 180, 75 180, 88 180, 75 180, 88 180, 75 180, 88 180, 75 180, 88 180, 75 180, 88 180, 75 180, 88 180, 75 180, 88 180, 75	1.		224.00	231.20	230.34			999 34				931 66
000 220,12 219,97 220,16 220,53 216,98 213,90 000 218,15 219,15 217,62 214,87 210,53 207,06 000 218,15 219,15 215,08 209,21 204,09 201,33 000 216,35 218,25 203,55 197,65 198,40 000 216,84 211,74 210,01 200,17 195,70 195,47 000 209,33 211,23 207,48 199,20 193,75 192,47 000 205,83 207,73 204,95 198,22 191,80 189,63 000 205,83 207,73 204,95 197,25 189,86 186,71 000 205,32 206,22 200,41 196,28 188,65 180,78 000 195,33 207,22 104,47 195,31 188,65 180,18	62		223.92	226. 20	223.43		216.83	215, 49	219.49	221.96	224.77	227.55
000 218.15 219.15 217.62 214.87 210.53 207.06 2000 218.15 219.15 217.62 214.87 210.53 207.06 218.15 219.15 215.08 209.21 204.09 201.33 207.06 216.83 218.25 212.55 203.55 197.65 198.40 000 209.33 211.23 207.48 199.20 193.75 192.55 000 205.83 207.73 204.95 198.22 191.80 189.63 1000 205.82 200.73 204.95 198.25 191.80 189.86 186.71 198.82 200.72 202.42 197.25 189.86 186.71 198.82 200.72 200.41 196.28 188.65 189.79 1000 101.03 103.73 106.53 106.54 106	12	219.97	220.16	220.53	216.98			208.93				223, 45
000 216.15 219.15 215.08 209.21 204.09 201.33 2 000 216.35 218.25 212.55 203.55 197.65 198.40 000 212.84 214.74 210.01 200.17 195.70 195.47 000 209.33 2114.73 204.95 199.20 193.75 192.55 000 205.83 207.73 204.95 198.22 191.80 189.65 000 202.32 204.22 202.42 197.25 189.86 186.71 000 198.82 200.72 200.41 196.28 188.65 189.79 000 198.82 200.72 200.41 196.28 188.65 180.88	15		217.62	214.87	210.53							220.55
000 216.35 218.25 212.55 203.55 197.65 198.40 000 2012.84 214.74 210.01 200.17 195.70 195.47 000 203.33 211.23 207.48 199.20 193.75 192.55 000 205.83 207.73 204.95 198.22 191.80 189.55 000 202.32 200.422 202.42 197.25 189.86 186.71 000 198.82 200.72 200.41 196.28 188.65 180.88 000 198.23 197.23 198.47 195.31 188.65 180.88 000 198.20 199.23 198.47 195.31 188.65 180.88	15		215.08	209, 21	204.09							218.60
000 212.84 214.74 210.01 200.17 195.70 195.47 000 209.33 211.23 207.48 199.20 193.75 192.55 000 205.83 207.73 204.95 198.22 191.80 189.63 000 202.32 204.22 202.42 197.25 189.86 186.71 000 198.82 200.72 200.41 196.28 188.65 183.79 000 195.33 197.23 196.47 195.31 188.65 180.88	35		212,55	203, 55	197.65		198,65		202, 15	201,65	209, 15	215,65
000 209.33 211.23 207.48 199.20 193.75 192.55 000 205.83 207.73 204.95 198.22 191.80 189.63 000 202.32 204.22 202.42 197.25 189.86 186.71 000 198.82 200.77 200.41 196.28 188.65 183.79 000 195.82 197.23 196.47 195.31 188.65 180.68	84		210.01	200.17	195.70		195.72	197.22			205, 25	211.75
000 205.83 207.73 204.95 198.22 191.80 189.63 000 202.32 204.22 202.42 197.25 189.86 186.71 1 198.82 200.72 200.41 196.28 188.65 183.79 195.33 197.23 198.47 195.31 188.65 180.88 000 195.33 197.23 198.47 195.31 188.65 180.88 18	33		207,48	199, 20	193,75			194,30	198, 25	199,70	201,35	207.85
000 202.32 204.22 202.42 197.25 189.86 186.71 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	83		204.95	198, 22	191.80			191,38	196,30		201, 15	203,96
000 199.82 200.72 200.41 196.28 188.65 183.79 195.31 195.33 197.23 198.47 195.31 188.65 180.88	32		202, 42	197.25	189.86		-	188, 46	194.36		201, 15	200,07
000 101 02 102 73 106 63 104 34 100 66 170 16	33		108 47	196.28	188, 65		184.04	185.54	194. 15	199.65	201.15	199.65
000 101 02 102 72 106 52 104 24 100 65 170 15	3				00.001							
191.83 193.73 196.53 194.34 188.63 178.13	191.83	193.73	196, 53	194.34	188,65	178, 15	178.22	182, 15	194, 15	199, 65	201, 15	199, 65

Table A1. (Continued) Monthly Temperature (*K) at 45*N

267.16 269.71 267.16 269.71 253.19 257.13	273, 15	CI -1-17	
19		273, 15	263.
22		250.68	247.18 250.68 235.21 237.71
26		224.75	224.
12		218, 15	218.
15		218, 15	218.
15		218, 15	
90		218, 15	
60		223, 24	
15		229.54	
24		239.44	
16		244.54 250.47	
30		256.40	
26		265.04	
58		268, 98 27 1, 65	
65		27 1. 65	
34		264.34	
11		254, 31	
62		249.01	
63		238, 42	
14		229,09	
31		225,17	
47		221.26	
89		213, 44	
01		209, 54	
13 185.			205.
38			196.
179.52 169.46 179.15 167.65		191, 27	191.
15			189.

Table A1. (Continued) Monthly Temperature (*K) at 60°N

Q	259. 15 257. 84 251. 38 236. 38 221. 39	217.65 217.65 217.65 216.96 215.57 214.17 212.78 211.39 211.48	213. 27 215. 05 216. 84 2218. 62 223. 88 226. 85 231. 231. 235. 73 240. 32 240. 32	249.39 250.15 250.15 250.15 248.60 246.63 244.67 241.65 241.65	241.65 237.36 227.97 223.28 223.28 218.59 213.90 213.90 213.06 215.79 215.79
Z	266.15 261.14 256.13 241.13 226.14	218.65 218.65 218.25 217.46 216.66 215.07 215.39		255.65 255.65 253.64 250.10 246.50 243.02 239.48 237.65 237.65	236.96 232.85 228.74 224.63 220.52 216.65 216.65 216.65 216.65 216.65
0	275.15 267.14 259.13 246.13 233.14	220.16 220.15 220.15 220.15 219.86 218.67 217.47 218.30	221.48 223.06 224.65 227.87 231.83 235.79 339.75 244.59 244.59 254.47	260.15 260.15 257.14 251.82 246.51 241.20 235.90 235.20 230.24 228.28	226, 32 224, 36 222, 40 218, 75 214, 84 210, 93 207, 03 204, 15 204, 15
s	281. 15 272. 14 263. 13 249. 13 235. 14	221.17 221.15 221.15 221.15 221.15 221.15 221.15 221.15	227. 41 230. 58 233. 75 241. 57 241. 57 251. 07 255. 81 260. 55	267.15 263.94 258.43 252.92 247.41 241.90 236.90 225.41 219.92	215.76 212.23 208.71 205.19 201.67 198.15 191.12 187.61 184.11
A	284.15 175.34 266.53 254.53 239.34	224.17 224.15 224.15 224.15 224.15 224.15 224.15 224.82 227.81 227.81	233.76 236.74 240.10 245.05 250.00 254.95 259.90 269.53 272.49	275. 15 274. 74 263. 23 263. 21 258. 21 252. 70 247. 20 238. 59 229. 96 221. 33	213.03 206.38 199.72 193.07 186.42 179.93 176.03 172.12 164.32
J	287.15 276.34 265.53 253.13 239.14	225.17 225.15 225.15 225.15 225.15 225.15 225.15 227.03 231.00		279, 15 277, 60 268, 15 268, 15 268, 15 258, 71 252, 79 243, 17 233, 56 223, 95	214, 34 204, 75 195, 16 175, 99 166, 42 157, 09 155, 13 151, 23 149, 29
ſ	282.65 274.74 266.63 252.63 238.64	224.65 224.65 224.65 224.65 224.65 224.65 226.17 229.35			218.01 208.22 198.43 198.65 178.88 169.11 159.34 155.63 151.73
M	276.65 268.64 260.63 245.83 231.04	223.65 223.65 223.65 223.65 223.65 223.65 223.65 225.69	230. 05 234.42 243.96 249.51 250.59 260.59 270.65 274.60	279.15 276.40 266.95 266.95 267.51 257.79 247.37 239.52	223.84 216.00 208.17 208.17 192.53 184.71 176.90 169.13 166.79 164.45
A	269.15 263.14 257.13 243.13 229.14	222.15 222.15 222.15 222.15 222.15 222.15 222.15 222.15 223.17	225. 35 227. 53 231. 97 236. 53 241. 59 241. 59 253. 07 258. 80 264. 53 269. 24		228.01 223.90 219.79 210.25 205.17 200.09 195.02 189.95 184.88
M	261.65 259.64 252.13 239.13 226.14	219.65 219.65 219.65 219.45 219.05 218.65 220.22 221.02	221.81 222.60 225.84 229.21 233.34 243.63 243.63 243.63 253.90 253.90	265.15 265.15 262.92 258.98 255.05 251.09 244.22 237.34 230.47	228, 61 227, 83 227, 05 222, 27 222, 01 217, 13 212, 24 207, 37 202, 49 197, 62
F	256.65 257.34 252.38 237.38 222.39	218.65 218.65 218.65 218.16 217.16 216.16 215.17 216.70	219. 88 221. 46 223. 05 226. 99 236. 99 235. 99 241. 52 247. 06 250. 74	255.65 255.03 255.03 253.06 251.10 249.10 249.21 237.31 233.78	232.21 231.43 230.65 224.75 220.93 217.03 213.12 209.22 205.32
ſ	257.15 255.94 247.73 234.13 220.54	217.15 217.15 217.15 216.66 215.66 214.66 213.67 212.68	214.77 216.55 220.12 222.07 224.25 226.43 232.87 239.78 245.193	250.69 251.15 251.15 250.93 250.54 250.11 245.59 241.08 238.65 238.65	238.65 238.07 234.16 230.25 226.34 222.43 222.43 218.53 214.65 214.65 214.65
Alt (km)	2. 000 6. 000 8. 000	10,000 12,000 14,000 16,000 18,000 20,000 24,000 26,000	28. 000 30. 000 34. 000 36. 000 38. 000 40. 000 44. 000 46. 000	50.000 52.000 54.000 56.000 62.000 64.000 66.000	70,000 72,000 74,000 76,000 82,000 82,000 84,000 88,000 98,000

Table A1. (Continued) Monthly Temperature (*K) at 75 °N

D	251, 15 254, 12 242, 11 230, 10 218, 10		208.26 207.06 205.87 204.67 207.56	210. 53 213. 51 216. 49 219. 46 222. 43	225.40 228.37 233.67 239.21 244.74	250. 27 255. 79 256. 65 254. 14 249. 81	245.48 241.16 240.90 241.88 242.86	243.84 241.16 236.85 232.55 228.24	223.94 217.54 217.54 220.46 223.39
Z	253, 15 253, 37 242, 36 231, 35 220, 35	217.65 217.65 217.14 215.15	211, 16 209, 17 207, 88 208, 87 209, 87	210.86 213.97 217.94 221.90 225.86	229.82 233.78 237.74 241.69	254.06 258.15 258.15 254.51 248.21	241.91 235.62 234.90 235.88 236.86	235.43 231.52 227.60 223.69	221, 15 221, 15 221, 15 221, 15 221, 15 221, 15
0	262, 65 259, 44 248, 85 235, 84 222, 84	219. 65 219. 65 219. 65 219. 65 217. 66	215.66 213.67 211.68 211.79 214.17	216.56 218.94 221.32 225.02 230.37	235.71 241.06 246.40 251.73 257.06	262, 39 263, 15 263, 15 259, 05 251, 96	244.88 237.80 230.72 227.15	227.15 227.15 225.52 221.60 217.69	213.77 209.87 205.96 205.15 205.15
S	270, 15 264, 12 252, 11 240, 10 228, 10	223, 15 224, 65 224, 65 224, 65 223, 90	222. 65 222. 65 222. 65 222. 65	226.50 230.47 234.44 238.40 242.36	246.32 252.46 258.79 265.12 270.65	270.65 270.65 270.65 268.10	252.35 244.48 236.62 228.77 221.78	217.86 213.93 210.02 206.10	198.27 194.37 190.46 186.56 182.65
A	274.65 271.44 260.10 246.09 232.09	225.65 226.65 227.65 228.15 228.15	228, 15 228, 15 228, 15 228, 15 231, 75	236.71 241.67 246.63 251.59 256.54	261.49 266.44 271.39 276.33 278.15	278.15 278.15 276.81 272.87 268.93	263.45 254.21 244.97 235.74 226.51	217.29 208.08 198.87 189.66	171.85 168.72 165.60 162.47 159.35
J	275.65 273.62 260.60 247.59 234.59	228.55 229.35 230.15 230.15 230.15	230, 15 230, 15 230, 15 232, 62 237, 79	242.95 248.12 253.27 258.34 263.29	268.24 273.19 278.14 283.08	283.65 283.65 283.23 278.30 273.38	268.46 263.41 252.01 240.62 229.23	217.86 206.49 195.12 183.76	161.07 149.73 147.01 146.23 145.45
J	272.65 269.04 257.60 243.59 229.59	227.65 229.65 229.65 229.65 229.65	229, 65 230, 13 231, 13 233, 93 238, 70	243.47 248.23 252.99 257.75	267.26 272.01 276.76 281.50 285.65	285. 65 285. 65 283. 65 277. 74 271. 83	265.92 260.02 254.13 245.33 233.55	221.78 210.01 198.26 186.51	163.03 151.31 145.60 144.62 143.65
M	264.15 263.12 251.11 239.10		228.15 228.15 228.15 228.69 231.07	233.46 238.10 243.65 249.20 254.75	260.30 265.84 271.37 276.91 282.44		260.80 254.11 247.43 240.75 234.07		
А	255, 15 254, 88 244, 86 233, 85 222, 85	222.56 224.15 224.15 224.15 224.15			248.03 254.36 260.69 267.02 273.34	274.15 274.15 272.01 265.71 259.41	253. 11 246. 82 240. 53 234. 24 230. 47	226.75 223.02 219.30 215.58 209.96	204.09 198.23 192.37 186.51 180.66
M	248.65 251.63 241.86 230.85 219.85	217.90 218.90 219.90 218.65 216.66	214.66 215.83 217.02 218.22 219.81	222.78 225.76 228.74 231.71	237.99 242.94 247.89 252.83	262.70 267.15 267.15 263.17 256.28	249.39 242.50 235.63 231.76 230.97		
F	247.65 251.63 241.30 228.70 216.14	214.94 213.74 212.55 210.90 207.91			229, 29 233, 44 238, 39 243, 33 248, 27		246.42 240.52 234.63 233.73 234.52	235, 30 236, 09 233, 24 230, 11	223.85 220.72 217.60 214.47 211.35
J		214. 14 212. 14 210. 14 208. 15 206. 16	204. 16 202. 93 204. 12 205. 32 206. 51	209.00 212.97 216.94 220.90	228.82 232.78 236.74 240.69	248.59 252.53 255.15 254.06 250.72	247.37 244.03 240.69 238.52 240.09	241.66 239.43 235.52 231.60 227.69	223,77 219,87 215,96 214,15 214,15
Alt (km)	0.000 2.000 4.000 6.000 8.000	10.000 12.000 14.000 16.000	20.000 22.000 24.000 26.000	30.000 32.000 34.000 36.000	40.000 42.000 44.000 46.000	50.000 52.000 54.000 56.000	60.000 62.000 64.000 66.000	70.000 72.000 74.000 76.000	

Table A1. (Continued) Monthly Temperature (°K) at 90°N

Alt (km)	J	F	M	A	M	J	J	A	S	0	N	D
	237, 15	240,65	242, 15	248, 65	260,65	272, 15	273, 15	273, 15	264, 15	252, 65	245,65	243, 15
	245.88	247, 12	246.63	252, 12	260.62	265, 73	271, 12	268, 13		254.37		
	236, 61	237, 11	238,61	242, 11	249.60	255, 10	260.09	257,59		243, 35		
	226.60	227, 10	228,60	232, 10	238, 59	243.09	246.88	244.58		232, 34		
8.000	216.59	217.09	218.59	222,09	227.59	231.08	233, 67	231,58		221,34	218.84	
		214, 19	217.66	221,91	225, 18	227, 17	228.76	226, 16	223.36	220, 16	216, 15	213.09
		213, 59	219,64	224, 15	229,65	231, 15	231, 15	228, 15	225, 15	222, 14	216, 15	
		212, 13	217.64	224, 15	229.65	231, 15	231, 15	230, 14	225, 15	220, 14	215.59	210, 29
		208, 14	215.64	224, 15	229,65	231, 15	231, 15	229,55	225, 14	218, 14	213,39	
18,000	200,65	204, 15	213,65	224, 15	229.62	231, 15	231, 15	228.95	223.95	216, 15	211.20	
20,000		200, 17	212, 49	224, 15	229,65	231, 15	231, 15		222,75	214, 16	209.01	206, 10
		202, 13	213,88	224, 15	229,65	231, 15	231, 15	227.75	222, 15	212, 16	206,82	204.71
		204, 12	215.28	224.66	229.62	231, 15	231, 15		222, 15	210, 17	205, 15	
		206, 11	216,67	226,85	232,00	233, 48	233, 48		222, 15	210, 15	205, 15	
28,000	196,65	208, 10	218.06	229.04	234.39	236,67	236,67	231,89	222, 15	210, 15	205, 15	203, 65
30,000		212.09	220.24	231, 23	236.77	239,84	239, 84	234, 27	222, 15	210,15	206.02	
32,000		216,86	225.20	233, 41	239,79	243.02	243.02	237,54	225.99	210, 15	209,99	208.07
34,000		221.62	230, 16	236, 16	245, 15	249.82	249.82	244.09	229.96	213.99	213.96	212, 63
36,000		226,38	235, 12	241, 12	250, 50	256,76	256,76	250,64	233,93	217.96	217.93	217, 19
38,000	229.23	231, 14	240.08	246.08	254.89	263.70	263.70	257, 18	237.89	221,93	221.89	221.75
		235, 89	245.03	251.03	258,85	270,63	270,63	263,71	242,53	225,89	225,85	226,31
42,000		239,98	249.65	255,98	262,81	276,31		269,48	247.48	231,71		
44.000		243, 14	252, 61	260,93	266,77	280, 27	278.86	271.46	251.77	237,65		
46.000		246,31	255, 58	265,87	270.72	284.22		273, 43	255.72	243, 58		
48.000	247.22	249, 47	258.54	270, 15	274.68	286.65	283,65	274, 15	259, 15	249,51		
	250.78			270, 15	276, 15			274, 15	259, 15	253, 15	249, 15	249.05
	252, 15	254.65	262,65	270, 15	276, 15	286,65	283,65	274, 15	259, 15	253, 15	249, 15	249,65
54.000	252, 15	254,65		270, 15	276, 15	286, 65	283.65	274.15	259, 15	253, 15	249, 15	

Table A2. Monthly Density (kg m⁻³) at the Equator

	-1-0*	2 %	4	ę,	9
D		0.9579 6.6608 4.6947 3.3863 2.4720 1.8147 1.3393 7.3869	4. 1564 3. 1434 2. 3897 1. 8259 1. 4188 8. 7273 6. 8832 5. 4140	3, 3312 2, 6108 2, 0323 1, 5706 1, 2046 9, 1656 6, 9509 5, 2138 3, 7795 2, 6677	1, 8898 1, 3534 0, 9705 7, 0067 5, 1068 3, 6967
z	1, 1761 9, 6695 7, 8926 6, 4213 5, 1980 4, 1612 3, 3246 2, 6137 1, 9679 1, 3973	0.9584 6.6703 4.7167 3.4065 2.4775 1.3367 0.9914 7.4047 5.5596	4. 1954 3. 1815 1. 8553 1. 4422 1. 1255 8. 8841 7. 0179 5. 5257 4. 3441	3.3976 2.6432 1.5948 1.2271 9.3476 7.0429 5.1871 3.6716 2.6048	1,8521 1,3225 0,9483 6,8284 4,9444 3,5660
0	1, 1769 9, 6821 7, 9068 6, 4329 5, 2053 4, 1652 3, 3261 2, 6135 1, 9701 1, 3779	0.9524 6.6793 4.7657 3.4279 1.8144 1.3343 0.9885 7.3687 5.5256	4. 1672 3. 1613 2. 4237 1. 8643 1. 1295 8. 9199 7. 0493 5. 5537 4. 3709	3. 4219 2. 6779 2. 0863 1. 6118 1. 2341 9. 3589 7. 0241 5. 1671 3. 6738	1,8585 1,3222 0,9409 6,6974 4,7680 3,3951
S	1. 1776 9. 6819 7. 9027 6. 4273 5. 1998 3. 3258 2. 6161 1. 9748 1. 3855	0.9604 6.7484 4.8184 3.4673 2.5135 1.3490 0.9981 7.4325 5.5743	4. 2028 3. 1851 2. 4257 1. 8569 1. 4483 7. 0523 5. 5504 4. 3489	3.3917 2.6535 2.0697 1.2256 1.2256 6.8976 5.0349 3.6220 2.5758	1.8322 1.3036 0.9276 6.6029 4.7007 3.3472
A	1. 1796 9. 6830 7. 8931 6. 4236 6. 2083 4. 1751 3. 3342 2. 6198 2. 5973 1. 9639	1.3786 9.5602 6.7114 4.7768 3.4645 2.5274 1.8541 1.0139 7.5560 5.6449	4, 2390 3, 2007 2, 4294 1, 4382 1, 1208 8, 8223 6, 9488 5, 4543 4, 3027	3, 3869 2, 6467 2, 0525 1, 5787 1, 2082 6, 8822 4, 9008 3, 4906 2, 4867	1, 7719 1, 2628 0, 9002 6, 4536 4, 6629 3, 3497
J	1. 1797 9. 7077 7. 9287 6. 4239 6. 4239 4. 1775 3. 3352 2. 6191 1. 9556 1. 3723	6.6925 4.7926 3.4691 2.5265 1.3637 1.0103 7.5248 5.6332	4. 2381 3. 2037 2. 4293 1. 8493 1. 4275 8. 7481 6. 8831 5. 4137	3.3722 2.6331 2.0402 1.5679 1.1961 6.7522 6.7522 3.4623 2.4394	1,7251 1,2285 0,8809 6,3733 4,6691 3,3898
J	1. 1771 9. 6890 7. 9163 6. 4162 5. 1555 3. 3357 2. 6210 1. 9679 1. 3836	0.9602 6.7395 4.7808 3.4255 2.4916 1.8293 1.3506 1.0026 7.4817 5.6114	4. 2293 3. 2026 2. 4364 1. 8616 1. 4392 8. 8095 6. 9061 5. 4470 4. 3181	3, 3999 2, 6578 2, 0617 1, 5872 1, 2123 6, 8177 4, 9755 3, 5306 2, 5101	1,7879 1,2759 0,9122 6,5442 4,7969 3,4931
M	1. 1742 9. 6684 7. 9022 6. 4073 6. 1505 4. 1738 3. 3355 2. 6223 1. 9864 1. 3951	0.9641 6.7424 4.7680 3.4072 2.4690 1.8063 1.3304 0.9862 7.3557 5.5307	4. 1845 3. 1800 2. 4270 1. 8599 1. 1252 8. 8156 6. 9232 5. 5201 4. 3786	3.4504 2.7002 2.0976 1.6198 1.2403 9.4057 7.0592 5.2393 3.7079 2.5956	1,8270 1,2928 0,9196 6,6394 4,8281 3,5063
A	1. 17 16 9. 65 65 7. 8992 6. 4096 5. 17 28 4. 17 37 3. 32 19 2. 603 2 1. 97 26 1. 41 15	0.9725 6.7816 4.7828 3.4092 2.4585 1.7923 1.3165 0.9741 7.2575 5.4428	4. 1077 3. 1189 2. 4044 1. 8624 1. 4527 7. 0759 5. 5694 4. 3781	3.4619 2.7184 2.1189 1.6387 1.2568 9.5682 5.3759 3.9611	1,9224 1,3465 0,9471 6,7014 4,7692 3,4132
M	1. 17 17 9. 65 16 7. 89 13 6. 40 10 5. 147 5 4. 173 2 3. 33 66 2. 62 46 1. 98 50 1. 415 6	0. 9729 6.7705 4.7672 3.3939 2.4485 1.7883 1.3150 0.9732 7.2270 5.3796	4.0377 3.0890 2.3774 1.8353 1.4316 7.1198 8.8540 7.0059 5.5231	3.4187 2.6800 2.0871 1.6141 1.2392 9.4882 7.2021 5.4016 4.0125 2.8397	2.0056 1.4087 0.9843 6.9182 4.8902 3.4758
F		0.9697 6.7523 4.7541 2.4304 1.7640 1.2966 0.9594 7.1431 5.3548	4. 0382 3. 0610 2. 3317 1. 7846 1. 3832 1. 0814 8. 5425 6. 7529 5. 3245 4. 1976	3. 2926 2. 5693 1. 9940 1. 1803 1. 1803 6. 8779 5. 2482 3. 9531 2. 8692	2.0158 1.4190 1.0009 7.0744 5.0165 3.5721
J	1. 1761 9. 6636 7. 8839 6. 3834 5. 1518 3. 3404 2. 6276 1. 9873	6. 7966 6. 7966 2. 4462 1. 7766 1. 3103 0. 9715 7. 2401 5. 3993	4.0487 3.0546 2.3182 1.7692 1.3760 1.0753 8.4906 6.7090 5.2860	3.2586 2.5402 1.9702 1.15200 1.1663 6.8278 6.8278 5.2406 3.9678	2.0164 1.4358 1.0226 7.3229 5.2827 3.7900
Alt (km)	0.000 2.000 4.000 6.000 8.000 11.000 14.000 16.000	20.000 24.000 28.000 37.000 37.000 38.000 38.000	40.000 44.000 46.000 48.000 52.000 56.000 58.000	60.000 62.000 64.000 66.000 77.000 77.000 76.000	80.000 82.000 84.000 86.000 90.000

*Power of 10 hy which preceding numbers should be multiplied.

Table A2. (Continued) Monthly Density (kg $\mathrm{m}^{-3})$ at 15°N

	0 ⁺ 0	-5	۴	4	-5	9
D	1897 7159 8848 4181 2023	3. 1896 2. 6039 1. 9486 1. 4080 9. 6527 6. 7082 4. 7691 2. 5193	1.8467 1.3611 1.0085 7.4894 5.5713 3.1481 2.4091 1.8533 1.4341	1. 1196 8. 8638 7. 0225 5. 5371 4. 3441 3. 3904 2. 6317 2. 0312 1. 5584	9.0004 6.7617 5.0401 3.7314 2.7153	1. 9477 1. 3974 1. 0028 7. 2750 5. 2657
Z	1, 1860 9, 7192 7, 9095 6, 4225 5, 1933	3.3325 2.5967 1.9445 1.3863 9.5556 6.6743 4.7512 3.4211	1,8130 1,3334 1,3538 5,5108 4,1535 3,1478 2,4075 1,8538 1,4388	1, 1233 8, 8840 7, 0311 5, 5424 4, 3552 3, 4040 2, 6521 2, 0552 1, 5812 1, 2072	9.1429 6.8335 5.0502 3.7067 2.6496	1.8926 1.3522 0.9662 6.9065 4.9375
0		3, 3274 2, 6080 1, 9722 1, 3810 9, 5802 6, 7278 4, 8169 3, 4765 2, 5268	1. 8489 1. 3617 1. 0091 7. 5165 5. 6298 4. 2419 3. 2145 2. 4664 1. 9011	1, 1498 9, 1029 7, 2119 5, 6898 4, 4754 3, 4993 2, 7270 2, 1125 1, 6230 1, 2360	9.3244 6.9050 5.0394 3.6236 2.5767	1,8326 1,3036 0,9276 6,6017 4,6993
S	1, 1831 9, 6689 7, 9119 6, 4211 5, 1981	3, 3265 2, 6014 1, 9413 1, 3644 9, 4990 6, 7524 4, 8385 3, 4917 2, 5369	1,8552 1,3652 1,0107 7,5217 5,6253 4,2315 3,2099 2,4471 1,8374 1,4502	1, 1311 8, 9383 7, 0678 5, 5670 4, 3732 3, 4163 2, 6660 2, 6699 1, 5934 1, 2152	9.1774 6.8086 4.9777 3.5523 2.4926	1,7568 1,2548 0,8974 6,4281 4,6124
Α.	1, 1784 9, 6336 7, 8849 6, 4019 5, 2011	4, 1900 3, 3298 2, 6057 1, 9564 1, 3765 9, 5919 6, 7639 4, 8752 3, 5326	1, 8957 1, 3990 1, 0378 7, 7384 5, 7875 4, 3503 3, 2872 2, 4964 1, 9051	1, 1512 9, 0470 7, 1525 5, 6294 4, 4414 3, 4821 2, 7102 2, 0932 1, 2035 1, 2177	9. 1613 6. 7859 4. 9183 3. 5371 2. 5107	1, 7826 1, 2658 0, 8991 6, 4203 4, 6153
J	1. 1751 9. 6694 7. 8986 6. 4017 5. 1685	4. 1875 3. 3444 2. 6275 1. 9493 1. 3730 9. 5976 6. 7780 4. 8334 3. 5029 2. 5552	1. 8743 1. 3823 1. 0248 7. 6366 5. 7168 4. 2984 3. 2475 2. 4650 1. 4450	1. 1250 8. 8047 6. 9145 5. 4579 4. 3247 3. 4028 2. 6574 2. 0588 1. 2038	9. 0750 6. 6490 4. 8263 3. 4821 2. 4867	1,7763 1,2690 0,9068 6,6002 4,7844
J	1. 1751 9. 6224 7. 87 92 6. 4129 5. 1879	4, 1901 3, 3379 2, 6177 1, 3843 1, 3843 9, 6289 6, 7789 4, 8526 3, 5243 2, 5743	1,8908 1,3963 1,0365 7,7094 5,7656 4,3371 3,2808 2,5100 1,5290	1, 1617 9, 1240 7, 1519 5, 6448 4, 4796 3, 5295 2, 7598 2, 7598 1, 6454 1, 2536	9,4544 6,9830 5,0675 3,5924 2,5516	1. 2982 0. 9300 6. 7364 4. 8678
M	1, 1830 9, 7095 7, 9122 6, 3983 5, 1572	4, 1766 3, 3341 2, 6479 1, 9468 1, 3811 9, 5163 6, 6509 4, 7404 3, 4360 2, 5064	1. 8395 1.3560 1.0051 7.4963 5. 6241 4.2436 3.2195 2.4695 1.908	1, 1550 9, 0768 7, 1359 5, 6166 4, 4643 3, 5242 2, 7619 2, 7619 1, 5663	9,5898 7,1755 5,3061 3,7552 2,6614	1.8898 1.3444 0.9582 6.8673 4.9259
A	1. 1857 9. 7223 7. 9159 6. 4388 5. 2202	3.3066 1.30599 1.30599 1.3059 6.6005 6.6005 3.3030 2.4733	1.8140 0.9929 7.4043 5.5315 4.1592 3.1468 2.4043 1.85943 1.8594	1. 1262 8. 8794 7. 0044 5. 5228 4. 3794 3. 4507 2. 7007 2. 0987 1. 2384	9.3944 7.0488 5.2331 3.8493 2.7309	1.9355 1.3584 0.9568 6.7706 4.8129
M	1. 1885 9. 7361 7. 9204 6. 4124 5. 1861	4, 1713 3, 3164 2, 9465 1, 9465 1, 4063 9, 5617 6, 6700 4, 7602 3, 4237 2, 4809	1.8106 1.3304 0.9839 7.3173 5.4691 4.1141 3.1140 2.3846 1.8464	1.1140 8.8170 6.9831 5.5146 4.3539 3.4177 2.6666 2.0674 1.5924	9, 2403 6, 9672 5, 2128 3, 8623 2, 7905	1.9741 1.3851 0.9748 6.8885 4.8868
F		4. 1841 3. 3097 2. 3. 3097 1. 9466 1. 4044 9. 6140 6. 6669 4. 6991 3. 3834 2. 4536	1.7915 1.3166 0.9737 7.2456 5.4162 4.0723 3.0797 2.3430 1.3931		9.0.0.0	1.9882 1.3947 0.9820 6.9773 4.9796
J J		4. 1820 3. 3.114 2. 5585 1. 9567 1. 4158 9. 6547 6. 6802 4. 7721 3. 4372 2. 4921	1.8183 1.3348 0.9857 7.2933 5.4221 4.0598 3.0605 2.3396 1.39081	1.0856 8.5422 6.7568 5.3239 4.1913 3.2837 2.5592 1.9835 1.1730	8.9430 6.7570 5.0487 3.7483 2.7644	2.0059 1.4343 1.0258 7.3799 5.3488
Alt (km)	0.000 2.000 4.000 6.000 8.000	10.000 12.000 14.000 16.000 18.000 22.000 24.000 28.000	30.000 32.000 34.000 36.000 40.000 44.000 48.000	50.000 54.000 56.000 60.000 64.000 68.000	70.000 72.000 74.000 76.000	80.000 84.000 86.000 88.000

 * Power of 10 by which preceding numbers should be multiplied,

Table A2. (Continued) Monthly Density (kg m⁻³) at 30°N

Alt (km)	J	F	M	A	M	J	J	A	S	0	N	D	
		1 2374		1 2112	1 10.67	1 1015	1 1717		1 1906	1 2063	1 9979		*
		1.23.4		1. 4113	1. 130	0 7 17 7			0 7770	0000	0.00		2.
		6666 6		9. 6903		3.111	20110		0.000	0000	9. 9333		-
		8, 0317		8. 0172		66067	41000		0176.	0.0013	09867		
6.000	6, 5793	6.5175	6.5443	6.4947	6.4561	6.4461	6.4266	6.4116	6. 44 10	0.4897	6, 5231	6. 5748	
		5, 2333		5. 2446		5.2450	5, 2149		5.2388	5. 2471	5,2631		
	4.1727	4. 1529	4 1583	4. 1832	4. 2102	4.2145	4, 1827	4, 1542	4.2076		4. 1940	4.1578	
		3 2525	3 2514	3.2908	3 3302	3.3387	3.3109	3.2844	3,3315		3, 2957	3.2445	
14.000	2 4310	2 4400	2 4211	2 4578	2 5104	2.5614	2.5823	2.5610	2.5245	2, 5021	2.4657	2. 4252	
		1 8152	1 7907	1 8223	1 8736	1.8918	1.9214	1 9391	1.8918		1.8295	1 7985	
		1 2222	1 3043	1 2300	1 3334	1 3324	1 3591	1 37.96	1 3416	1 3313	1 3308	1 3085	
		1. 3232	1. 3042	1. 3200	1. 3334	1. 5564	1,000.1	1. 31 20	1.0410	1. 0010	1, 0000	1. 3000	
	9, 1885	9.3448	9,2420	9,3798	9, 4314	9,4489	9, 5807	9,7276	9,4437	9, 3893	9,3105	9, 1626	-2
	6.5057	6.6396		6.6703	6.7219	6.7492	6,8380	6,9395	9601.9	6.6771	6,5737	6.4746	
		4 7486	4 7261	4 7883	4.8258	4.8543	4.9144	4.9750	4.8442	4.8106	4.7278	4. 6703	
		3 4176	3 4019	3 4617	3 4888	3.5147	3.5556		3.5181	3.4862	3. 4211	3 3869	
28 000	2.4296	2.4660	2.4657	2, 5195	2, 5392	2,5611	2,5891	2,6082	2,5684	2,5398	2,4889		
										00.00			
	1,7760	1.7918	1.7994	1.8456	1,8600	1.8777	1.8969	1,9066	1.8847	1.8599	1.8201	1,8051	
32,000		1,3111	1,3219	1,3603	1,3710	1.3848	1.3981	1.4021	1.3897	1. 3081	1.3377	1.3174	
	0.9582	0.9658	0. 9772	1.0092	1,0165	1.0271	1.0363	1.0371	1.0297	1.0122	0.9879	0.9673	
	7.0967	7.1606	7.2681	7.5300	7.5805	7, 6606	7.7248	7.7143	7.6465	1.4956	7. 2966	7. 1493	-3
	5,2832	5,3416	5,4372	5.6476	5, 6857	5, 7332	5.7779	5.7691	5,7018	5,5731	5.4098	5.3205	
		4.0084	4.0935	4. 2575	4. 2885	4.3144	4.3456	4, 3368	4.2751	4. 1689	4.0383	3.9829	
		3.0285	3, 1016	3, 2253	3, 2506	3.2704	3,2867	3, 27 65	3, 2225	3, 1366	3.0342	2, 9983	
	2.2549	2.3003	2.3608	2.4632	2.4756	2,4917	2.5144	2,4931	2,4415	2,3732	2, 2941	2, 2693	
		1.7645	1.8156	1,8890	1,8998	1,9120	1,9321	1,9052	1,8655	1,8063	1,7542	1.7264	
48.000	1,3334	1, 37 13	1,4043	1.4582	1,4703	1,4805	1,4931	1,4669	1,4382	1,3971	1,3557	1,3367	
	1 0354	1 0869	1 0095	1 1360	1 1470	1 1555	1, 1632	1.1412	1, 1178	1 0869	1.0562	1 0390	
	8 1503	8 4296	8 5675	8.8895	9.0140	9.0680	9, 1197	8,9669	8.7797	8.5800	8.3656	8. 1775	4-
		6. 6343	6.7496	7.0239	7.0844	7, 1385	7, 1504	7.0462	6.8964	6.7740	6.6276	6, 4367	
		5, 1915	5, 2972	5,5281	5, 5717	5,6430	5,6185	5, 5331	5, 4015	5,3200	5, 2145	5,0451	
58,000	3,9109	4,0399	4, 1572	4.3441		4, 47 11	4,4591	4,3630	4, 2233	4, 1526	4.0630	3, 9369	
		3 1297	3 2462	3.4001	3.4702	3.5207	3,5152	3,4181	3.2872	3, 2253	3, 1512	3.0581	
	2.3371	2.4134	2.5211	2,6471	2.7140	2.7542	2,7514	2,6596	2,5606	2,4920	2,4322	2,3606	
	1,7939	1,8521	1.9468	2,0495	2, 1088	2, 1397	2, 1373	2,0545	1,9867	1,9149	1,8679	1,8129	
	1,3701	1,4143	1,4945	1.5776		1,6502	1,6469	1,5749	1,5300	1,4632	1.4266	1,3860	
68.000	1,0410	1,0744	1,1401	1, 2075	1,2469	1.2628	1,2581	1, 1975	1, 1691	1, 1114	1.0809	1,0548	
	7.8672	8, 1182	8.5806	9, 1854	9.4816	9,5846	9,5234	9,0149	8,8592	8,3906	8, 1523	7.9887	-5
72,000	5,8499	6,0103	6,3997	6,9386	7, 1514	7,2108	7.0578	6, 6283	6,6461	6, 2932	6, 1185	5,9902	
		4,4334	4.7576	5, 2032	5.3477	5.3464	5, 1557	4,8531	4.8470	4.6880	4.5690	4.4606	
	3, 1989	3, 2837	3,5250	3, 87 18		3,8869	3.7497	3,5380	3,5249	3,4675	3,3941	3,3276	
		2,4535	2,6029	2,8279	2,8524	2.8129	2,7148	2,5678	2,5560	2,5022	2,5078	2, 4814	
		1,8247	1,9153	2,0362	2,0469	2,0263	1,9564	1,8551	1,8480	1,8032	1.8425	1,8406	
		1,3507	1,4043	1,4640	1,4643	1,4526	1,4031	1, 3339	1,3321	1, 2925	1,3250	1,3579	
		0.9948	1,0259	1,0512	1,0441	1,0362	1,0013	0.9545	0.9573	0.9264	0.9521	0.9961	
86.000	7,0051	7. 2907	7.4503	7.5368	7.3941	7.3541	7.1100	6.7960	6.8064	6.6420	6.8431	7, 1568	9-
		5, 3146	5. 3928	5, 3958	5.2002	9. 19.18	9.0219	4. 615/	4. 8349	4. (928	4.9192	5, 1319	
90.000	3,6793	3,8531	3,8919	3,8574	3,6581	3,6418	3,5279	3,3531	3,4351	3,4160	3,5369	3,6807	
													1

*Power of 10 by which preceding numbers should be multiplied.

Table A2. (Continued) Monthly Density (kg m⁻³) at 45°N

					.,				-				_									_							_		_	-	_
	*0+	7						-5						5-						4-						4	,					9-	
D	1, 2982	8.2463	5, 2487	4, 1081	3, 0218	1, 6242	1, 1860	8, 6623	4, 6233	3.3787	1,7793	1, 2883	0.9383	5,0382	3,7235	2,7661	1,4800	1, 1807	0.9096	5, 5995	4,3849	0.0960	2. 0212	1,5507	0.9030	6. 8527	5, 1631	3.8771	2, 1838	1, 6312	0.8851	6, 4294	
Z	1,2757	8, 2219	5, 2247	4.0934	3,0953	1,6705	1,2173	8, 87 11	4,6730	3, 4027	1,8161	1,3226	0.9672	5, 1979	3,8391	2.8447	1, 5834	1,2116	0.9366	5.7427	4.5120	6766.6	2, 1369	1,6321	1,2421	7. 1291	5,3752	4.0979	2,3127	1,6763	0,8812	6.3919	20000
0		8, 1810		4, 1081	2.3246	1,6946	1, 2356	9,0114	4.7364	3,4493	1,8460	1,3512	0.9890	5,3888	4.0101	2.9879	1,6837	1, 2809	0.9928	6, 1400	4.8317	3. 1091	2.2944	1,7597	1,3402	7. 6683	5,7589	4,3034	2,3654	1,7391	0.8998	6,4750	20000
S	1,2286	8.0814	5, 2326	4, 1399	2.332	1,7453	1, 2700	9, 1969	4.8680	3.5578	1,9011	1,3958	1.0304	5.6876	4,2542	3, 2000	1.8397	1,4163	1, 1005	6,8288	5.3674	4.2104	2, 5465	1,9623	1, 5022	8, 6218	6,4584	2 4675	2,5118	1.8136	0.9358	6.6878	222
A	1, 2092	8,0167	5.2455	4, 1697	3.27.02	1,7670	1, 2821	9, 2800	4.9153	3.5885	1,9347	1, 4299	1,0613	5,8650	4, 3937	3,3105	1,9105	1,4770	1, 1513	7, 1701	5,6626	4. 4483	2.7078	2,0939	1,6073	9.2481	6,9249	5, 1369	2, 6801	1,9133	0.9601	6.7476	
J	1, 2003	7.9946	5.2145	4, 1502	3.2612	1, 7932	1,3021	9, 4313	5.0062	3.6673	1,9638	1,4460	1.0712	5.9797	4.5040	3,4100	1,9836	1,5315	1, 1971	7.4642	5.9294	4.6911	3.6881	2, 2339	1,7196	9.9476	7,4673	5.5522	2.9407	2, 1061	1.0528	7.3426	20.00
J	1. 2246	8, 0351	5, 2114	4, 1272	3, 2268	1.7468	1, 2698	9,2105	4. 8944	3,5854	1,9162	1,4101	1.0443	5.8198	4,3835	3.3220	1,9666	1, 5237	1, 1932	7.5021	5.9366	4. 67.59	3.6652	2, 2348	1,7299	1 0130	7,6552	5,7328	3, 1056	2,2448	1, 1394	7.9914	2001
M	1,2409	8.0776	5.2611	4, 1662	3, 1565	1, 6918	1,2389	9.0750	4.8118	3,5192	1.8661	1,3682	1,0106	5, 6312	4.2482	3, 2231	1,8990	1,4799	1, 1583	7. 2567	5,7333	4.5230	3,5505	2, 1535	1,6631	9 7765	7.4424	5,6171	3,0756	2,2461	1, 1697	8.3349	0000
A		8, 1340	6.5615 5.2336	4, 1224	3, 1158	1. 6700	1, 2229	8.9578	6.5625	3,4649	1.8516	1,3540	0.9968	5.4858	4, 1059	3, 1075	1,8139	1,4007	1,0933	6.8140	5.3690	4. 22 10	3, 3023	1,9898	1,5319	8 8452	6.6727	5.0094	2,7806	2,0551	1, 5152	8.0774	2011
M	1.2911	8, 2008	5. 2017	4.0711	3,0655	1, 6383	1, 1980	8.7629	6.4105	3,3906	1.7961	1,3132	0.9659	5.2786	3,9371	2.9571	1.7286	1,3314	1.0360	6.4162	5,0392	3, 9433	3.0713	1,8357	1.4040	8 0490	6.0607	1,5461	2, 5275	1.8730	1,3854	7.4687	
H	1, 2964	8.2680	6. 6266 5. 2478	4, 1007	2.9983	1. 6024	1, 1718	8.5707	6.2700	3.3195	1.7740	1, 2918	0.9458	5, 1227	3,8051	2.8671	1, 6518	1, 2623	0.9784	6.0041	4.6940	3.6499	2.8272	1. 67 60	1, 2824	7 4091	5, 5195	4. 1028	2,3040	1,7257	0.9556	7.0640	3 . 0 . 0
J			6. 6018 5. 2114	4.0631	2.9928	1, 6165	1, 1859	8. 67 16	6.3254	3.3675	1.7546	1, 27 15	0.9272	4.9797	3.6876	2.7508	1.5752	1,2119	0.9399	5.8169	4.5435	3,5198	2.7172	1,6016	1.2227	7 0413			2,2067	1,6538	0.9069	6. 6705	1.000¢
Alt (km)			3,000	10.000	12.000	16.000	18,000	20.000	22.000	26.000	30 000	32,000	34.000	36,000	40.000	42.000	44.000	48,000	50,000	52.000	56.000	58.000	60.000	64.000	66.000	20.000	72.000	74.000	78.000	80,000	82,000	86,000	2000

*Power of 10 by which preceding numbers should be multiplied.

Table A2. (Continued) Monthly Density (kg m⁻³) at 60°N

	*0+	7						6		À					,						4-						-2						9-			
D	1.3612	8, 2489	6.6288	3 9074	2,8566		1, 5321			4,4171	2,3061	1,6664	1, 2076	6.3826	4.6467	3,3977	2,4817	1.3471	1,0013	0.7485	5.7016	3, 3298	2,5595	1,9670	1,5087	0.8792		5.0512	2.9856	2,2796	1.7311	1,3072	7, 1992	5, 2098	2 7631	
Z	1,3252	8, 1571	6,5825	3 9774	2,9119	2, 1323	1, 5643	8. 4292	6, 1788	4.5249	3, 2946	1.7377	1, 2667	6.7626	4.9411	3,6266	2.6612	1.4546	1,0813	0,8112	6. 2339	3.7477	2,9002	2,2364	1.7182	0.9853	7.4328	5,6237	3.2795	2,4868	1.8764	1,4072	7, 6034	5,5905	3.0241	
0			6.5407		2.9860	2, 1912	1, 1821	8.7162	6.4173	4.6790	2, 4879	1,8208	1,3358	7. 1469	5,2620	3,8948	2,8883	1.6164	1, 2197	0,9386	7.2462	4, 4337	3,4585	2,6836	1.5788	1, 1915	8, 9728	6,7413	3.7788	2,8382	2, 1236	1.5808	8.5777	6, 1893	3 2244	
s			6.5515		3,0327	2,2286	1, 6380	8.8538	6,5112	4,7893	2,5426	1,8650	1.3740	7.5149	5.5856	4, 1759	3, 1397	1.8129	1,3904	1,0786	8.4777	5, 2564	4, 1075	3, 1924	1 8956	1.4474	1.0981	8, 2285	4. 5286	3,3350	2,4436	1.7810	9,3055	6.6680	3.3349	21.22.2
A	1, 2391	8, 0380	6.4808	4 1573	3,0673	2, 2633	1, 2330	0 1036			3, 5974	1,9631	1,4565	8.0505	6,0393	4, 5564	3, 4565	2.0347	1,5755	1, 2333	9.6703	6, 1120	4.8251	3,7903	2,9621	1,8146	1, 4010	1,0691	5.9628	4.3890	3, 1967	2,3002	1, 1270	7.7959	3 6356	0,000
J			6.5120		3.0546	2,2570	1, 2329	9 1149	6.7399	4.9463	3,6143	1,9598	1.4495	8.0839	6.0918	4.6169	3.5184	2.0908	1, 6358	1,2850	1.0150	6.4179	5.0734	3,9941		1.9607	1,5256	1, 1742	6.7071	4.9649	3.6178	2,5905	1, 1999	7.8878	3 3563	0.000
J			6,5121				1, 2284				3,5855	1,9630	1,4557	8.0763	6.0751		3,5086			1, 27 63	1,0041	6, 4097	5,0945	4.0288	3, 1693	1,9490	1, 5243	1, 1795	6 8131	5,0735	3,7199	2, 6809		8,3494	3 4545	0.0040
M			6.5891	4 0101	2,9630	2, 1849	1,6114	8 7702			3,4967	1,8668	1,3763	7.5622	5, 6583	4.2610	3, 2285	1.9001	1,4679	1, 1506	9. 1234	5,7573	4,5463			1,7160	1,3350	1.0298	5 9590	4,4638	3,3061	2.4189	1.2424	8,4736	2 8570	3,0010
A			6.5709				1, 5823				3,4129		1,3391		5, 37 40	4,0089	3.0108	1.7371	1,3395	1,0396	8. 1322	5, 1181	4,0501	3, 1882	2,4960	1, 4984		8.7179	4 9755	3,7359	2,7954	2.0773	1, 5525	8, 1494	7.8091	F. 1057
M	0.00		6,5980				1.5529			4.4766	2, 4052		1,2869		5.0698	3.7494	2, 7909	1.5776	1, 1997	0,9206	7. 1419	4.3816	3,4255	2,6684	2.0922	1, 2597	9,4559			2,9623		1,6914	9,4471	6.9894	3 7964	2021.0
F			6.6143	2000	2,8612	2,0952	1, 5377	8 2940			3, 2025	1,7034	1,2469	6.7134	4.9172	3,5938	2.6462	1.4750	1, 1174	0.8497	6.5302	3,8907	3,0035	2,3146	1.8049	1,0676		6.0489	3.4164	2, 5763	1.9525	1,4728	8, 2579	6, 1358	3 2813	0.0010
J			6.6507				1,5172				3, 1592	1,6522	1,2000	6.3791	4.6657		2.4799			0.7615	5.8134	3,4051	2,6086	1,9982	1.5522	0.9162	6.9199	5.2271	3.0319	2,3122	1,7555	1.3267	7.4677	5,4751	9 0448	
Alt (km)			6.000	00000	12,000	14,000	18,000	000 00	22.000	24.000	26.000				38.000		42.000					56.000				66.000	68,000	70.000	74.000	76.000				86.000		90.000

*Power of 10 by which preceding numbers should be multiplied.

Table A2. (Continued) Monthly Density (kg $\mathrm{m}^{-3})$ at 75°N

	0+	7	1							-2							-3	,							-4									-5					9	•	
D	1.4048	1.0588	6.6435	5, 1666	3,8294	2,7979	2.0411	1.4866	1,0810	7.8486	5.6887	4.1164	2, 1091	1 5029	1. 0762	0.7744	5, 5993	4,0667	2, 9667	2, 1736	1.5854	1, 1640		0,6410	4.8051	2.8594	2, 2274			1,0105	0.5756	0,4352	0,3341	2,5709	1,9691	1,5009	1, 1383	0, 8589	4 6455	3, 3953	and account of
N	1, 3945	1.0649	6.6301	5, 1435		2,7823		1.5008	1.1021	8.0721	5.8955	9. 2800	2, 2123	1 5948	1. 1415	0.8188	5, 9104	4, 2916	3, 1341	2, 3016	1,6994	1, 2612	0.9337	0.6959	5. 2682	3. 1681	2,4857	1,9385	1.5021	1. 1317	0.6354	0.4771	0.3634	2, 7747	2, 1089	1.5956	1.1944	0.8831	4 8309	3, 5739	
0	1, 3385	1.0425	6 6134	5, 1955	3,8648	2,8327	2.0766	1.5226	1.1252	8, 2945	6.0980	4.4711	2, 3289	1 6807	1, 2175	0.8852	6.4248	4,6616	3,4080	2,5095	1,8607	1,3888	1.0431	0.7882	6, 0836	3.7001	2, 9235	2, 2949	1,7889	1.3842	0, 7798	0,5805	0,4323	3, 2416	2,4457	1,8363	1,3719	1,0196	7 4678	3, 9511	
S	1.3044	1. 0333	6 6047	5, 1920	3,9118	2,8656	2, 1153	1.5617	1, 1566	8, 5568	6.3189	4.6562	2, 5295	1 8379	1. 3423	0.9859	7.2799	5, 4034	4,0308	2, 9986	2,2458	1,6941	1. 2903	1, 0057	7.8408	4.8107	3,8419	3.0476	2,4002	1.8759	1, 4542	0.8354	0.6238	4.6342	3,4238	2,5154	1.8373	1, 3338	6 8471	4. 9096	
A	1. 2829	1.0102				2,9387	2, 1669	1.6035	1. 1896	8.8276	6.5516	4.8632	2.6440	1 9374	1.4291	1,0609	7.9245	5.9538	4.4985	3,4174	2,6097	2,0029	1. 3907	1, 2247	9,6119	6.0187	4.7640	3,7797	3, 0215	2, 3958	1,4661	1, 1299	0,8611	6.4839	4.8177	3.5278	2,5337	1.7436	R 0891	5, 4506	
J				5, 2120		2, 9399				8.9601			3,6569		1.9781	1.4034	8 2646	6. 2554	4 7601	3.6410	2,7989	2, 1619	1.7007	1.3408			5, 3337	4.2378		2, 7023	2, 1552	1 3256	1.0199	7.7331	5.7676	4.2228		2, 1187	1.3730	5.5760	
J				5. 2545	3 9232	2.8856	2.1442	1,5935	1.1845				3.5729	2.20.2	1.9437	1 0832	1.0032 8 1550	6, 1727	4 6964	3.5910	2,7591	2, 1297	1,6547	1,3067	1,0321	8, 2082	5, 2754	4, 1995	3, 3264	2.6212	2.0770	1 2934	1 0014	7.6421	5,7370	4, 2280	3,0511	2, 1493	1.4190	5.7209	
M				5. 2034	2 8663	2.8360	2,0985	1,5565	1, 1547	8,5689	6,3595	4.7207	3.4968		1.9034	1. 3992	7 6659	5.7318	4 3137	3. 2665	2,4882	1.9061	1.4681	1.1540	9.0963	7. 2261	4.6442	3.6929	2,9195	2, 2940	1.7909	1 0773	0 8300	6.3218	4.7551	3.5280	2, 5783	1.8347	1.2648	5.8566	
A	1.3884	1.0635	8.4225	5, 1557	3 7024	2.7756	2.0475	1.5106	1.1147	8, 2281	6.0742	4.4850	3.3122	5055	1.7839	1.3068	7 1172	5. 2896	2 0134	2.9155	2, 1882	1,6540	1,2586	0,9812		6, 0473	3,8208	3.0122	2,3609	1,8391	1,4234	0 8218	0.6203	4.6613	3,4859	2.6145	1.9477	1.4389	1.0535	5.4874	
M	1.4255	1. 0726	8.4620	5. 1469	3 7952	2.7640	2,0163	1.4866	1,0972	8,0763	5,8559	4, 2537	3,0959		1.6363	1.1934	6 4208	4.7489	2 5166	2.6007	1.9354	1.4490	1.0911	0.8262	6.3010	4.8968	2,0588	2,4093	1.8854	1,4653	1. 1168	0 6909	0.0232	3.5342	2.6632	2,0190	1,5215	1.1394	0.8476	4.5941	
F	1.2490	1.0708	8.4653	5.1954	3 8058	2, 7836	2.0327	1.4851	1,0881	7.9389			2,8806		1.4901	1.0/84	5 7154	4, 1848	3 0755	2. 2545	1.6579	1, 2272	0.9140	0.6848	5.1610	3.9513	2.4156	1.8890	1,4686	1, 1348	0.8547	0.4703	0 3505	2, 7366	2,0781	1,5725	1, 1854	0.8903	0.6660	3,6825	2000
r	1. 4244	1.0711	8.4810	5. 1417	3 8185	2, 7984	2.0452	1.4905	1.0832	7.8497	5.6510	4.0226	2.8697	2.0311	1.4615	1.0400	5 3685	3, 8925	2 8388	2.0819	1.5352	1.1379	0.8477	0.6347	4.7744	3.6259	2, 1707	1.6796			0.7587	4384	0 3275	2.5119	1,9182	1.4583	1.1037	0.8313	0.6231	3, 3735	
Alt (km)				8.000		12,000							26.000					38,000		42.000	44.000	46.000	48.000	50,000	52.000	54.000	58.000	60.000	62.000	64.000	66.000	20 000			76.000					88.000	

*Power of 10 by which preceding numbers should be multiplied.

Table A2. (Continued) Monthly Density (kg m⁻³) at 90°N

F	M	A	M	r	ſ	А	S	0	Z	D
-	4674	1.4297	1, 3632	1,3005	1, 2919	1, 2932	1, 3399	1,3981	1.4436	1.4513
-	0902	1.0745	1.0483	1.0325	-	1.0232		1,0617	1.0716	1.0775
8.5	042	8.4831	8, 3705	8, 2737		8, 2143		8.4294	8.4884	8.4572
6.6	233	6,6313	6,6166	0.5974	6.5576	6.5880	6.6079	6,6221	6.6514	6.6131
5.1	810	5, 1285	5, 1732	5, 2016	5, 2124	5, 2212		5.1425	5, 1507	5, 1093
3.7	401	3.7669	3,8556	3,9168	3, 9519	3,9568	3, 9092	3.7877	3,8036	3,7788
2.7	7124	2.7470	2.8022	2,8576	2,9076	2, 9041	2,8612	2,7569	2, 7735	2,7582
2.0	035	2,0262	2,0820	2, 1273	2, 1645	2, 1376	2, 1132	2,0434	2,0278	2,0094
1.4	161	1.4947	1.5472	1,5839	1,6116	1,5931	1,5611	1.5107	1.4908	1.4611
1.0	946	1.1029	1, 1499	1, 1795	1, 2001	1, 1865	1, 1586	1.1140	1. 0927	1,0603
7.9	188	8, 1399	8.5488	8.7853	8, 9390	8, 8325	8.5878	8, 1936	7,9853	7,6805
5.1	1172	6. 6084	6,3563	6.5447	6.6592	6.5709	6.3403	6.0101	5.8172	5.5520
4.13	172	4.4260	4.7270	4.8765	4.9618	4.8854	4,6682	4.3964	4.2141	3,9991
3.00	200	3, 2438	3,4855	3,6016	3,6647	3,5904	3,4377	3, 1819	3,0256	2.8642
2. 18	314	2,3849	2,5782	2.6615	2, 7081	2.6471	2, 5321	2, 3031	2, 1727	2,0519
1.58	38	1,7589	1, 9132	1,9751	2,0097	1,9581	1.8653	1,6673	1.5542	1.4702
1.14	21	1.3011	1.4206	1.4718	1.4975	1,4479	1,3545	1, 1889	1. 1004	1. 0348
0.82	26	0,9631	1.0506	1.0872	1, 1062	1.0633		0.8528	0.7844	0.7336
6.07	00	7, 1019	7.8221	8.0955	8, 2372	7.8741	7. 2571	6, 1550	5,6272	5, 2399
4.4	4705	5.2700	5.8812	6.0765	6.1828	5.8773		4.4688	4.0619	3.7697
3.3	137	3.9347	4.4498	4.5959		4.4201		3,2409	2,9496	2,7307
2.4	147	2,9550	3,3818	3,5163		3,3573		2,3687	2, 1527	1.9913
1. 86	85	2, 2319	2, 5811	2,7191		2,5959		1,7450	1,5756	1,4613
1.41	57	1.6949	1, 9781	2, 1106	2, 1604	2.0112	1.6671	1, 2952	1, 1610	1.0790
1.0	0763	1, 2970	5221	1.6527		1,5680		0.9767	0.8610	0.8013
0.8	508	1,0104	1, 1856	1,3061	1,3332	1, 2259	9,7580	0.7482	0.6440	0.5985
0.6	6321	0,7872	0.9287	1.0323	1.0511	0.9586	0,7522	0.5732	0.4913	0.4558
4.8	914	6. 1347	7.2768	8.1611	8, 2891	7.4978	5.8004	4,3930	3.7490	3.4798

*Power of 10 by which preceding numbers should be multiplied.

Table A3. Monthly Pressure (mb) at the Equator

Alt (km)	2	1	INI		141		0		0	0		7	
	1,0100	1,0100	1,0096	1,0095	1,0100 8,0119	1,0108	1,0114	8.0184	1,0113	1,0107	1,0100	0100	+3*
8.000 8.000	6.3009 4.9119 3.7918	6, 3018 4, 9104 3, 7873	6.3024 4.9108 3.7874	6, 2997 4, 9065 3, 7810	4.9065	6, 2996 4, 9041 3, 7785	6.2981 4.9007 3.7740	6, 3039 4, 9140 3, 7819	6.3069 4.9130 3.7816	6.3010 4.9062 3.7737	6. 2988 4. 9066 3. 7759	6. 2946 4. 9002 3. 7755	
10.000	2.8842	2.8776	2,8809	2,8720	2,8753	2.8709	2,8659	2,8696	2.8715	2.8627	2.8659	2.8686	
14.000		1,5662	1, 5723	1, 5686	1,5671	1,5626	1,5577	1,5619	1.5672	1,5581	1.5620	1.5614	
16,000	7,9414	7,8897	7.9329	7.9466	7,9201	7, 9289	7,9201	7.9365	7.9508	7.8791	7.8920	7.8750	7
20,000	5,6424	5,6057	5.6400	5,6576	5,6545	5,6774	5,6870	5,6941	5,6975	5,6412	5, 6313	5,6144	
22.000	4.0525	4.0261	4.0559	4.0725	4.0809	4. 1074	4, 1290	4, 1310	4. 1273	4.0858	4.0709	4.0555	
26,000	2, 1538	2, 1398	2, 1642	2, 1751	2, 1900	2, 2123	2, 23 19	2, 2356	2,2191	2, 1982	2, 1975	2, 1900	
28,000	1,5920	1,5816	1,6036	1, 6118	1,6259	1.6442	1,6556	1,6596	1.6444	1,6300	1, 6319	1,6268	
30,000	1, 1867	1, 1790	1, 1965	1, 2035	1,2151	1, 2289	1, 2349	1, 2385	1, 2266	1,2170	1,2196	1.2148	
34,000	6.7103	6. 6845	6. 7880	6.8505	6, 9137	6.9742	6.9815	7,0030	6.9543	6.9158	6.9339	6.8772	0+
36.000	5,0825	5.0779	5, 1588	5, 2189	5, 2608	5, 2933	5, 2893	5,3042	5.2829	5, 2595	5, 2711	5, 2148	
38,000	3.8695	3,8788	3,9497		4,0245	4.0368	4.0266	4.0374	4.0346	4.0221	4.0269	3.9758	
40.000	2.9634	2.9777	3.0466	3,0840	3,0923	3,0927	3,0797	3.0894	3,0966	3,0923	3.0910	3.0471	
42.000	2.2824	2.2969	2.3636	2,3909	2,3859	2,3800	2.3661	1 8364	2.3882	2.3896	2,3835	2.3471	
44.000	1.3759	1.3855	1. 4354	1. 4525	1, 4375	1. 4276	1.8260	1,4261	1. 4400	1.8540	1.8462	1. 4128	
48.000	1.0749	1,0825	1, 1225	1, 1349	1, 1217	1.1119	1, 1028	1,1111	1, 1231	1, 1260	1, 1204	1, 1023	
50,000	8.4007	8.4638	8,7805	8,8690	8,7581	8,6658	8, 5953	8,6597	8.7611	8.7921	8,7445	8,6028	-
52,000	6,5594	6,6117	6.8618	6.9254	6.8378	6.7474	6.6938	6.7433	6,8269	6.8580	6.8178	6,7082	
56.000	3.9560	3, 9913	4. 1436	4. 1795	4, 1399	4.0634	5, 1970	4.0461	5.2968	5, 3285	5.2947	5.2133	
58.000	3,0525	3.0804	3,2006	3, 2290	3, 1927	3, 1290	3,0932	3, 1141	3, 1440	3, 1734	3, 1505	3, 1121	
60,000	2,3434	2,3645	2, 4593	2,4793	2,4441	2,3910	2,3609	2,3789	2,4043	2,4286	2,4106	2,3875	
62.000	1,7897	1.8047	1,8767	1,8888	1,8566	1.8124	1,7873	1,8026	1.8278	1.8465	1,8338	1.8198	
66.000	1.0965	1.3092	1.4211	1 0687	1 0442	1.3019	0 9972	1.0078	1.3769	1.3917	1.3862	1.3767	
68.000	7.7069	7.7343	7,9691	7.9288	7.7174	7.4738	7,3396	7,4257	7.5761	7. 6789	7.6928	7, 6872	-2
70.000	5,7500	5.7546	5,8869	5,8214	5,6415	5,4473	5,3414	5,4020	5,5250	5,6135	5, 6345	5, 6683	
72.000	4.2580	4.2477	4.2991	4. 2257	4,0760	3,9268	3.8406	3.8750	3.9827	4.0557	4.0757	4, 1352	
76.000	3, 1098	3.0944	3, 1008	3. 0300	2.9709	2.8046	1 0335	1 9654	2,8508	2.8945	2.9097	2.9792	
78.000	1,5906	1, 5695	1,5581	1, 5090	1,4616	1,4290	1,3759	1, 4001	1,4429	1,4636	1.4786	1, 5123	
80,000	1, 1324	1, 1083	1, 1004	1,0675	1.0441	1,0228	0,9826	0.9977	1,0264	1.0411	1,0575	1,0819	
82.000	8.0642	7.4821	7.771	7,5916	7,4968	7,3350	7.0408	7.1107	7.3026	7.4071	7.5795	7.7567	-3
84.000	4 0005	3 9490	3 9428	3 9051	5.4095	3 7094	5.0489	2.0689	5. 1966	5.2710	5.4352	5.5623	
88.000	2,9008	2,8101	2,8306	2, 8243	2,8358	2,7211	2,5763	2, 5637	2, 6332	2, 6709	2,7863	2.8441	
000	0110			5 7 7 7 7									

*Power of 10 by which preceding numbers should be multiplied.

Table A3. (Continued) Monthly Pressure (mb) at 15°N

	* 5 3 + +	7	0+	7	7	8-
D	1.0131 8.0231 6.3080 4.9148 3.7850	2. 8713 2. 1405 1. 5646 1. 1220 7. 9683 5. 6879 4. 1170	1. 2310 9. 2280 6. 9515 5. 2626 4. 0094 3. 0746 2. 3.724	1. 4311 1. 1162 8. 7148 6. 7953 5. 2729 4. 0703 3. 1249	2. 3855 1. 8103 1. 3653 1. 0230 7. 6133 5. 6256 4. 1262 3. 0051	1. 1190 8. 0287 5. 7614 4. 1280 2. 9439 2. 0892
N	1. 0117 8. 0120 6. 2939 4. 8998 3. 7691	2. 8590 2. 1290 1. 5518 1. 1122 7. 8858 5. 6366 4. 0775 2. 9804	1. 2145 9. 1222 6. 8930 5. 2389 4. 0040 3. 0766 2. 3.761	1. 4351 1. 1199 8. 7434 6. 8182 5. 2932 4. 0895 3. 1425	2. 4007 1. 8223 1. 3730 1. 0261 7. 6045 5. 5848 4. 0641 2. 9357 2. 1050	1. 0738 7. 6719 5. 4823 3. 9185 2. 8013
0	1. 0113 8. 0165 6. 6036 4. 9091 3. 7826	2. 8723 2. 1427 1. 5664 1. 1205 7. 9611 5. 7136 4. 1464 2. 0364 2. 0364	1.2411 9.3262 7.0486 5.3575 4.0956 3.1483 2.4330	1.4695 1.1463 8.9499 6.9786 5.4152 4.1800	2.4449 1.8503 1.3883 1.0320 7.5958 5.5316 2.8526	1. 0266 7. 3031 5. 1963 3. 6981 2. 6324 1. 8742
s	1. 0109 8. 0121 6. 2982 4. 9022 3. 7730	2. 8599 2. 1297 1. 5541 1. 1142 7. 9440 5. 7197 4. 1568 3. 0419 2. 2408	1. 2390 9. 2963 7. 0139 5. 3208 4. 0589 3. 1131 2. 3993	1. 1246 1. 1246 8. 7720 6. 8342 5. 3006 4. 0911	2. 3953 1. 8146 1. 3624 1. 0130 7. 4536 5. 4230 3. 9008 2. 7821	0,9981 7,1375 5,1048 3,6514 2,6097 1,8631
A	1.0103 8.0162 6.3084 4.9169 3.7886	2. 8750 2. 1441 1. 5679 1. 1260 8. 0345 5. 7895 4. 2172 2. 2883	1.2691 9.5252 7.1839 5.4439 4.1454 3.1726 2.4400	1.4636 1.1397 8.8777 6.9121 5.3599 4.1361	2.4148 1.8232 1.3646 1.0121 7.4332 5.4022 3.8834 2.7733	0.9934 7.0549 5.0110 3.5589 2.5172
J	1. 0108 8. 0182 6. 3057 4. 9130 3. 7889	2.8784 2.1462 1.5662 1.1208 7.9959 5.7531 4.1786 2.2606	1. 2521 9. 3917 7. 0790 5. 3614 4. 0794 3. 1183 2. 3945 1. 8468	1.4304 1.1123 8.6599 6.7410 5.2354 4.0533 3.1169	2.3778 1.7987 1.3484 1.0012 7.3582 5.3484 3.8519 2.7636	1. 0078 7. 2002 5. 1453 3. 6665 2. 5911 1. 8150
J	1.0108 8.0233 6.3186 4.9264 3.7985	2. 8860 2. 1543 1. 5760 1. 1286 8. 0399 5. 7842 4. 2071 2. 2845	1.2686 9.5270 7.1895 5.4535 4.1601 3.1907 2.4600	1.4792 1.1517 8.9754 6.9877 5.4290 4.2069	2.4716 1.8706 1.4027 1.0415 7.6529 5.5595 3.9957 2.8494	1. 0362 7. 4215 5. 3168 3. 8031 2. 7074 1. 9180
M	1. 0108 8. 0068 6. 2983 4. 8956 3. 7732	2. 8649 2. 1347 1. 5567 1. 1126 7. 9005 5. 6604 4. 1073 2. 2279	1.2386 9.3153 7.0471 5.3620 4.1024 3.1554 2.4395	1.4745 1.1499 8.9736 6.9987 5.4459 4.2268	2. 4975 1. 8968 1. 4280 1. 0651 7. 8654 5. 7467 4. 1516 2. 9660 2. 9660	1.0717 7.6620 5.4879 3.9356 2.8230
A	1.0114 8.0090 6.2899 4.8940 3.7589	2. 8444 2. 1167 1. 5457 1. 1081 7. 8573 5. 6017 4. 0537 2. 9721 2. 9721	1.2189 9.1598 6.9201 5.250 4.0135 3.0837 2.3829	1.4423 1.1259 8.7980 6.8698 5.3482 4.1501	2.4533 1.8654 1.4072 1.0526 7.8036 5.7300 4.1655 2.9988 2.1369	1. 0731 7. 6212 5. 4373 3. 8967 2. 8048
M	1.0121 8.0120 6.2912 4.8967 3.7677	2. 8581 1. 5563 1. 5563 1. 1148 7. 8981 5. 6295 4. 0756 2. 9758	1. 2090 9. 0725 6. 8495 5. 2017 3. 9745 3. 0550 2. 3617	1.4297 1.1168 8.7349 6.8248 5.3108 4.1147	2.4271 1.8457 1.3938 1.0448 7.7710 5.7323 4.1911 3.0336	
F	1.0126 8.0166 6.2964 4.9011 3.7663	2. 8516 2. 1234 1. 5518 1. 1115 7. 8673 5. 5943 4. 0311 2. 9405 2. 9405	1.1943 8.9569 6.7569 5.1261 3.0002 2.3142	1.3967 1.0903 8.5238 6.6572 5.1791 4.0124 3.0923	2.3691 1.8038 1.3644 1.0251 7.6467 5.6609 4.1569 3.0237 2.1771	1. 0956 7. 7635 5. 5214 3. 9386 2. 8109
J	1. 0126 8. 0179 6. 3007 4. 9087 3. 7760	2. 8621 2. 1340 1. 5618 1. 1203 7. 9315 5. 6442 4. 0763 2. 9757 2. 1863	1. 2020 8. 9907 6. 7618 5. 1143 3. 8943 2. 9848 2. 3019	1. 0823 1. 0823 8. 4501 6. 5948 5. 1289 3. 9723 3. 0619	2. 3472 1. 7890 1. 3554 1. 0204 7. 6307 5. 6623 4. 1680 3. 0464 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2	1. 1409 8. 1586 5. 8351 4. 1728 2. 9707 2. 1023
Alt (km)	0. 000 2. 000 4. 000 6. 000 8. 000	10.000 12.000 14.000 16.000 20.000 22.000 26.000		50.000 54.000 54.000 56.000 56.000	60.000 62.000 64.000 66.000 70.000 74.000	

 $\ensuremath{^{\#}}\xspace$ Power of 10 by which preceding numbers should be multiplied.

Table A3. (Continued) Monthly Pressure (mb) at 30°N

	+3*	+5							7							0+									7								- 5							-3			
D				3.6607		2.0247		1.0661	7.6496	5 5070			2, 1528	1.5893	1, 1781	8,7789	6.5831	4.9668	3,7690	2,8756	2, 2055	1.7000	1.3167	1.0232	7.9530	6, 1743	9 67 97	2, 8128	2 1436	1.6255	1, 2269	0.9217	6.8900				1 5083		1.0982	7.9504	4 1016	2, 9411	.00.
N	1,0186	8,0188	6. 2703	3.7059	2 200	2. 0569	1.4983	1. 0825	7.7607	5 5825	4.0538	2,9657	2, 1811	1,6122	1, 1976	8, 9388	6.7026	5.0508	3,8306	2, 9235	2, 2447	1,7334	1,3455	1.0474	8, 1603	6.3475	4. 9092	2. 8854	9 1053	1.6616	1, 2509	0.9365	6. 9747	5, 1686	3,8105	2. 7943	1 4775	1.41	1.0650	6 4078	3 9513	2.8404	0000
0				3. 7323		2.0847	1,5216	1,0974	7,8713	5 6849	4. 1378	3,0315	2,2325	1,6525	1, 2291	9, 1856	6.8961	5, 2020	3.9467	3,0113	2,3100	1,7813	1,3805	1.0734	8,3510	6.4881	3 8563	2,9493	9 9435	1, 6969	1,2760	0.9536	7.0818	5, 2237	3.8261	2.7819	1 4414		1, 0336	5 3096	3 8065	2,7295	
S	1.0139	8.0179	6. 2916	3.7566	2000 6	2. 1034	1.5352	1, 1073	7.9426	5 7415	4. 1862	3, 0735	2, 2681	1.6822	1, 2536	9,3863	7.0596	5.3342	4,0518	3, 0937	2, 3739	1,8304	1.4174	1.1008	8,5564	6.6443	2 0622	3.0417	9 3931	1.7644		0.9941		5.4079	3, 9311	2.8397	1 4689	1. 1000	1. 0517	6 3411	3 7933	2,6945	
A				3, 7733		2. 1402			8, 1367	6 9770	4 2716		2, 2998	1,7032	1, 2689	9.5067	7.1614	5,4230	4.1275	3, 1568	2,4258	1.8721	1.4500	1.1270	8,7682	6,8156	5. 2802	3, 1280	2 3832	1.8020	1,3516	1,0051	7.4077	5.4068	3, 9196	2,8291	1. 4537		1. 0347	7. 3283	3 6197	2,5236	
J	1.0129	8,0323	6.3110	3.7768	01000	2, 1329	1,5603	1. 1204	8.0491	5 9935	4 2420	3, 1103	2, 2948	1,7034	1. 27 17	9.5480	7.2069	5.4680	4, 1705	3, 1982	2,4654	1,9087	1.4819	1. 1536	8.9876	6.9986	5.4389	3, 2518	9 4993	1.8888	1.4216	1.0602	7.8313	5.7247	4. 1432	2. 9833	1 5253	1. 5255	1.0827	7.6480	3 7563	2,6111	
J				3, 7686		2. 1127			7.9510	6 7570	4 1967	3.0792	2, 2734	1,6886	1.2615	9.4769	7,1574	5,4336	4.1465	3, 1814	2,4532	1.9001	1.4778	1, 1523	8.9942	7.0187	5.4648	3, 2729	2 5079	1.9076	1.4399	1,0781	8, 0021	5,8851	4, 2860	3.0898	2.2136	1.3104	1, 1200	5 5530	3.8800	2,6957	
M				3.7473		2.0929		1.1018	7.9146	5 7917	4 1660	3.0540	2, 2536	1,6734	1,2501	9, 3933	7.0974	5,3915	4, 1167	3, 1586	2,4346	1,8849	1.4653	1. 1423	8, 9118	6.9485	5.4051	3, 2375	2 4021	1.8916	1.4307	1.0739	7.9977	5,9056	4.3219	3, 1330	2. 2483	1.0024	1, 1384	8.0622	4.0040	2,8160	
A				3 7079		2.0633			7.8633	5 6701	4 1336		2, 2361	1.6604	1,2404	9, 3203	7.0416	5.3475	4.0811	3, 1296	2,4110	1,8650	1,4473	1, 1266	8,7773		5.3121	3, 1641	9 4990	1.8447	1,3959	1.0497	7.8411	5.8149		3, 1248	2. 2623	1.0249	1, 1643	5 0522	4.2465	3,0251	
M				3 6649	2000	2 0291	1, 4793	1.0716	7,7182	E 5704	4 0457	2, 9562	2, 1738	1.6092	1, 1989	8,9879	6.7774	5, 1396	3,9188	3, 0036	2, 3126	1,7883	1,3876	1.0789	8, 3939	6.5279	5.0591	2, 9993	0000	1.7394	1, 3126	0.9841	7.3290	5.4229	3, 9979	2, 9374	1. 5692	1, 3092	1, 1407	8.2622	4.2861	3.0724	
H	1.0182			3 6772		2.0437			7.7542	E 6707	4 0394	2.9429	2, 1569	1.5909	1.1814	8,8309	6.6422	5,0260	3.8250	2.9270	2, 2515	1.7400	1,3506	1.0496	8, 1583	6.3260	4.8814	2.8642		1.6486	1.2412	0.9295	6.9230	5, 1262	3, 7809	2.7889	2.05/2	1.3164	1, 1064	8.0543	4.2008	3,0089	
ſ	1.0191	8,0160	6.2540	3 6661	1000.0	2.7470	1.4729	1 0634	7.6236	4701	3 9683	2.8952	2, 1271	1.5717	1.1670	8.7098	6.5377	4.9348	3.7456	2.8584	2, 1927	1,6905	1,3096	1.0168	7.8958	6, 1234	4.7265	2,7745	9 1106	1.5975	1, 2030	0.9011	6.7122	4.9711	3,6632	2. 6983	1.9867	1.4303	1.0626	6 5682	3 9981	2.8545	
Alt (km)				9.000					18,000	000 00	22,000	24.000	26.000	28,000	30,000				38,000	40.000	42,000	44.000	46.000	48.000	50,000	52,000	54.000	58,000	000	62,000	64.000	99					76.000					88.000	

*Power of 10 by which preceding numbers should be multiplied.

Table A3. (Continued) Monthly Pressure (mb) at 45°N

	* 8 8	_	0	- ^	m
	+ +	+	+	7	7
D	1.0179 7.9048 6.0993 4.6483 3.4911	2,5796 1,8880 1,3801 1,0077 7,3590 5,3746 3,9261 2,0963 1,5322	1. 1230 8. 2779 6. 1356 4. 5726 3. 4288 2. 5868 1. 9632 1. 4994 1. 1031	6.8970 5.3469 4.1308 3.1711 2.4251 1.8482 1.0620 0.8006 6.0119	4. 4967 3. 3513 2. 4904 1. 8450 1. 3606 0. 9980 7. 2801 5. 2885 3. 8415 2. 7911 2. 0282
N	1.0186 7.9394 6.1402 4.6946 3.5426	2. 6349 1. 9322 1. 4116 1. 0294 7. 5005 5. 4660 3. 9879 2. 9160 2. 1369	1. 1550 8. 5273 6. 3236 4. 7105 3. 5300 2. 6616 2. 0191 1. 5432 1. 1884 0. 9203	7. 1426 5. 5453 4. 2948 3. 3108 2. 5395 1. 4686 1. 1082 0. 8336 6. 2513	4. 6723 3. 4806 2. 5787 1. 8923 1. 3752 0. 9968 7. 2268 5. 2404 3. 8008 2. 7572 2. 0005
0	1.0175 7.9662 6.1801 4.7399 3.5891	2.6797 1.9697 1.4356 1.0466 7.6313 5.5654 2.9783 2.1886 1.6131	1. 1923 8. 8406 6. 5885 4. 9367 3. 7183 2. 1817 1. 6408 1. 26408 0. 9808	7.6277 5.9319 4.5962 3.5432 2.7166 2.0700 1.5671 1.1791 0.8829 6.5802	4.8795 3.5999 2.6417 1.9279 1.0091 7.2585 5.2217 3.7572 2.7040
s	1. 0163 7. 9913 6. 2337 4. 8064 3. 6584	2. 7451 2. 0273 1. 4786 1. 0779 7. 8600 5. 7442 4. 2108 3. 0960 2. 2830 1. 6884	1. 2544 9. 3692 7. 0333 5. 3057 4. 0230 3. 0670 2. 3505 1. 8105 1. 4013	8. 4713 6. 5876 5. 1011 3. 9307 3. 0121 2. 2939 1. 7357 1. 3043 0. 9732	5. 2947 3. 8574 2. 7864 2. 0035 1. 0255 7. 2993 5. 1759 3. 6583 2. 5756 1. 8080
A	1. 0141 8. 0006 6. 2620 4. 8425 3. 6946	2. 7769 2. 0525 1. 4970 1. 0913 7. 9604 5. 8251 4. 2779 3. 1526 2. 3319	1, 2925 9, 6830 7, 2835 5, 5026 4, 1808 3, 1944 2, 4537 1, 8946 1, 1454	8. 9287 6. 9596 5. 4031 4. 1712 3. 2015 2. 4421 1. 8498 1. 3903 1. 0365	2, 9203 2, 9203 2, 9203 2, 0749 1, 4661 1, 0305 1, 2056 2, 3816 1, 6273
J	1. 0135 8. 0057 6. 2688 4. 8560 3. 7154	2.8026 2.0810 1.5215 1.1100 8.1030 5.9336 4.3606 3.2154 2.3784	1. 3175 9. 8912 7. 4672 5. 6678 4. 3244 3. 3159 2. 5549 1. 9778 1. 5379	9.3866 7.3382 5.7211 4.4357 3.4168 2.6135 1.9844 1.1169	6.0699 4.4096 3.1697 2.2531 1.5871 1.1083 7.6707 5.2582 3.5684 2.3961 1.5985
J.	1. 0130 7. 9680 6. 2210 4. 8014 3. 6586	2.7485 2.0326 1.4846 1.0838 7.9173 5.8002 4.2632 3.1436 2.3253	1. 2887 9. 6842 7. 3209 5. 5667 4. 2586 3. 2772 1. 9727 1. 5388	9.4243 7.3757 5.7483 4.4583 3.4404 2.6410 2.0159 1.15276 1.1484	6.3265 3.3551 2.4049 1.7053 1.3226 5.3226 5.712 3.8874 2.6165
M	1.0140 7.9528 6.1948 4.7657 3.6127	2.6939 1.9766 1.4469 1.0594 7.7585 5.6828 4.1687 3.0672 2.2633	1. 2489 9. 3754 7. 0854 5. 3894 4. 1246 3. 1742 2. 4558 1. 9096 1. 4913	9. 1324 7. 1447 5. 5689 4. 3221 3. 3382 2. 5644 1. 9589 1. 14875 1. 126 8. 4179	6. 2671 4. 6246 3. 3801 2. 4466 1. 7570 1. 7570 8. 8423 6. 1914 4. 2951 2. 9634
А	1.0159 7.9327 6.1563 4.7216 3.5712	2. 6596 1. 9511 1. 4283 1. 0457 7. 6583 5. 6094 4. 1095 3. 2. 2204 1. 6425	1. 2200 9. 1144 6. 8516 5. 1817 3. 9442 3. 0220 2. 3290 1. 8025 1. 4006	8,5260 6,6521 5,1704 4,0012 3,0814 2,3604 1,7981 1,3618 1,0252 7,6744	4, 2381 3, 1254 2, 2926 1, 6725 1, 6725 6, 2526 4, 4348 3, 1248 2, 2011
M	1. 0161 7. 8982 6. 1009 4. 6596 3. 5121	2.6088 1.9108 1.3968 1.0212 7.4680 5.4622 3.9959 2.9276 2.1514	1. 1746 8. 7531 6. 5592 4. 9428 3. 7498 2. 8638 2. 2012 1. 7013 1. 3187	7. 9744 6. 2016 4. 8041 3. 7048 2. 8435 2. 1714 1. 2462 0. 9363	5. 2233 3. 8786 2. 8685 2. 1127 1. 5495 1. 1314 8. 2220 5. 9400 4. 2652 3. 0433
Ŗ	1.0165 7.8902 6.0797 4.6259 3.4679	2.5573 1.8689 1.3661 9.9885 7.3043 5.3424 5.3424 2.8617 2.1015	1. 1433 8. 4806 6. 3273 4. 7480 3. 5676 2. 7295 2. 0884 1. 6041 1. 2368 0. 9571	7.4191 4.4371 3.4107 2.6109 1.9905 1.5111 1.1422 0.8595 6.4386	3. 5672 2. 6516 1. 9709 1. 4603 1. 4603 1. 9125 5. 7844 4. 2086 3. 0470
ſ	1.0166 7.8835 6.0693 4.6180 3.4662	2. 5629 1. 8785 1. 3751 1. 0054 7. 3420 5. 3555 2. 8501 2. 0797 1. 5189	1. 1153 8. 2413 6. 1259 4. 5816 3. 4517 2. 6188 1. 5376 1. 1884 0. 9207	7. 1403 5. 5334 4. 2665 3. 2713 2. 4986 1. 9012 1. 4412 0. 8184 6. 1291	4, 5704 3, 3991 2, 5283 1, 8794 1, 3907 1, 0237 1, 4712 5, 4712 3, 9795 2, 8846
Alt (km)	0. 000 4. 000 6. 000 8. 000	10.000 12.000 14.000 16.000 18.000 22.000 24.000 28.000	30.000 32.000 34.000 36.000 38.000 40.000 44.000 48.000	50.000 52.000 54.000 56.000 60.000 62.000 64.000 68.000	

*Power of 10 by which preceding numbers should be multiplied.

Table A3. (Continued) Monthly Pressure (mb) at 60°N

*Power of 10 by which preceding numbers should be multiplied.

Table A3 (Continued) Monthly Pressure (mb) at 75°N

	+ + + + + + + + + + + + + + + + + + +	7	0	7	-5	۴
D	1,0128 7,7240 5,8623 4,3881 3,2347	2.3550 1.71111 1.2412 0.8989 6.4999 4.6920 3.3813 2.4326 1.7471	0.9083 0.6598 4.8130 3.5275 2.5966 1.9196 1.4249 1.0634 0.7992	0.4605 3.5282 2.7136 2.0860 1.5973 1.2175 0.9237 0.9237 0.4010	3.0468 2.3130 1.7480 1.3144 0.9834	0.7317 5.4155 3.9865 2.9399 2.1773
N	1.0134 7.7453 5.8769 4.4031 3.2535	2.3784 1.7383 1.2705 0.9269 6.7441 4.8930 3.5399 2.5540	0.9653 0.7011 5.1228 3.7648 2.7825 2.0677 1.5446 1.1597 0.8640	0.5075 3.9039 3.0073 2.3146 1.7711 1.3461 1.0159 0.7631	3.2579 2.4563 1.8440 1.3778	0.7582 5.6065 4.1461 3.0667 2.2688
, 0	1,0092 7,7639 5,9371 4,4773 3,3235	2. 4368 1. 7860 1. 3093 0. 9600 7. 0305 5. 1350 3. 7403 2. 7169 1. 4318	1.0448 0.7652 5.6244 4.1500 3.0827 2.3059 1.7365 1.0356	0.5937 4.5954 3.5576 2.7515 2.1145 1.2211 0.6831	3.7856 2.8189 2.0985 1.5558	0.8419 6.1426 4.4562 3.2199 2.3267
S	1,0116 7,8347 6,0102 4,5521 3,3996	2.5058 1.8479 1.3641 1.0071 7.4343 5.4816 4.0386 2.9758	2. 8501 2. 1731 1. 2893 1. 2893	2. 2076 1. 27495 3. 7023 2. 8699 1. 6845 1. 2742 0. 9549	5.2249 3.8313 2.7938 2.0256 1.4599	1.0457 7.4423 5.2612 3.6935 2.5742
A	1.0115 7.8718 6.0909 4.6487 3.4929	2.5854 1.9119 1.4160 1.0501 7.7912 5.7813 4.2907 3.1850 1.7589	1.3165 0.9914 7.5114 5.7232 4.3845 3.3767 2.6137 2.0330	0.9778 7.6745 6.0228 4.7145 3.6778 2.8584 2.2048 1.2743	7.0478 5.1436 3.7014 2.6230 1.8276	1, 2499 8, 4448 5, 6652 3, 7727 2, 4933
J	1,0111 7,8803 6,0994 4,6602 3,5098	2.6077 1.9355 1.4384 1.0697 7.9568 5.9195 4.4046 3.2780 1.8295	1.3795 1.0466 6.1289 4.7279 3.6654 2.8553 2.2346 1.7567	1.0917 8.6086 6.7889 5.3417 4.1856 3.2658 2.5368 1.9549 1.1896	8. 2902 6. 0456 4. 3314 3. 0425 2. 0899	1.3997 9.1071 5.7944 3.6768 2.3281
J	1. 0131 7. 8682 6. 0734 4. 6229 3. 4630	2. 5638 1. 9022 1. 4135 1. 0505 7. 8088 5. 8056 4. 3178 3. 2154 1. 8000		1. 0714 8. 4629 6. 6833 5. 2583 4. 1164 3. 2057 2. 4829 1. 9121 1. 4627	8. 2343 6. 0375 4. 3493 3. 07 15 2. 1211	1,4279 9,3353 5,9310 3,7458 2,3590
M	1.0170 7.8442 6.0113 4.5478 3.3921	2.5044 1.8533 1.3743 1.0194 7.5629 4.1649 3.0916 2.2955	1, 2756 0, 9563 0, 9563 5, 4834 4, 1915 3, 2232 2, 4927 1, 9383 1, 9383	0.9380 7.3934 5.8263 4.5715 3.5660 2.7646 1.1296 1.296 1.2376 9.330	6.9724 5.1474 3.7498 2.6923 1.9024	1, 3208 8, 9993 6, 0622 4, 0467 2, 6757
A	1.0169 7.7818 5.9201 4.4489 3.2982	2, 4228 1, 7859 1, 3174 0, 9720 7, 1729 5, 2942 3, 9083 2, 8857 1, 1729	1, 1656 0, 8672 6, 4835 4, 8691 3, 6729 2, 7863 2, 1288 1, 6375 1, 2678	0,7722 6,0390 4,7219 3,6761 2,8452 2,1886 1,6727 1,2698 0,9571	5.3494 3.9715 2.9343 2.1572 1.5758	1. 1411 8. 1878 5. 8179 4. 0914 2. 8457 1. 9569
M	0.0175 7.7483 5.8749 4.3990 3.2482	2.3739 1.7368 1.2728 0.9331 6.8238 4.9767 3.6280 2.6500 1.43393	1. 0465 0. 7734 6. 7734 4. 2767 3. 1992 2. 4025 1. 8137 1. 3772 1. 0516	0.6230 4.8320 3.7551 2.9156 2.2502 1.7248 1.3125 0.9911 0.7430	4, 1581 3, 1067 2, 3194 1, 7294 1, 2827	0.9453 6.9191 5.0287 3.6277 2.5967
F	1,0159 7,7351 5,8638 4,3832 3,2235	2. 3482 1. 7079 1. 2402 0. 8991 6. 4945 4. 6701 3. 3509 2. 4142 1. 7467		0.4977 3.8242 2.9507 2.2773 1.7497 1.3362 1.0140 0.5734	3, 2375 2, 4366 1, 8322 1, 3727	0.7617 5.6411 4.1603 3.0553 2.2341
J	0.0147 7.7293 5.8516 4.3734 3.2228	2, 3472 1, 7041 1, 2337 0, 8906 6, 4106 4, 6004 3, 2919 2, 3570 1, 1919	0.6356 0.6356 3.4042 2.5126 1.8647 1.3912 1.0432 0.5553	2.6556 2.6556 2.0394 1.5623 1.1926 0.9677 0.5195 0.3925	2. 9720 2. 2512 1. 6982 1. 2753 0. 9531	0.7089 5.2469 3.8628 2.8309 2.0738
Alt (km)	2.000 4.000 6.000 8.000	10.000 12.000 16.000 18.000 20.000 22.000 24.000	30.000 34.000 38.000 38.000 40.000 44.000	50.000 54.000 54.000 58.000 60.000 64.000 68.000	70.000 72.000 74.000 76.000	80.000 82.000 84.000 86.000

*Power of 10 by which preceding numbers should be multiplied,

Table A3. (Continued) Monthly Pressure (mb) at 90°N

7	F	M	A	M	J	J	A	S	0	Z	D
150	1,0180	1,0200	1,0205	1,0200	1,0160	1,0130	1.0140	1,0160	1,0140	1,0180	1,0130
613	7,7057	7,7188	7.7772	7.8432	7.8759	7,8763	7.8758	7,8397	7.7527	7.7483	7,6750
901	5,8081	5.8249	5,8956	5.9975	6,0586	6,0870	6.0740	6,0134	5,8884	5,8687	5,7986
948	4,3255	4.3462	4,4181	4.5317	4, 6037	4.6473	4.6254	4,5540	4,4166	4,3884	4,3252
3, 1547	3, 1795	3, 2013	3,2696	3,3797	3,4504	3,4964	3,4708	3,4006	3,2674	3,2356	3, 1803
922	2,3132	2,3368	2,3996	2,4922	2,5541	2,5951	2,5688	2,5064	2,3937	2,3600	2,3114
602	1,6811	1,7101	1,7675	1.8473	1,8961	1,9293	1,9020	1.8492	1,7580	1,7208	1,6760
066	1, 2207	1,2517	1,3037	1,3725	1,4115	1,4362	1,4122	1,3658	1, 2913	1,2549	1,2130
620	0,8825	0.9137	0,9617	1,0199	1,0509	1,0693	1,0497	1,0089	0.9460	0.9132	0,8761
1588	6,3411	6,6522	7.0967	7.5808	7.8263	7,9632	7,7982	7.4487	6.9124	6,6249	6,3161
714	4.5276	4,8302	5, 2374	5,6355	5,8292	5,9312	5,7897	5, 4913	5.0370	4.7910	4,5441
926	3, 2279	3,5101	3,8660	4, 1902	4.3426	4.4185	4, 2959	4.0431	3,6603	3,4536	3,2625
884	2,3094	2,5566	2,8544	3, 1161	3,2356	3.2922	3, 1856	2,9768	2,6524	2,4816	2, 3378
5488	1,6580	1,8663	2, 1123	2,3212	2,4139	2,4562	2,3653	2, 1922	1,9194	1,7817	1,6744
869	1, 1944	1,3654	1,5680	1,7346	1,8081	1,8398	1,7620	1,6146	1,3893	1,2795	1, 1995
805	0,8642	1,0013	1, 1674	1,3003	1,3598	1,3836	1,3168	1, 1895	1,0058	0,9191	0.8594
5618	0.6298	0.7383	0,8718	0.9778	1,0267	1.0447	0.9873	0,8787	0.7303	0,6633	0,6180
855	4,6233	5,4821	6, 5297	7,3935	7,7970	7,9335	7,4504	6, 5265	5,3358	4.8178	4,4778
000	3,4165	4.0969	4.9156	5, 6247	5,9669	6, 07 13	5,6651	4.8732	3,9211	3,5202	3,2669
231	2,5411	3,0809	3,7226	4,3032	4, 5997	4,6802	4,3389	3,6572	2,8978	2,5872	2,3996
9290	1,9018	2,3308	2,8353	3,3065	3,5704	3, 6329	3,3460	2,7589	2, 1556	1,9123	1,7740
437	1,4316	1,7734	2, 17 14	2,5513	2,7890	2,8376	2,5970	2,0934	1,6158	1,4211	1,3196
366	1,0822	1,3549	1, 67 17	1,9765	2, 1876	2,2240	2,0228	1,5970	1, 2201	1,0626	0.9875
084	0,8211	1,0386	1, 2935	1,5372	1,7220	1.7478	1,5786	1,2238	0.9277	0.7994	0,7432
5380	0,6254	0.7988	1,0058	1,2001	1,3599	1,3770	1, 2339	0.9417	0.7097	0.6050	0.5624
1103	0,4780	0,6162	0,7835	0,9398	1, 07 47	1,0855	0.9647	0.7258	0.5437	0,4605	
1400	3,6660	4.7664	6, 1049	7,3623	8, 4947	8,5588	7.5443	5,5961	4, 1658	3,5139	3,2664
1037	9 8137	3 6879	4 7573	5 7683	0 1100	00100		4 9140	0000	00000	

*Power of 10 by which preceding numbers should be multiplied.

Appendix B

Tables of Thermodynamic Properties Representative of Cold and Warm Stratospheric Regimes Between 60°N and 75°N

Table B1. Temperature (°K) in January for $60^{\circ}N$ and $75^{\circ}N$ at Specified Longitudes

Altitude		60°N		75	°N
(km)	10°W	100°W	140°W	10°W	140°W
0.000	278. 15	246, 15	269. 15	257.65	242. 15
2.000	265.73	248.64	261.14	252.64	246.95
4.000	253.33	242.13	251.73	244. 11	242. 12
6.000	240.93	232.14	238. 13	232. 10	232.34
8.000	228.54	222. 14	224.54	220. 10	217.34
10.000	216.16	217.15	221. 15	213.64	213.65
12.000	216.15	217.15	221.15	212.64	213.65
14.000	216.15	217.15	221.15	211.65	213.65
16.000	216.15	215.96	221. 15	210.65	213.65
18.000	214.17	214.76	221. 15	209.65	213.65
20.000	212.18	213.57	221.15	206.40	212.16
22.000	207.27	212.37	218.22	200.82	210.17
24.000	202.29	211.18	215.24	195.25	208. 18
26.000	204.84	213.07	217.46	195. 15	211.27
28.000	207.62	215.06	219.84	199. 22	214.45
30.000	210.40	217.04	222.22	203.39	217.63
32.000	213.18	219.03	224.60	207.56	220.80
34.000	215.95	221.94	226.98	211.73	223.98
36.000	220.38	224.91	229.36	215.89	227.15
38.000	224.94	227.88	231.73	221. 17	230, 32
40.000	229.49	232.65	234.03	226.51	233.49
42.000	234.03	237.59	236, 20	231.86	236.66
44.000	238.58	242.53	238.37	237.20	239.82
46.000	243.12	247.47	240.55	242.53	242.80
48.000	247.66	249.85	242.72	244.89	245.77
50.000	252.19	251.82	245.83	246.87	248.73
52.000	256.73	252, 15	250.76	248.84	251,69
54.000	257.55	252. 15	254. 15	250, 15	252, 15

Table B2. Density (kg m $^{-3}$) in January for 60°N and 75°N at Specified Longitudes

Altitude		60°N		75	5°N	
(km)	10°W	100°W	140°W	10°W	140°W	
0.000	1, 2555	1.4400	1, 3075	1.3608	1.4681	+0*
2.000	1.0219	1.0829	1.0412	1.0612	1.0880	
4.000	8.2374	8.4250	8.2788	8.3467	8.4007	-1
6.000	6.5693	6.5882	6.6212	6.5870	6.5674	
8.000	5. 1775	5.0972	5.2271	5. 1341	5.1802	
10,000	4.0275	3,8155	3,9010	3.8527	3.8306	
12,000	2,9382	2.7874	2.8660	2.8103	2.7832	
14.000	2.1438	2.0367	2.1061	2.0473	2.0226	
16,000	1,5645	1.4954	1.5479	1.4895	1.4701	
18,000	1, 1508	1.0963	1. 1379	1.0822	1.0688	
20,000	8, 4435	8,0254	8,3672	7,9325	7.8198	-2
22,000	6, 2514	5.8655	6, 2233	5.8370	5.7198	
24.000	4.5969	4.2802	4,6120	4.2589	4.1721	
26,000	3, 2519	3.0803	3.3352	3.0083	2.9732	
28.000	2.3090	2.2230	2.4190	2.0881	2.1291	
30.000	1.6474	1,6094	1.7610	1,4600	1.5325	
32.000	1, 1808	1. 1689	1, 2865	1.0284	1, 1085	
34.000	8,5018	8.4851	9.4326	7.2973	8.0574	-3
36,000	6. 1087	6. 1851	6.9392	5.2134	5.8840	
38,000	4.4174	4.5282	5. 1221	3.7332	4.3165	
40.000	3,2158	3,3069	3.7944	2,6943	3, 1806	
42.000	2.3561	2.4296	2.8208	1,9597	2.3537	
44.000	1.7370	1.7967	2.1031	1.4361	1.7491	
46.000	1. 2881	1.3370	1.5724	1.0599	1.3059	
48.000	0.9607	1.0100	1. 1790	0.7959	0.9788	
50,000	7.2057	7,6608	8.8318	6,0021	7.3628	-4
52.000	5. 4328	5,8578	6, 6017	4,5369	5.5581	-
54.000	4. 1700	4. 4858	4.9924	3.4462	4. 2473	

^{*}Power of 10 by which preceding numbers should be multiplied.

Table B3. Pressure (mb) in January for $60^{\circ}N$ and $75^{\circ}N$ at Specified Longitudes

Altitude		60°N		75°	N	
(km)	10°W	100°W	140°W	10°W	140°W	
0.000	1,0025	1.0175	1,0102	1.0065	1, 0205	+3*
2.000	7.7954	7.7292	7.8054	7.6963	7.7132	+2
4.000	5.9903	5.8559	5.9823	5.8488	5.8387	
6.000	4.5435	4.3901	4.5261	4.3886	4.3801	
8.000	3.3967	3.2504	3.3693	3.2438	3.2318	
10.000	2.4991	2.3783	2.4764	2,3628	2.3493	
12.000	1.8230	1.7375	1.8194	1.7154	1.7069	
14.000	1.3301	1.2695	1.3370	1.2438	1.2404	
16.000	9.7072	9.2705	9.8268	9.0069	9.0164	+1
18.000	7.0753	6.7589	7.2240	6.5134	6.5550	
20,000	5.1428	4.9201	5.3116	4, 6998	4,7625	
22.000	3.7194	3.5758	3.8983	3.3648	3, 4508	
24.000	2.6695	2.5947	2.8495	2.3870	2.4933	
26.000	1.9122	1.8840	2.0819	1.6852	1.8032	
28.000	1.3762	1.3723	1.5266	1. 1941	1.3106	
30.000	0.9949	1,0027	1, 1233	0.8524	0.9573	
32.000	7.2258	7.3493	8, 2951	6. 1279	7,0263	+0
34.000	5.2703	5.4058	6. 1459	4,4351	5, 1805	
36.000	3.8645	3.9933	4.5687	3.2309	3.8367	
38,000	2.8523	2.9621	3.4072	2.3701	2.8539	
40,000	2.1184	2,2084	2,5490	1.7519	2, 1318	
42.000	1.5829	1.6570	1.9126	1.3043	1.5990	
44.000	1. 1896	1, 2508	1.4391	0.9778	1, 2041	
46.000	0.8990	0.9498	1.0858	0.7379	0.9102	
48.000	6.8305	7.2441	8.2146	5.5957	6.9055	-1
50,000	5, 2165	5,5378	6, 2323	4, 2534	5, 2570	
52.000	4.0037	4.2399	4.7520	3, 2407	4.0156	
54.000	3.0829	3.2468	3.6422	2.4746	3,0742	

^{*}Power of 10 by which preceding numbers should be multiplied.

Table B4. High-Latitude Thermodynamic Properties of Warm and Cold Winter Stratosphere/Mesosphere

		*6.54												0+						•							,					۳-			-
(Cold)		1,0144	5.9354	3,3102	2, 4221	1,7789	3106	7, 1210	5, 2503	3,8693	2.8481	1, 5377	1, 1278		4.3933	3, 1832	2.3060	1.2306	2606		3.8730	2,9533	2.2643	1 3391	1,0285	7893	4. 6359	3,5440	2,7040	2,0590	1, 1863	8.9645	5.0642	3,7852	
(Warm)	PRESSURE (mb)	1.0144	5.9354	3,3102	2,4192	1.7654	1. 2785	6, 5200	4. 6097	3,2840	2.3742	1, 2908	0.9687	7.3624	4. 4261	3, 4704	2.7096	1.6299	1, 2553	9. 6204	5.5710	4.2143	3, 1754	1 7804	1.3246	0.9810	5,3064	3.8742	2.8186	2.0448	1,0671	7.6749	3, 9342	2.8049	****
(Warm)	PRES	1.0144	5.9354	3,3102	2,4192	1.7664	1.2850	6,7132	4.8194	3,4436	2.4525	1, 2708	0.9256	6.8189	3.8640	2,9560	2,2802	1.3874	1,0906	8, 57 19	5.2456	4.0823	3, 1633	1.8647	1,4176	1.0701	5,9616	4.3957	3,2128	2, 3266	1, 1921	8, 4664	4, 2013	2.9354	****
(Warm)		1.0144	5,9354	3,3102	2,4192	1,7661	1. 2829	6.6496	4.7425	3,3601	2.3677	1, 1910	0.8514	6, 1609	3.4068	2, 5938	2,0018	1.2413	0.9912	7.8635	6, 1836	3,7132	2, 8317	1 6197	1,2168	0.9098	5,0122	3, 6917	2,7045	1.9702	1,0284	7.3779	3.7657	2,6904	
(Cold)	(kg m °)	1,3742 +0*	8.3466 -1	5. 2286	3,8460	2,7866	2.0461	1, 1116	8, 1965 -2	6.0670	4.4895	2,4439	1,8006	1,3251		5,3208	3.8002	1.9506	1,3979	1.0121	5. 4900 -4		3,0861	1 8302	1,4112	1,0872	6,4526 -5	4.9718	3,8235	2.9348	1.7234	1,3195	7,6561 -6	5.8011	
(Warm)	DENSITY	1,3742	8.3466	5, 2286	3,8811	2.8716	2, 1394	1, 1574	8, 1870	5,5825	3,8671	1.9402	1,4021	1.0122	5.5241	4.3868	3,4878	2.1775	1,7093	1, 3357	7.9903	6, 1340	3, 5739	2 7118	2.0492	1.5419	8,6146	6,3867	4.6899	3, 4346	1. 8268		6, 9347	3,5417	
Model B (Warm)		1.3742			3.8811	2,8534	2, 1050	1, 5465	8 2419	5.9767	4.2401	2,9667	1.4901	1.0447	7.4429	4,0156	3,0049		1,3537	1.0732	0.8530		4.2290	3, 3319	2.6194	1,5835	9.3184	7.0697	5, 3212	3.9716	2, 9126	1, 5244	1,0945	5.5370	3, 8348
Model A (Warm)		1, 3742	8,3466		3,8811	2,8495	2, 1163	1, 5577	8 2929	5, 9953	4.2395	2.9535	1.4576	0.9942	6.9184	3,5505	2.6084	1,9283	1, 1640	0,9585	0.7834	5. 1074	4.0350	3, 1064	1 8217	1,3855	7.9039	5.9267	4,4216	3, 2815	1,7700	1, 2884	0.9268	4.7301	3.3802
Model D (Cold)		257. 15	247.73	234, 13	219,39	222.38	223, 15	223, 15	223 15	222. 17	221.18	219.18	218.20	217.21	214.35	208.41	211.39	214.95	226.69	233, 60	240.50	250.68	255.60	255.61	253 91	252.92	251.94	248.32	246.36	244.40	239.80	236.67	233, 55	227.31	223.02
Model C (Warm)	(*K)	257.15	247.73	234, 13	217, 15	214.17	208, 18	196.23	198 15	204.93	213.88	232.82	240.68	253.37	266.25	275, 59	270.64	265.70	255.83	250.89	246.43	239.34	235.80	232.20	228.72	221.65	218, 11	211.32	209.36	207.40	203, 49	201.54	199, 59	196.65	190.00
Model B (Warm)	IPERATURE	257.15	247.73	234, 13	217, 15	215, 66	212.66	209.68	203 70	200.72	201.50	211, 43	216.39	227.36	238.66	256.44	264.35	272.26	280.65	278,24	274.30	266.42	260.58	234.29	248.00	235.43	229, 15	216.60	210,33	204.07	196.60	193, 47	190,35	184.68	182.13
Model A (Warm)	TEMPE	257, 15																							236.61	228.76	224.83	216.99	213.07	209, 16	205, 35	199,48		198. 15	
Altitude (km)		0,000	4.000	8,000	10,000	12.000	14.000	18,000	000 00	22.000	24.000	28.000	30.000	32.000	34.000	38.000	10.000	12.000	16.000	18.000	000.00	2.000	98.000	98.000	20.000	34.000	36,000	000 02	72.000	4.000	8,000	000 08	32.000	98.000	8.000

*Power of 10 by which preceding numbers should be multiplied.

Appendix C

Break-Point Tables in Geopotential Kilometers And Temperature For All Models

Table C1. Temperature-Height Profiles at the Equator

MONTH	SURFACE		BREAK	-POINT	rs in GEC	POTE	VTIAL KI	LOMET	ERS AND	TEMP	BREAK-POINTS IN GEOPOTENTIAL KILOMETERS AND TEMPERATURE (*K)	E (*K)	
	(mp)	Alt	°K	Alt	°K	Alt	°K	Alt	°K	Alt	°K	Alt	°K
JAN	1010.0	Sfc 48.0 89.0	299, 15 272, 15 187, 15	7.5	260, 15 272, 15	14.5 55.0	204.15 261.65	17.0	192, 15 222, 65	29.5	232, 15 195, 65	36.0 84.0	245, 15 195, 65
FEB	1010.0	Sfc 46.5 89.0	299. 65 272. 65 195. 15	7.5	259.15 272.65	14.5	203, 15 262, 15	17.0	192, 15 220, 15	29.5	232, 15 190, 15	36.5	249.65 195.15
MAR	1009.6	Sfc 40.0 80.0	300, 15 264, 15 191, 15	8.0 46.0 90.0	256, 15 273, 15 207, 15	14.5	204. 15 273. 15	17.0	192, 15 256, 65	27.0	226, 15 222, 65	35.0	246. 15 191. 15
APR	1009.5	Sfc 46.0 90.0	300, 15 272, 15 212, 15	7.5	258, 15 272, 15	14.5	205, 65 258, 15	17.0	193, 15 220, 15	27.0	226, 15 188, 15	42.0	268, 15 195, 15
MAY	1010.0	Sfc 46.5 89.5	299.65 271.15 203.15	8.0	255.65 271.15	14.0	207.65 268.15	16.5	193, 15 231, 15	26.5	226.15 191.15	36.5	251, 15 206, 15
JUNE	1010.8	Sfc 49.5 89.5	299, 15 269, 15 191, 15	8.0 54.5	255, 15 263, 15	14.0	207.15 225.15	16.5 69.5	195, 15 205, 15	26.5	227. 15 196. 15	46.5 84.5	269, 15 202, 15
JULY	1011.4	Sfc 46.5 84.0	298.65 269.15 199.65	8.0 50.0 89.0	254. 65 269. 15 185. 15	14.0	206.65 260.15	16.5	196. 15 222. 15	22.5	217.15 192.15	42.5	259, 15 199, 65
AUG	1011.3	Sfc 36.0 84.0	298.65 245.15 196.15	5.0 46.0 89.0	273, 15 269, 15 187, 15	10.0	239, 15 269, 15	14.0	207.15 257.15	16.5	195.65 219.15	23.5	220, 15 196, 15
SEPT	1011.3	Sfc 35.5 89.0	299. 15 247. 15 195. 15	5.0	272.65 270.15	10.0	240.15 270.15	14.5	204. 15 245. 15	16.5	195, 15 203, 15	21.5	212, 15 195, 15
ОСТ	1010.7	Sfc 31.5 72.5	299. 15 238. 15 195. 15	5.0 41.5 89.0	272.15 263.15 195.15	10.0	239.15 271.15	14.5	203. 15 27 1. 15	16.5	194. 15 259. 65	21.5	212.15 245.15
NOV	1010.0	Sfc 33.5 80.0	299, 15 243, 15 199, 65	5.0 46.0 84.0	272.65 270.65 199.65	10.0 50.0 89.0	239.65 270.65 193.15	14.5	203.65 259.15	17.0	193, 15 238, 15	23.5	219, 15 195, 15
DEC	1010.0	Sfc 46.0 79.0	299.15 270.65 199.65	8.0 50.0 84.0	255, 15 270, 65 199, 65	14.5 55.0 89.0	203, 15 260, 65 188, 65	17.0	192, 65 250, 65	24.5	222.65 215.65	33.5	240.65 194.65

Table C1. (Continued) Temperature-Height Profiles at 15°N

MONTH	SURFACE		BREA	K-POIN	TS IN GE	OPOTI	SNTIAL K	TLOME	BREAK-POINTS IN GEOPOTENTIAL KILOMETERS AND TEMPERATURE (*K)	DIEM	PERATUR	RE (°K)	
	(mp)	Alt	°K	Alt	°K	Alt	°K	Alt	°K	Alt	°K	Alt	°K
JAN	1012.6	Sfc 34.5 70.5	296. 65 240. 65 216. 15	5.0 42.0 78.0	273, 15 263, 15 198, 15	15.0 47.0 84.0	203.15 271.15 198.15	17.0 50.5 89.0	195, 15 271, 15 189, 15	18.0 55.5	195, 15 259, 65	22.0	213, 15
FEB	1012.6	Sfc 36.0 77.5	296.65 247.15 190.65	5.0 43.5 83.5	272. 15 266. 65 196. 65	15.0 47.5 89.0	202. 15 272. 65 196. 65	17.0	195, 15 272, 65	18.0 55.0	195. 15 261. 15	23.5	217.15
MAR	1012, 1	Sfc 21.0 70.0	296.65 210.65 213.15	5.5 35.0 76.0	269. 15 245. 65 192. 15	8.5 42.5 79.0	249.65 266.65 192.15	14.5 47.5 89.0	204, 65 273, 15 203, 15	17.0	195. 65 273. 15	18.0	195, 65 261, 15
APR	1011,4	Sfc 35.5 75.0	297. 15 246. 65 193. 15	5.0 43.0 79.0	271.65 267.65 193.15	14.5 47.5 89.0	205.15 272.15 206.15	17.0	196. 15 272, 15	18.0	196. 15 263. 15	23.0	219. 15 209. 15
MAY	1010.8	Sfc 30.5 73.0	297.65 236.15 194.65	7.5 42.5 83.0	258.65 266.15 199.65	14.5 47.0 89.0	202.65 270.65 199.65	16.5	197.65 270.65	17.5	197.65 263.65	23.0	219.65 205.15
JUNE	1010.8	Sfc 23.0 69.5	299. 65 220. 15 203. 15	2.5 34.0 72.5	288. 15 242. 15 195. 65	7.5 42.0 79.5	258. 65 262. 15 199. 15	15.0 47.0 83.0	201, 65 269, 15 199, 15	16.0 49.5 89.0	199, 15 269, 15 190, 15	17.0	199, 15 263, 15
JULY	1010.8	Sfc 37.9 83.0	299.65 247.15 197.65	7.5 47.0 89.0	259, 15 268, 15 182, 65	14.5	203, 15 268, 15	16.0	200, 15 262, 15	17.0	200.15 203.65	24.0	221. 15 197. 65
AUG	1010.3	Sfc 22.0 74.5	298.65 217.65 194.15	1.5 36.0 84.0	292. 65 245. 65 194. 15	6.5 46.0 89.0	264. 65 268. 65 186. 15	14.0	209, 15 268, 65	16.0	200, 15 255, 65	17.0	200, 15 200, 15
SEPT	1010.9	Sfc 20.0 60.0	297.65 210.15 242.15	2.0 35.0 70.0	288. 65 244. 65 202. 15	7.0 40.0 74.0	260. 15 257. 15 192. 15	14.0 46.5 79.0	207. 65 270. 15 198. 15	16.0 50.0 84.0	199, 65 270, 15 198, 15	17.0 55.0 89.0	199. 65 257. 15 196. 15
OCT	1011.3	Sfc 22.0 60.0	298, 15 215, 15 241, 15	2.5 34.5 70.0	286. 15 245. 15 203. 15	7.5 42.0 74.0	258. 15 264. 65 195. 15	15.0 47.0 89.0	201, 15 271, 15 195, 15	16.0	197.65 271.15	17.0	197.65 257.15
NOV	1011.7	Sfc 22.5 70.0	297.15 215.15 209.65	5.0 42.5 75.0	272. 15 265. 14 197. 65	9.0 46.5 89.0	246.15 271.15 197.65	13.5	210. 15 27 1. 15	16.5	196.65 258.15	17.5	196.65 243.65
DEC	1013.1	Sfc 23.0 76.0	296.65 218.65 200.15	4.0 35.0 83.0	278.65 242.65 200.15	7.0 42.0 89.0	260.65 263.65 191.15	14.5	205, 15 271, 15	17.0	197.15 271.15	18.0	197, 15 215, 15

Table C1. (Continued) Temperature-Height Profiles at 30°N

MONTH	SURFACE		BREA	K-POII	TE IN GE	CPOTI	ENTIAL K	ILOME	BREAK-POINTS IN GEOPOTENTIAL KILOMETERS AND TEMPERATURE (*K)	D TEM	PERATU	RE (*K)	
	(mp)	Alt	°K	Alt	°K	Alt	°K	Alt	°K	Alt	°K	Alt	°K
JAN	1019, 1	Sfc 30.5 74.0	287. 15 230. 15 218. 15	2.0 35.5 89.0	281. 15 241. 65 191. 15	12.0	216, 15 265, 65	17.0	203, 15 265, 65	18.0	203, 15 252, 65	25.5	221, 15 218, 15
FEB	1018.2	Sfc 40.0 89.5	286.65 255.15 192.15	45.0	270, 65	12.0	218, 65 266, 65	17.0	204. 15 253. 65	18.0	204. 15 219. 15	26.0	220, 15 219, 15
MAR	1017.1	Sfc 39.0 83.0	289. 15 254. 15 202. 15	4.0 44.0 89.0	269, 15 264, 65 196, 15	12.0	217.15	17.0	206. 15 267. 65	18.0	206. 15 256. 65	24.0	218, 15
APR	1015.9	Sfc 32.0 76.0	292. 15 239. 15 200. 65	5.0 42.0 90.0	267.15 261.15 193.65	12.0	218, 15 269, 15	17.0	206. 15 269. 15	18.0	206. 15 257. 65	22.0	216. 15 229. 65
MAY	1013.9	Sfc 44.5 89.0	295. 15 267. 15 188. 65	5.0	271, 15 270, 65	12.0	218.65	16.0 55.0	204.65	17.0	204.65	37.0	250, 65 188, 65
JUNE	1012.9	Sfc 36.0 72.5	298.65 247.65 202.15	1.0 40.0 88.5	292.65 257.65 178.15	5.0 45.0 90.0	272.65 268.65 178.15	12.0	220, 15 271, 15	15.0	203.65 271.15	16.0	203.65 265.15
JULY	1012.9	Sfc 42.0	301, 15 262, 15	1.0	293. 65 269. 15	6.0	266, 15 269, 15	15.0	203, 15 263, 15	16.0	203, 15 206, 15	36.0	247, 15 176, 15
AUG	1012,7	Sfc 42.0 89.0	298. 65 258. 65 182. 15	1.0	292, 15 267, 65	5.5	269.65 267.65	15.5 55.0	203, 65 258, 15	16.5	203.65 209.15	22.0 87.0	214.65
SEPT	1013.9	Sfc 22.0 60.0	296.65 217.65 244.65	34.5	290, 15 240, 15 206, 15	5.0 44.5 83.0	272.15 263.15 194.15	12.0 47.0 89.0	219. 65 266. 65 194. 15	16.0	203.65 266.65	17.0	203.65
OCT	1016.9	Sfc 34.5 79.0	293.65 238.65 199.65	5.0 45.5 89.0	268.65 266.15 199.65	12.0	219,65	16.0	203.65	17.0	203.65 253.65	22.0	216, 15
NOV	1018.6	Sfc 34.5 79.0	289.15 237.65 201.15	44.5 89.0	273, 15 265, 65 201, 15	12.0	217.15 269.15	17.0	203. 15 269. 15	18.0 55.0	203, 15 253, 15	22.0	215, 15
DEC	1019.6	Sfc 30.0 74.0	286, 15 227, 65 217, 65	36.0 83.0	280, 15 242, 65 199, 65	12.0 46.0 89.0	217.15 266.65 199.65	17.0	203, 65 266, 65	18.0	203.65 242.65	22.0	215, 65 221, 65

Table C1. (Continued) Temperature-Height Profiles at 45°N

MONTH	SURFACE		BREA	K-POIN	TS IN GE	OPOTE	NTIAL K	ILOME	BREAK-POINTS IN GEOPOTENTIAL KILOMETERS AND TEMPERATURE (*K)	DTEM	PERATUE	₹E (*K)	
	(mp)	Alt	°K	Alt	°K	Alt	°K	Alt	°K	Alt	».K	Alt	».
JAN	1016,6	Sfc 44.5 80.0	272, 15 261, 65 213, 65	3.0 47.5 90.0	261.65 264.65 201.65	10.0	219.65 264.65	19.0 54.5	215, 15 252, 65	27.0	215, 15 225, 65	34.5	231. 65 225. 65
FEB	1016, 5	Sfc 40.0 89.5	273.15 250.65 199.65	3.0	262.65 264.15	10.0	217.15	22. 5 55. 5	217. 15 253. 15	30.0	224.65 225.15	35.0	235. 65 225. 15
MAR	1016, 1	Sfc 42.5 87.0	274.15 261.65 194.65	3.0 47.5 89.0	265, 15 268, 15 194, 65	11.0	217.15	22.0	217. 15 256. 15	27.5	222. 65 233. 65	35.0	239, 15 209, 65
APR	1015.9	Sfc 40.5 89.0	279.15 258.65 189.65	3.0	270, 15 271, 65	11.0	218, 15 271, 65	22.5	218. 15 232. 65	79.5	228.65	35.5	243.65 189.65
MAY	1014.0	Sfc 44.5 85.0	284.65 272.65 179.15	3.0 47.0 89.0	274. 15 274. 65 179. 14	11.0	218, 15 274, 65	20.0	218, 15 262, 65	27.0	225, 15 227, 65	37.0	253, 15 206, 65
JUNE	1013.0	Sfc 42.0 89.0	288. 15 268. 15 167. 65	2.5	279. 15 275. 15	12.5	216. 15 275. 15	17.0	216, 15 248, 15	27.0	227.15 195.65	35.0 85.5	247. 15 167. 65
JULY	1013.5	Sfc 27.0 89.0	294.15 227.15 164.15	2.0	285.15 273.15	16.0	261.15 273.15	13.0	215.65	17.0	215.65 194.15	22.0	221.65 164.15
AUG	1014.1	Sfc 46.5	292, 15 270, 15	2.5	282. 15 270. 15	12.5	215.15 246.15	17.0	215.15 195.15	24.5 89.0	224.15 172 65	34.5	240, 15
SEPT	1016.3	Sfc 46.0 89.0	288. 15 266. 15 187. 65	2.5	278.15 268.15	12.5 50.5	215, 15 268, 15	17.5	215.15 255.15	27.5	225.15 204.15	36.0	242, 15 187, 65
OCT	1017.5	Sfc 44.0 89.0	284.15 257.65 202.15	3.0	269.15	12.0	215.15	20.0	215.15 254.15	31.0	226. 15 236. 15	41.0	247.15 202.15
NOV	1018, 6	Sfc 35.0 61.5	278. 15 229. 65 239. 15	3.0 41.0 71.5	266.15 244.65 225.15	11.0 46.0 76.5	218.15 262.65 207.15	16.0 48.5 90.0	214.65 265.65 207.15	20.0	214.65	30.0	221.65 253.15
DEC	1017.9	Sfc 41.0 74.5	273, 15 245, 15 222, 15	3.0 46.0 81.5	264, 15 259, 65 208, 15	10.0 48.5 89.0	218.65 264.15 208.15	15.0	216, 15 264, 15	28.0 54.5	253, 65	35.0	230, 15 228, 15

Table C1. (Continued) Temperature-Height Profiles at 60°N

MONTH	SURFACE		BRE	NK-PO	INTS IN	EOPOT	ENTIAL	KILOMI	ETERS AN	ID TEN	BREAK-POINTS IN GEOPOTENTIAL KILOMETERS AND TEMPERATURE (*K)	RE (*K)	
	(mb)	Alt	°K	Alt	°K	Alt	°K	Alt	°K	Alt	°K	Alt	°K
JAN	1014.4	Sfc 35.0 64.5	257. 15 221. 15 238. 65	1.0	259, 15 226, 65 238, 65	3.5 45.0 83.0	251.15 244.15 214.65	8.5 50.0 89.0	217.15 251.15 214.65	15.0	217, 15 251, 15	25.0	212, 15 250, 15
FEB	1014.6	Sfc 32.0 64.5	256. 65 223. 15 234. 15	1.0 37.0 74.5	258, 15 228, 15 230, 15	3.5 44.5 87.0		8.5 49.5 89.0	218.65 255.65 205.15	15.0	218.65 255.65	22.0 59.5	215, 15 249, 15
MAR	1014.3	Sfc 35.0 75.5	261. 65 231. 15 226. 15	3.0 45.0 88.5	258. 65 257. 15 193. 65	9.0 49.0 89.0	219.65 265.15 193.65	15.0	219, 65 265, 15	20.0 59.5	218. 65 251. 15	30.0	222. 65 230. 15
APR	1013.4	Sfc 45.0	269, 15 268, 15	49.0	257. 15 274. 15	9.0	222.15	25.0 64.5	222, 15 238, 15	30.0	227.65	35.0	239, 15 178, 15
MAY	1013.3	Sfc 48.0	276.65 279, 15	4.0	260.65 279.15	9.0	223.65 249.15	25.0 83.0	223, 65 169, 15	32.5	240, 15 163, 15	42.5	268, 15 163, 15
JUNE	1011.0	Sfc 47.0	282, 65 280, 65	4.0	266.65 280.65	10.0	224.65	21.0	224. 65 157. 15	31.0	240, 65 150, 15	41.0	268, 65 150, 15
JULY	1009.9	Sfc 47.0	287. 15 279. 15	5.0	260, 15 279, 15	10.0	225, 15 255, 15	23.0	225, 15 157, 15	29.5	238, 15 149, 15	44.5	277.15
AUG	1010.7	Sfc 47.5	284, 15 275, 15	5.0	262. 15 275. 15	10.0	224.15	21.5	224.15	31.5	239, 15 180, 15	43.5	269, 15 160, 15
SEPT	1011.3	Sfc 48.0	281, 15 267, 15	50.5	263.15 267.15	10.0	221, 15 218, 15	24.0 88.0	221, 15 182, 15	34.0	237, 15 182, 15	44.0	261, 15
OCT	1010, 6	Sfc 40.0 89.0	275, 15 240, 15 204, 15	48.0	259, 15 260, 15	10.0	220, 15 260, 15	17.5	220, 15 233, 15	73.5	217.15	32.5 82.5	225, 15 204, 15
NOV	1012, 5	Sfc 40.0 79.0	266, 15 230, 65 216, 65	45.0 89.0	256. 15 242. 15 216. 65	9.0	218.65	15.0	218, 65 255, 65	25.0	214.65	35.0 69.0	222.65
DEC	1012.6	Sfc 35.0 82.0	259, 15 219, 65 211, 65	1.0 40.0 89.5	259. 65 227. 15 222. 15	3.5	255. 15 250. 15	8.5 56.0	217.65 250.15	15.0	217.65	25.0	210.65

Table C1. (Continued) Temperature-Height Profiles at 75°N

MONTH	SURFACE		BREA	K-POI	NTS IN	EOPOT	ENTIAL	KILOMI	STERS AN	ID TEM	BREAK-POINTS IN GEOPOTENTIAL KILOMETERS AND TEMPERATURE (*K)	RE (*K)	
	(mb)	Alt	°K	Alt	°K	Alt	»K	Alt	».	Alt	°K	Alt	•K
JAN	1014.7	Sfc 55.0	248. 15 255. 15	1.5	254, 15 238, 15	8.5	215.65 242.15	21.5	202, 65 214, 15	29.0	207.15	53.0	255, 15
FEB	1015.9	Sfc 40.5	247.65 230.15	1.5	253.65 260.15	3.0	247.65 260.15	8.0	216. 15 233. 15	15.5	211.65 236.15	20.5	204. 15 208. 15
MAR	1017.5	Sfc 27.5 88.5	248. 65 219. 15 193. 15	1.5 39.5	253. 15 237. 15	51.5	250, 15 267, 15	54.5	217. 15 267. 15	14.5	220, 15	20.0	214. 65 228. 15
APR	1016.9	Sfc 38.0	255, 15 242, 15	1.5	256. 65 274. 15	53.0	253. 15 274. 15	8.5	220, 15 234, 15	11.0	224, 15 215, 15	28.0 88.5	224, 15 176, 15
MAY	1017.0	Sfc 48.0	264.15 283.15	2.0	263.15 283.15	8.5	224. 15 232. 15	12.5 80.5	228. 15 172. 15	25.5	228. 15 155. 15	30.5	234, 15
JUNE	1013, 1	Sfc 47.5	272.65 285.65	2.5	268, 15 285, 65	8.5	226. 15 251. 15	12.0 82.0	229, 65 146, 15	21.0	229.65 142.65	25.0	231, 65
JULY	1011.1	Sfc 46.0	275.65	2.0	273.65 283.65	9.0	228. 15 263. 65	14.0 81.5	230, 15 147, 65	25.0 89.0	230, 15 144, 65	35.0	256, 15
AUG	1011.5	Sfc 53.0	274.65 278.15	2.5	270, 65 266, 15	9.0	225. 15 172. 15	15.0 89.0	228, 15 156, 15	26.5	228, 15	46.5	278, 15
SEPT	1011.6	Sfc 28.0 89.0	270.15 222.65 180.65	1.5	267. 15 246. 65	9.0	222. 15 270. 65	11.5	224.65 270.65	16.5	222, 65	20.5	222. 65 180. 65
OCT	1009.2	Sfc 50.0	262.65 263.15	2.5	258. 65 263. 15	8.5	219.65 227.15	16.0	219.65 227.15	25.0 83.5	210.65 205.15	35.0	222. 65 205. 15
NOV	1013,4	Sfc 46.0 89.0	253. 15 242. 15 221. 15	51.0	256, 15 258, 15	54.5	217.65 258.15	13.5	217.65	23.5	207.65	30.5	211. 15
DEC	1012.8	Sfc 54.5	251, 15 256, 65	62.0	254. 15 240. 15	8.5	215.15 244.15	26.0 82.5	204.65 216.65	42.0	228. 65 227. 15	52.0	256, 65

Table C1. (Continued) Temperature-Height Profiles at 90°N

MONTH	SURFACE		BREA	K-POI	NTS IN G	EOPOT	BREAK-POINTS IN GEOPOTENTIAL KILOMETERS AND TEMPERATURE (*K)	TLOMI	ETERS AI	ND TEN	1PERATU	RE (*K)	
	(mb)	Alt	°K	Alt	°K	Alt	°K	Alt	°K	Alt	°K	Alt	°K
JAN	1015.0	Sfc 28.0	237.15	1.5	247.65 229.65	2.5	244, 15 252, 15	8.5	214, 15 252, 15	14.0	208, 65	20.0	196, 65
FEB	1018.0	Sfc 41.0	240.65	1.5	249.65 254.65	8.5	214.65 254.65	13.5	213, 15	20.0	200, 15	28.5	208, 65
MAR	1020.0	Sfc 29.5	242.15 219.15	1.5	248. 15 249. 15	3.0	243.65 262.65	8.5	216, 15 262, 65	12.0	219,65	19.5	212, 15
APR	1020,5	Sfc 47.5	248.65 270.15	1.5	254.65 270.15	8.5	219,65	11.5	224, 15	23.5	224. 15	33, 5	235, 15
MAY	1020.0	Sfc 36.5	260.65 252.15	2.0	260.65 276.15	9.0	222, 15 276, 15	11.5	229.65	24.0	229, 65	31.5	238, 65
JUNE	1016.0	Sfc 41.0	272.15 274.65	2.5	264. 15 286. 65	9.0	225. 15 286. 65	12.0	231, 15	24.5	231, 15	32.0	243, 15
JULY	1013.0	Sfc 32.0	273.15 243.15	2.0	271.15 274.65	4.0	260, 15 283, 65	9.0	227. 15 283. 65	11.5	231, 15	24.5	231, 15
AUG	1014.0	Sfc 31.5	273. 15 236. 15	$\frac{1.5}{42.0}$	270, 15 267, 65	3.0	264. 15 277. 15	9.0	225. 15 277. 15	14.0	230, 15	24.0	227.15
SEPT	1016.0	Sfc 30.0	264. 15 222. 15	38.5	264. 15 239. 15	9.0	222. 15 249. 15	11.5	225, 15 259, 15	16.0 55.0	225. 15 259. 15	21.0	222, 15
OCT	1014.0	Sfc 38.5	252.65 227.15	1.5	257. 15 255. 15	8.5	218.65 255.15	12.0	222, 15	24.0	210, 15	30.0	210, 15
NOV	1018.0	Sfc 51.5	245.65 249.15	1.5	254. 65 249. 15	8.5	216, 15	13.5	216, 15	23.5	205, 15	29.5	205, 15
DEC	1013.0	Sfc 50.0	243, 15 249, 65	1.5 55.0	249, 15 249, 65	2.5	247.15	8.5	214, 15	23.5	203.65	30.0	203, 65

Table C2. January Temperature-Height Profiles for Specified Longitudes at 60°N and 75°N

LAT./	LAT. /LONG.	SURFACE		BREAK	K-POIN	IS IN GE	OPOTE	NTIAL K	ILOME	BREAK-POINTS IN GEOPOTENTIAL KILOMETERS AND TEMPERATURE (*K)	TEMI	PERATUR	E (*K)	
		(mp)	Alt	».K	Alt	°K	Alt	°K	Alt	Alt °K Alt °K Alt °K Alt °K	Alt	°K	Alt	*.
.N.09	10°W	1002, 5	Sfc 52.0	278.15 257.55	10.0	216.15 257.55		16.0 216.15		20.0 212.15	24.0	24.0 202.15	34.0	34.0 216.15
.N.09	100°W	1017.5	Sfc 32.0	246.15 219.15	1.0	250, 15 228, 15	3.0 2	247.15 248.15	9.0	217.15 252.15	14.0 55.0	217.15 252.15	24.0	211, 15
60°N,	140°W	1010,25	Sfc 49.0	269, 15 244, 15	3.5	255. 15 254. 15	8.5	221, 15 254, 15	20.0	20.0 221, 15	24.0	215.15	39.0	233, 15
75°N,	10°W	1006.5	Sfc 36.0	257.65 216.15	3.0	250, 15 243, 15	9.0	214.15 250.15	19.0	209, 15 250, 15	24.0	24.0 195.15	26.0	195, 15
75°N,	140°W	1020.5	Sfc 44.0	242, 15 240, 15	2.5 52.0	248. 15 252. 15	5.5	236. 15 252. 15	8.5	8.5 213.65	18, 5	18, 5 213, 65	24.0	208, 15

Table C3. High-Latitude Temperature-Height Profiles for Cold and Warm Winter Stratosphere/Mesosphere

			-										1
	SURFACE		BREA	KPOIN	IS IN GE	OPOTE	BREAKPOINTS IN GEOPOTENTIAL KILOMETERS AND TEMPERATURE (*K)	LOMET	ERS AND	TEMP	ERATUR	E (*K)	
	(mb)	Alt	°K	Alt	°K	Alt	°K	Alt	°K	Alt	°K	Alt	°K
MODEL A (warm)	1014, 4	Sfc 30.0 80.0	257. 15 203. 65 198. 15	1.0 40.0 90.0	259, 15 268, 65 198, 15	3.5	251, 15 300, 65	8.5 45.0	217. 15 300. 65	11.0	217.15	23.0	193, 15 205, 65
MODEL B (warm)	1014, 4	Sfc 30.0 74.0	257.15 216.65 201.65	1.0 35.0 84.0	259, 15 245, 15 185, 65	3.5 42.0 89.0	251, 15 273, 15 180, 65	8.5	217, 15 280, 65	11.0	217.15	23.0	199, 15 265, 65
MODEL C (warm)	1014.4	Sfc 20.0 90.0	257, 15 196, 15 196, 65	30.0	259, 15 241, 15	3.5	251, 15 280, 15	8.5	217. 15 247. 65	11.0	217, 15	18.0	19 6. 15
MODEL D (cold)	1014.4	Sfc 32.0 76.0	257.15 217.15 241.65	1.0 38.0 86.0	259, 15 208, 15 225, 65	3.5 43.0 89.0	251, 15 217, 15 219, 65	8.5	217. 15 241. 65	12.5 56.0	223, 15 256, 65	20.0	223, 15